Kinetics of Iodine-123-BMIPP in Patients with Prior Myocardial Infarction: Assessment with Dynamic Rest and Stress Images Compared with Stress Thallium-201 SPECT

Ichiro Matsunari, Takashi Saga, Junichi Taki, Yorihiro Akashi, Jun-ichi Hirai, Takanobu Wakasugi, Takahiko Aoyama, Munetaka Matoba, Kenji Ichiyanagi and Kinichi Hisada

Departments of Radiology and Internal Medicine, Fukui Prefectural Hospital, Fukui; Department of Nuclear Medicine, Kanazawa University School of Medicine, Kanazawa, Japan

Myocardial kinetics of 123I-labeled 15-(p-iodophenyl)3R, Smethylpentadecanoic acid (BMIPP) were evaluated with dynamic SPECT, and stress and rest BMIPP images were directly compared in conjunction with stress 201 Tl. Methods: We studied 26 patients with prior myocardial infarction. Two minutes after injection of BMIPP, dynamic data acquisition with a threeheaded SPECT was started and continued for 12 min. Conventional SPECT images were obtained at 20 min and 3 hr after injection. On a separate day, exercise, stress 201Tl SPECT was performed at 10 min and 3 hr after injection. Exercise stress-BMIPP imaging was performed in 15 of the patients, and static SPECT images were obtained. Results: With dynamic SPECT, early clearance of BMIPP from the myocardium was observed in the segments with reversible 201Tl defects, suggesting enhanced contribution of backdiffusion from BMIPP. In myocardial segments with reversible ²⁰¹Tl defects, 20-min BMIPP images showed a higher frequency of reduced uptake when compared to 3-hr ²⁰¹Tl (90/163) imaging. Conclusion: With BMIPP dynamic SPECT, an enhanced contribution of backdiffusion in the early phase from ischemic myocardium was suggested. When exercise stress BMIPP images were obtained, a more severe defect was observed than on rest BMIPP and stress 201TI imaging, possibly due to decreased coronary blood flow and impaired fatty acid uptake induced by ischemia during exercise.

Key Words: iodine-123-BMIPP; dynamic SPECT; myocardial infarction; exercise thallium-201 imaging

J Nucl Med 1994; 35:1279-1285

Patty acids are known to play a major role as cardiac energy sources under normal aerobic conditions (1,2). The development of fatty acid analogs labeled with radionuclides such as 11 C (3-6) and 123 I (7-10) has been encouraged for noninvasive evaluation of myocardial fatty acid

Received Sept. 29, 1993; revision accepted Mar. 9, 1994. For correspondence and reprints contact: Ichiro Matsunari, MD, Department of Radiology, Fukui Prefectural Hospital, 2-8-1, Yotsui, Fukui-city, 910, Japan. metabolism. Structurally modified fatty acids that exhibit normal cardiac extraction, but are not catabolized through the oxidative chain, have been designed for SPECT imaging since their prolonged myocardial retention is appropriate for the longer data acquisition periods required for tomographic imaging. Iodine-123 15-(p-iodophenyl)3R, S-methylpentadecanoic acid (BMIPP) has been proposed as a fatty acid probe for myocardial fatty acid utilization (11-13). Several investigators have used modified fatty acids, including BMIPP, in animal models and patients with hypertensive heart disease (14,15), cardiomyopathy (16-19) and ischemic heart disease (20-23). However, the kinetics of injected BMIPP in normal, ischemic or fibrotic myocardium have not yet been elucidated.

Recently, Chouraqui et al. (24) compared a labeled modified fatty acid and ²⁰¹Tl planar imaging in patients with stress-induced ischemia. However, direct comparison of stress and rest modified fatty acid imaging in relation to ²⁰¹Tl has not been reported.

The objectives of this study were to evaluate the kinetics of BMIPP in normal, ischemic and fibrotic myocardium determined by exercise-redistribution ²⁰¹Tl imaging with dynamic SPECT imaging in addition to conventional static-SPECT and to compare stress and rest BMIPP imaging in conjunction with stress ²⁰¹Tl in patients with previous myocardial infarction.

MATERIALS AND METHODS

Patients

Twenty-six patients with previous myocardial infarction (23 men and 3 women), ranging in age from 35 to 83 yr (mean 62.7 yr) were studied (Table 1). The diagnosis was made based on a history of acute myocardial infarction by elevation of cardiac enzymes, typical precordial symptoms and Q-waves on the ECG. The interval from the most recent onset of infarction to the present study ranged from 30 days to 10 yr (mean 18.6 mo). Patients within 4 wk from the onset of infarction were excluded because the metabolic conditions of these patients may be different from those with old myocardial infarction (23). Two of the

TABLE 1
Patient Characteristics

Patient no.	Age	Sex	Infarcted area	Interval* (days)	Preceding intervention
1	70	М	Inferolateral	39	
2	64	M	Inferolateral	485	
3	46	М	Anteroseptal	55	
4	43	M	Anterior	2250	
5	72	М	Inferior	80	PTCA
6	69	M	Anterior	2668	
7	75	M	Inferior	1896	
8	61	F	Inferior	33	
9	40	М	Anteroseptal	154	
10	65	M	Anterior-septal	33	
11	60	M	Anterior-septal	428	PTCA
12	60	M	Inferior, anterior	2127	CABG
13	56	М	Anterior	32	
14	83	M	Inferior	38	
15	70	М	Anterior	62	
16 [†]	58	M	Anteroseptal	34	
17 [†]	62	М	Anteroseptal	34	
18 [†]	70	М	Anteroseptal	40	
19 [†]	52	М	Lateral	45	
20 [†]	78	М	Inferoposterior	32	
21 [†]	73	М	Anterior	56	
22 [†]	35	M	Anteroseptal	36	
23 [†]	67	М	Anterior	30	
24 [†]	63	F	Anteroseptal	3583	
25 [†]	66	F	Inferior	36	
26 [†]	71	М	Inferior	33	

^{*}Interval from the most recent onset of infarction to time of study.

*Stress BMIPP imaging was not performed.

patients underwent percutaneous transluminal coronary angioplasty, and one had coronary artery bypass grafting prior to the study. Fifteen patients had stress/rest BMIPP and stress ²⁰¹Tl studies; the remaining 11 had only rest BMIPP and stress ²⁰¹Tl studies. All patients gave informed consent in accordance with the hospital's Human Clinical Study Committee guidelines prior to participation in the study.

Radiopharmaceuticals

BMIPP, a beta-methyl-branched fatty acid analog, was prepared and supplied by Nihon Medi-Physics Company. Thallium-201 was obtained from a commercial laboratory.

Instrumentation

A three-headed SPECT system (GCA9300A/HG, Toshiba, Tokyo, Japan) was used for dynamic and static SPECT data acquisition. Data were recorded with low-energy, high-resolution, parallel-hole collimators. The detector system was interfaced to a dedicated nuclear medicine computer.

Imaging Protocol and Data Acquisition

On the day of each radionuclide study patients were instructed to refrain from eating until completion of the study. Each of the resting BMIPP images, including dynamic SPECT, stress BMIPP and stress ²⁰¹Tl studies, was performed on a separate day. Simultaneous administration and dual-energy acquisition were avoided because of the complexity of crosstalk fraction between ¹²³I and

²⁰¹Tl (25). The study period averaged 11.4 days and ranged from 4 to 21 days. No cardiac events or changes in hemodynamic status occurred during the study period.

Rest BMIPP. Each patient was injected with 111–148 MBq of BMIPP during resting conditions followed by a 20-ml saline flush via an intravenous cannula inserted before the start of the study. From 2 min after injection, dynamic data acquisition was performed with continuous rotation (26,27); images were recorded at 4° intervals in 64×64 matrices. The camera rotation of 120° around the chest in 120 sec covered the projections over 360° . A total of six series of projection data (2-min data) acquired during a 12-min period were stored on magnetic disks. The energy discrimination was centered on 159 keV with a 20% window.

After dynamic data acquisition, conventional SPECT acquisition was started 20 min after injection (resting 20-min BMIPP). A total of 60 projection images were obtained over 360° in 6° increments with 30 sec per view. The data were recorded in 128×128 matrices on the magnetic disk. Conventional SPECT acquisition was also performed 3 hr after injection (resting 3-hr BMIPP) using the same imaging protocol for 20-min BMIPP SPECT.

To reconstruct transaxial tomographic images from each of the dynamic, 20-min and 3-hr BMIPP acquisition data, Butterworth and ramp filters were employed. The parameter of the Butterworth filter was order 8 for each dataset, and the cutoff frequency was 0.19 cycle/pixel for dynamic acquisition data and 0.15 cycle/pixel for conventional SPECT acquisition data. Short-axis slices, 6.4 mm thick for the dynamic and 3.2 mm thick for the conventional SPECT acquisition data, were also generated. Two serial slices of conventional SPECT data were added to equalize the slice thickness of the dynamic SPECT data.

Stress BMIPP. In 15 patients, exercise stress BMIPP imaging was performed using a supine bicycle ergometer. Exercise was started with a workload of 25 W and increased by 25 W intervals for every 2 min of stress. Exercise was terminated when either severe chest pain, serious arrhythmia, ST depression of more than 0.2 mV and/or fatigue occurred. One minute before cessation of exercise, 111-148 MBq of BMIPP were injected and 20-min and 3-hr SPECT images were obtained using the same protocol for resting BMIPP.

Stress ²⁰¹Tl SPECT. Exercise stress ²⁰¹Tl SPECT imaging was also performed using a supine bicycle ergometer. At the same workload level used in the stress BMIPP study, approximately 111 MBq of ²⁰¹Tl were injected intravenously, and the patient continued to exercise for an additional minute. At 10 min and 3 hr after injection, exercise and 3-hr SPECT images were obtained under the same acquisition conditions and reconstruction method used for BMIPP SPECT, except the energy discriminator was centered on 70 keV with a 20% window.

Data Analysis

SPECT data analysis was based on three reconstructed short-axis slices. In each patient, corresponding short-axial tomograms from the sets of dynamic SPECT with BMIPP, 20-min and 3-hr BMIPP SPECT and exercise and 3-hr 201 Tl SPECT were aligned, and three slices from the basal, middle and apical ventricular levels were chosen for direct comparison. Basal and middle ventricular slices were divided into eight segments, and the apical ventricular slice was divided into four segments (Fig. 1). A square region of interest (ROI) of 3×3 pixels for dynamic SPECT or 6×6 pixels for conventional SPECT was placed over the center of each of the total 20 segments. Thus, a total of 520 myocardial segments from 26 patients were evaluated.

PTCA = percutaneous transluminal angioplasty and CABG = coronary arterial bypass grafting.

The washout rate from 2-4 to 12-14 min images was calculated in each myocardial segment. Physical decay correction was not made for dynamic SPECT data, since it was considered negligible during the short acquisition time.

In each SPECT datum, the maximum value (average counts per pixel) of all 20 myocardial segments was taken as 100%; the other values were calculated as a percentage of this maximum (relative regional uptake, RRU). For quantitative analysis of the SPECT data, a five-point scoring system based on RRU was used in each myocardial segment: 4 (RRU, 80%–100%), 3 (60%–79%), 2 (40%–59%), 1 (20%–39%) and 0 (0%–19%).

On the basis of the five-point scoring system for ²⁰¹Tl studies, the myocardial segments were classified into three patterns as follows:

Normal: a segment showing a score of 4 on both exercise and 3-hr ²⁰¹Tl images.

Reversible defect: a segment showing a lower score on exercise ²⁰¹Tl images than on 3-hr ²⁰¹Tl images.

Nonreversible defect: a segment showing a score of less than 4 on 3-hr ²⁰¹Tl images and an equal or larger score on exercise ²⁰¹Tl images.

In addition, the washout rates (%) in ²⁰¹Tl and BMIPP studies were calculated in each segment (physical decay-corrected).

Statistical Analysis

Values are expressed as mean \pm s.e.m.. A paired t-test was used only to compare the washout rates of corresponding myocardial segments between stress and rest BMIPP study. For other comparisons of mean values, the F-test was applied. Linear regression analysis was performed to determine the correlation between washout rates calculated from 2–4 to 12–14 min and from 20 min to 3 hr BMIPP SPECT. Chi-square analysis was used to determine differences in proportions of resting 20-min-BMIPP/3-hr 201 Tl discrepancy. McNemar's symmetry chi-square was used to compare the conventional SPECT images. Statistical significance was defined as p < 0.05.

RESULTS

Classification of Myocardial Segments by Exercise Redistribution ²⁰¹TI SPECT

Of a total 520 myocardial segments, 170 were classified as normal, 163 as reversible defects and 187 as nonrevers-




FIGURE 1. Three reconstructed short-axis slices in the basal, middle and apical ventricle. Eight square ROIs of 3×3 pixels for dynamic SPECT or 6×6 pixels for static SPECT were placed on the basal and middle slices, and four square ROIs were placed on the apical slice.




FIGURE 2. Time-activity curves of BMIPP from 2–4 to 12–14 min in myocardial segments with normal ²⁰¹TI uptake, reversible ²⁰¹TI defects and nonreversible ²⁰¹TI defects. The first datapoints are standardized to 100%. Mean and s.e.m. are shown.

ible defects by quantitative analysis. All patients had positive scintigraphic findings on both exercise and 3-hr ²⁰¹Tl imaging.

Early Kinetics of Rest Injected BMIPP in Dynamic SPECT


For the dynamic SPECT study, BMIPP washout rates (from 2–4 to 12–14 min) of myocardium with reversible 201 Tl defects (3.6 \pm 1.5%) was higher than those with normal 201 Tl uptake and nonreversible 201 Tl defects (-11.1 \pm 1.0%, p < 0.001, and -1.2 \pm 1.4%, p < 0.05, respectively). The dynamic, early time-activity curves from 2–4 to 12–14 min showed a subsequent decrease of BMIPP activity in the reversible 201 Tl defect area, while a subsequent increase of BMIPP activity in normal 201 Tl uptake and no significant change in BMIPP activity in nonreversible 201 Tl defect areas were noted (Fig. 2).

Figure 3 shows a representative case comparing exercise-redistribution ²⁰¹Tl SPECT, resting 20-min BMIPP SPECT and BMIPP dynamic SPECT. Exercise, redistribution ²⁰¹Tl SPECT shows a reversible defect pattern in the septal wall and resting 20-min BMIPP shows decreased uptake compared with 3-hr ²⁰¹Tl. In BMIPP dynamic SPECT, clearance in the septal region is noted.

Of note, the washout rate calculated from dynamic SPECT was not positively correlated with 20-min to 3 hr BMIPP SPECT results, showing only a weak negative correlation (r = -0.249, p < 0.001) (Fig. 4).

Comparison Between Rest BMIPP and Stress ²⁰¹TI Imaging

As shown in Figure 5, 20-min BMIPP imaging showed reduced activity compared to 3-hr 201 Tl (p < 0.001). On the other hand, exercise 201 Tl showed reduced activity compared with 20-min BMIPP (p < 0.005). In myocardial seg-



Time after injection

FIGURE 3. (Upper) Short-axis tomograms of exercise-redistribution ²⁰¹TI SPECT and resting 20-min BMIPP SPECT of Patient 11 with anterior and septal wall infarction. The exercise-redistribution ²⁰¹TI images show a reversible defect in the septal wall. On resting 20-min BMIPP SPECT, decreased BMIPP uptake compared with 3-hr ²⁰¹TI in the septal wall is observed. (Lower) serial changes in the accumulation pattern in BMIPP dynamic SPECT of the same patient as shown above are observed. A significant clearance of BMIPP from the septal wall is noted.

ments with reversible ²⁰¹Tl defects, 20-min BMIPP showed a high frequency of reduced uptake compared to 3-hr ²⁰¹Tl (90 of 163 myocardial segments), whereas segments with normal ²⁰¹Tl uptake and nonreversible ²⁰¹Tl defects showed a relatively low frequency of lower BMIPP uptake than ²⁰¹Tl (16 of 170 and 29 of 187 segments) (Table 2).




FIGURE 4. Correlation of washout rate between BMIPP dynamic SPECT (from 2–4 to 12–14 min) and resting BMIPP SPECT (from 20 min to 3 hr). A very weak negative correlation was observed.




FIGURE 5. Comparison of uptake scores between resting 20-min BMIPP and exercise ²⁰¹Tl imaging (left) and between resting 20-min BMIPP and 3-hr ²⁰¹Tl imaging (right).

Comparison of Stress BMIPP and Rest BMIPP in Relation to Stress ²⁰¹Ti

Comparisons of segmental uptake scores between stress 20-min BMIPP and resting 20-min BMIPP SPECT and between stress 20-min BMIPP and exercise 201 Tl SPECT are shown in Figure 6. There were no segments with a score of 0 (<20%, RRU), both in BMIPP and 201 Tl. The stress 20-min BMIPP exhibited more severe defects when compared with resting 20-min BMIPP (p < 0.001). Furthermore, defects on stress 20-min-BMIPP were more severe compared to exercise 201 Tl (p < 0.05).

The stress, 3-hr BMIPP showed a high frequency of redistribution (p < 0.001), whereas resting 3-hr BMIPP did not (Fig. 7). The washout rate calculated from stress BMIPP, rest BMIPP and stress 201 Tl in segments with normal 201 Tl uptake and reversible and nonreversible 201 Tl defects are summarized in Table 3. In normal 201 Tl uptake segments, the washout rates of BMIPP (both stress and rest study) were higher segments with reversible and nonreversible 201 Tl defects. In addition, the washout rate of stress BMIPP in the segments with normal 201 Tl uptake was higher than rest BMIPP (p < 0.05).

Figure 8 shows short-axis images of stress ²⁰¹Tl, rest BMIPP and stress BMIPP of a representative case of inferolateral wall myocardial infarction. The most severe de-

TABLE 2
Resting Twenty Minute BMIPP/Three Hour ²⁰¹TI
Discrepancies in Relation to Exercise-Redistribution
²⁰¹TI Patterns (Number of Segments)

	Normal	Reversible defect	Nonreversible defect	Total
BMIPP < TI*	16	90	29	135
$BMIPP = TI^{\dagger}$	154	67	117	338
BMIPP > TI [‡]	0	6	41	47
Total	170	163	187	520

^{*}Segments with lower BMIPP uptake than 201TI.

p < 0.001.

[†]Segments with equal uptake of BMIPP and ²⁰¹TI.

^{*}Segments with lower ²⁰¹Tl uptake than BMIPP.




FIGURE 6. Comparison of segmental uptake scores between stress 20-min BMIPP and resting 20-min BMIPP imaging (left) and between stress 20-min BMIPP and exercise ²⁰¹TI imaging (right).

fect was seen on the stress 20-min BMIPP image; the 3-hr image showed a less severe defect in this region.

DISCUSSION

We noted the following observations during this study:

- For dynamic SPECT, relatively increased clearance of BMIPP from the myocardium was observed in segments with reversible ²⁰¹Tl defects.
- 2. Abnormal resting BMIPP uptake was more frequently observed than in 3-hr ²⁰¹Tl imaging.
- 3. In segments with nonreversible ²⁰¹Tl defects, a majority of segments showed equally decreased resting 20-min BMIPP and 3-hr ²⁰¹Tl uptake, whereas in segments with reversible ²⁰¹Tl defects, the resting 20-min BMIPP defects were frequently more severe than those on 3-hr ²⁰¹Tl images.
- 4. BMIPP defects were more prominent on the stress studies than resting studies, and stress 20-min BMIPP showed more severe defects than exercise ²⁰¹Tl.

Early Kinetics of BMIPP

We demonstrated early clearance of BMIPP from the myocardium with reversible ²⁰¹Tl defects in the dynamic study. Since methyl-branched fatty acid analogues, including BMIPP, are thought not to enter the beta-oxidation




FIGURE 7. Comparison of segmental uptake scores between 20-min and 3-hr imaging on stress (left) and rest (right) BMIPP study.

TABLE 3Washout Rates for Stress, Rest BMIPP and Stress ²⁰¹TI in Segments with Normal, Reversible and Nonreversible Defects in Stress ²⁰¹TI Studies

Stress finding ²⁰¹ Tl study	Stress BMIPP	Rest BMIPP	Stress ²⁰¹ Tl
Normal (n = 104)*	15.8 ± 0.8 [†]		39.6 ± 0.7 27.1 ± 1.4 [¶]
Reversible defect (n = 77)* Nonreversible defect (n = 119)*			

Results (mean \pm s.e.m.) are percent washout from 20 min to 3 hr for rest and stress BMIPP; percent washout from 10 min to 3 hr for stress ^{201}TI

*Classification was determined by stress ²⁰¹Tl.

[†]p < 0.05 vs. rest BMIPP.

[‡]p < 0.05 vs. nonreversible defect.

⁵p < 0.001 vs. normal.

¹p < 0.001 vs. normal and nonreversible defect.

catabolic pathway, it is improbable that BMIPP trapped by the myocardium could be rapidly metabolized. Therefore, accelerated clearance of BMIPP in the early dynamic phase just after the injection of BMIPP (2-14 min) in myocardial segments with reversible ²⁰¹Tl defects indicating ischemic myocardium might be explained by backdiffusion. Fox et al. measured the efflux of metabolized and nonmetabolized fatty acid from canine myocardium using ¹¹C-palmitate and showed a significant increase of backdiffusion with either ischemia or hypoxia during the interval from 1 to 10 min after tracer injection (28). Lerch also observed enhanced backdiffusion of injected ¹²³I-heptadecanoic acid (HDA) from isolated rabbit hearts during hypoxia (29). The mechanism of BMIPP backdiffusion might be explained as follows. In the metabolically impaired myocardium conversion of BMIPP to BMIPP-CoA might be suppressed, and so free BMIPP, which is distributed by




FIGURE 8. Short-axis tomograms of Patient 1 with inferolateral infarction. A defect in the inferolateral wall was observed on exercise ²⁰¹TI, which was accompanied by incomplete redistribution on 3-hr ²⁰¹TI images (upper row). The defect on resting 20-min BMIPP imaging was more severe than on 3-hr ²⁰¹TI (middle row). The most severe defect was seen on stress 20-min BMIPP, which was accompanied by redistribution on the 3-hr BMIPP image (lower row).

regional perfusion, cannot be retained in the myocardial cell in a similar mechanism shown in the studies using ¹¹C-palmitate and ¹²³I-HDA. On the other hand, myocardial segments exhibiting either a normal or nonreversible defect showed a subsequent increase in BMIPP uptake during dynamic SPECT imaging. Dudczak et al. reported that the activity peak time of injected BMIPP in the human heart averaged 14.9 min (13), which is consistent with our findings. In these myocardial regions, the contribution of backdiffusion is considered to be low, and the trapped BMIPP is incorporated into the endogenous lipid pool.

Notably, the washout rate from 2-4 to 12-14 min and from 20 min to 3 hr did not show any positive correlation, indicating that the backdiffusion observed here is independent of BMIPP washout from 20 min to 3 hr images. Mechanisms other than backdiffusion, such as alpha-oxidation, may contribute to washout from myocardium from 20 min to 3 hr. Judging from the time-activity curves obtained by dynamic SPECT, a considerable part of backdiffusion may be completed within 6 min, an interpretation in agreement with findings by Fox et al. (28).

It was difficult to clarify the contribution of backdiffusion of fatty acids or their analog such as ¹¹C-palmitate or 15-(para-¹²³I-phenyl) pentadecanoic acid with external imaging modalities because of the coexistence of beta-oxidation and backdiffusion (30). Because of their resistance to metabolism by beta-oxidation, methyl-branched fatty acids such as BMIPP permit estimation of backdiffusion when dynamic SPECT is used.

Comparison Between Resting 20-min BMIPP and Exercise-Redistribution ²⁰¹TI SPECT

Resting 20-min BMIPP showed reduced activity in comparison to 3-hr ²⁰¹Tl, especially in the region of reversible defects on exercise-redistribution ²⁰¹Tl imaging (90/163 Segments, 55%). This indicates that impaired fatty acid utilization already exists during resting conditions in stress-induced ischemic myocardium. Thus, resting BMIPP imaging, in combination with exercise-redistribution ²⁰¹Tl imaging, is useful in obtaining precise information on myocardial injury.

Comparison of Stress and Rest BMIPP SPECT in Conjunction with Stress ²⁰¹TI

We demonstrated that exercise stress BMIPP imaging exhibits a more serious defect than rest BMIPP and stress ²⁰¹Tl in patients with prior myocardial infarction. Kaiser et al. compared stress- and rest-SPECT imaging with 15-(ortho-¹²³I-phenyl)-pentadecanoic acid and a subtraction method and observed fill-in in myocardium showing diminished tracer uptake after exercise (33). Their results are consistent with ours. On the other hand, Chouraqui et al. compared a fatty acid analogue and ²⁰¹Tl imaging in patients with stress-induced ischemia, resulting in good agreement with both tracers (24). The mechanism of the most severe defects seen on stress BMIPP SPECT in the stress and rest BMIPP studies and the ²⁰¹Tl studies may be due to decreased BMIPP delivery by reduced coronary

blood flow and impaired fatty acid uptake by exercise-induced ischemia.

Primarily, BMIPP is designed to inhibit beta-oxidation. However, considerable myocardial clearance still exists, possibly due to catabolism by alpha- or omega-hydroxylation with subsequent oxidation (34,35). Moreover, the frequency of redistribution on 3-hr imaging was significantly high in the stress BMIPP SPECT study, which is consistent with previous work (24). The frequent redistribution observed on stress 3-hr-BMIPP SPECT could be explained by increased washout from normal myocardium, whereas defects are accompanied by persistently reduced washout. The increased clearance of BMIPP by exercise stress may not be explained by increased coronary arterial blood flow, since it seems to return to baseline levels at 15 min after the end of exercise (36). Some metabolic change after exercise might influence the washout rate from 20-min to 3-hr images.

Methodological Limitations

In the present study, we employed 201 Tl redistribution images after exercise stress under resting conditions. However, recent studies have shown that reinjection of thallium after redistribution imaging may result in enhanced thallium uptake within apparently irreversible thallium defects (31,32). Thus, 3-hr 201 Tl imaging may underestimate viable myocardium. Therefore, the possibility exists that myocardial segments showing nonreversible defects may actually contain viable myocardium and cannot be excluded in this study.

CONCLUSIONS

We used dynamic SPECT to demonstrate significant clearance of BMIPP from myocardium with reversible ²⁰¹Tl defects in the early phase, suggesting enhanced contribution of backdiffusion in ischemic myocardium. Resting 20-min BMIPP imaging frequently demonstrated more decreased tracer uptake than 3-hr ²⁰¹Tl imaging in ischemic myocardium, implicating impaired fatty acid metabolism during resting conditions. When exercise-stress BMIPP images were obtained, more severe defects were observed than on rest BMIPP and stress ²⁰¹Tl images, possibly due to decreased coronary blood flow and impaired fatty acid uptake induced by ischemia during exercise.

ACKNOWLEDGMENTS

The authors thank Mr. Kouichi Ono, Mr. Yoshinobu Tanishima and Ms. Hiroko Nishide of the Radioisotope Division for their assistance. BMIPP was kindly supplied by Nihon Medi-Physics Co., Ltd., Nishinomiya, Japan.

REFERENCES

- Opie LH. Metabolism of the heart in health and disease. Am Heart J 1968;76:685.
- Neely JR, Rovetto MJ, Oram JF. Myocardial utilization of carbohydrate and lipids. Prog Cardiovasc Dis 1972;15:685-698.
- Sobel BE, Weiss ES, Welch MJ, Siegel BA, Ter-Pogossian MM. Detection of remote myocardial infarction in patients with positron emission transaxial tomography. Circulation 1977;55:853–857.

- Lerch RA, Bergmann SR, Ambos HD, Welch MJ, Ter-Pogossian MM, Sobel BE. Effect of flow-independent reduction of metabolism on regional myocardial clearance of ¹¹C-palmitate. *Circulation* 1982;65:731-738.
- Schon HR, Schelbert HR, Robinson G, et al. Carbon-11-labeled palmitic acid for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron-computed tomography. I. Kinetics of C-11 palmitic acid in normal myocardium. Am Heart J 1982;103:532-547.
- Schon HR, Schelbert HR, Najafi A, et al. Carbon-11-labeled palmitic acid for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron-computed tomography. II. Kinetics of C-11 palmitic acid in acutely ischemic myocardium. Am Heart J 1982;103:548-561.
- van der Wall EE, Heidendal GAK, den Hollander W, Westera G, Roos JP. I-123-labeled hexadecanoic acid in comparison with thallium-201 for myocardial imaging in coronary artery disease. Eur J Nucl Med 1983;6:391-396.
- Shon HR, Senekowitsch R, Berg D, et al. Measurement of myocardial fatty acid metabolism: kinetics of iodine-123-heptadecanoic acid in normal dog hearts. J Nucl Med 1986;27:1449–1455.
- Machulla HJ, Marsmann M, Dutschka K. Biochemical concepts and synthesis of radioiodinated phenyl fatty acid for in vivo metabolic studies of the myocardium. Eur J Nucl Med 1980;5:171-173.
- Rellas JS, Corbett JR, Kulkarni P, et al. Iodine-123 phenylpentadecanoic acid: detection of acute myocardial infarction and injury in dogs using an iodinated fatty acid and single-photon emission tomography. Am J Cardiol 1983:52:1326-1332.
- Goodman MM, Kirsch G, Knapp FF Jr. Synthesis and evaluation of radioiodinated terminal p-iodo-phenyl-substituted alpha- and beta-methylbranched fatty acids. J Med Chem 1984;27:390-397.
- Knapp FF Jr, Ambrose KR, Goodman MM. New radioiodinated methylbranched fatty acids for cardiac studies. Eur J Nucl Med 1986;12:S39-S44.
- Dudczak R, Schmoliner R, Angelberger P, Knapp FF, Goodman MM. Structurally modified fatty acids: clinical potential as tracers of metabolism. Eur J Nucl Med 1986;12:S45-S48.
- Yonekura Y, Brill AB, Som P, et al. Reginal myocardial substrate uptake in hypertensive rats: a quantitative autoradiographic measurement. Science 1985;227:1494–1496.
- Yamamoto K, Som P, Brill AB, et al. Dual tracer autoradiographic study of beta-methyl-(1-¹⁴C) heptadecanoic acid and 15-p-(131I)-iodophenyl-betamethylpentadecanoic acid in normotensive and hypertensive rats. J Nucl Med 1986:27:1178-1183.
- Kurata C, Kobayashi A, Yamazaki N. Dual tracer autoradiographic study with thallium-201 and radioiodinated fatty acid in cardiomyopathic hamsters. J Nucl Med 1989;30:80-87.
- Kurata C, Tawarahara K, Taguchi T, et al. Myocardial emission computed tomography with iodine-123-labeled beta-methyl-branched fatty acid in patients with hypertrophic cardiomyopathy. J Nucl Med 1992;33:6-13.
- Taki J, Nakajima K, Bunko H, Shimizu M, Taniguchi M, Hisada K. Iodine-123-labeled BMIPP fatty acid myocardial scintigraphy in patients with hypertrophic cardiomyopathy: SPECT comparison with stress ²⁰¹Tl. Nucl Med Commun 1993;14:181–188.
- Takeishi Y, Chiba J, Abe S, Tonooka I, Komatani A, Tomoike H. Heterogeneous myocardial distribution of iodine-123 15-(p-iodophenyl)-3-R,S-methylpentadecanoic acid (BMIPP) in patients with hypertrophic cardiomy-opathy. Eur J Nucl Med 1992;19:775-782.
- 20. Miller DD, Gill JB, Livini E, et al. Fatty acid analogue accumulation: a

- marker of myocyte viability in ischemic-reperfused myocardium. Circ Res 1988:63:681-692.
- Nishimura T, Sago M, Kihara K, et al. Fatty acid myocardial imaging using 123I-β-methyl-iodophenyl pentadecanoic acid (BMIPP): comparison of myocardial perfusion and fatty acid utilization in canine myocardial infarction (occlusion and reperfusion model). Eur J Nucl Med 1989;15:341-345.
- Saito T, Yasuda T, Gold HD, et al. Differentiation of regional perfusion and fatty acid uptake in zones of myocardial injury. Nucl Med Commun 1991; 12:663-675.
- Tamaki N, Kawamoto M, Yonekura Y, et al. Regional metabolic abnormality in relation to perfusion and wall motion in patients with myocardial infarction: assessment with emission tomography using an iodinated branched fatty acid analog. J Nucl Med 1992;33:659-667.
- Chouraqui P, Maddahi J, Henkin R, Karesh SM, Galie E, Berman DS. Comparison of myocardial imaging with iodine-123-iodophenyl-9-methyl pentadecanoic acid and thallium-201-chloride for assessment of patients with exercise-induced myocardial ischemia. J Nucl Med 1991;32:447-452.
- Nakajima K, Taki J, Bunko H, et al. Errors of uptake in dual energy acquisition with ²⁰¹Tl and ¹²³I-labeled radiopharmaceuticals. Eur J Nucl Med 1990;16:595-599.
- Nakajima K, Taki J, Bunko H, et al. Dynamic acquisition with a threeheaded SPECT system: application to technetium 99m-SQ30217 myocardial imaging. J Nucl Med 1991;32:1273-1277.
- Nakajima K, Shuke N, Taki J, et al. A simulation of dynamic SPECT using radiopharmaceuticals with rapid clearance. J Nucl Med 1992;33:1200-1206.
- Fox KAA, Abendschein DR, Ambos HD, Sobel BE, Bergmann SR. Efflux
 of metabolized and nonmetabolized fatty acid from canine myocardium:
 implications for quantifying myocardial metabolism tomographically. Circ
 Res 1985;57:232-243.
- Lerch R. Effect of impaired fatty acid oxidation on myocardial kinetics of ¹¹C- and ¹²³I-labeled fatty acids. Eur J Nucl Med 1986;12:S36-S38.
- Wieler H, Kaiser KP, Frank J, Kuikka JT, Ladwein K, Winkens A. Standardized non-invasive assessment of myocardial free fatty acid kinetics by means of 15-(para-iodo-phenyl) pentadecanoic acid (123I-pPPA) scintigraphy: I. Method. Nucl Med Commun 1990;11:865-878.
- Dilsizian V, Rocco TP, Freedman NMT, Leon MB, Bonow RO. Enhanced detection of ischemic but viable myocardium by the reinjection of thallium after stress-redistribution imaging. N Engl J Med 1990;323:141-146.
- Rocco TP, Dilsizian V, McKusick KA, Fischman AJ, Boucher CA, Strauss HW. Comparison of thallium redistribution with rest "reinjection" imaging for the detection of viable myocardium. Am J Cardiol 1990;66:158–163.
- Kaiser KP, Vester E, Großmann K, et al. Semiquantitative analysis of SPECT with the iodinated fatty acid 15-(ortho-¹²³I-phenyl)-pentadecanoic acid. Nucl Med Commun 1991;12:927-936.
- Fink GD, Montgomery JA, David F, et al. Metabolism of beta-methylheptadecanoic acid in perfused heart and liver. J Nucl Med 1990;31:1823– 1830.
- Knapp FF Jr, Goodman MM, Callahan AP, Kirsch G. Radioiodinated 15-(p-iodophenyl)-3,3-dimethylpentadecanoic acid: a useful new agent to evaluate myocardial fatty acid uptake. J Nucl Med 1986;27:521-531.
- Camici P, Araujo Ll, Spinks T, et al. Increased uptake of ¹⁸F-fluorodeoxyglucose in postischemic myocardium of patients with exercise-induced angina. Circulation 1986;74:81-88.