- Shaw LJ, Raggi P, Schisterman E, Berman DS, Callister TQ. Prognostic value of cardiac risk factors and coronary artery calcium screening for all-cause mortality. *Radiology*, 2003;228:826–833.
- Austen WG, Edwards JE, Frye RL, et al. A reporting system on patients evaluated for coronary artery disease: report of the Ad Hoc Committee for Grading of Coronary Artery Disease, Council on Cardiovascular Surgery, American Heart Association. Circulation. 1975;51:5–40.
- Windecker S, Remondino A, Eberli FR, et al. Sirolimus-eluting and paclitaxeleluting stents for coronary revascularization. N Engl J Med. 2005;353:653–662.
- Anand DV, Lim E, Raval U, Lipkin D, Lahiri A. Prevalence of silent myocardial ischemia in asymptomatic individuals with subclinical atherosclerosis detected by electron beam tomography. *J Nucl Cardiol*. 2004;11:450–457.
- 26. Budoff MJ, Achenbach S, Blumenthal RS, et al. Assessment of coronary artery disease by cardiac computed tomography: a scientific statement from the
- American Heart Association Committee on Cardiovascular Imaging and Intervention, Council on Cardiovascular Radiology and Intervention, and Committee on Cardiac Imaging, Council on Clinical Cardiology. *Circulation*. 2006;114: 1761–1791
- Grundy SM, Cleeman JI, Merz CN, et al. Implications of recent clinical trials for the National Cholesterol Education Program Adult Treatment Panel III guidelines. Circulation. 2004;110:227–239.
- Schepis T, Gaemperli O, Koepfli P, et al. Use of coronary calcium score scans from stand-alone multislice computed tomography for attenuation correction of myocardial perfusion SPECT. Eur J Nucl Med Mol Imaging. 2007;34:11–19.
- Heller GV, Links J, Bateman TM, et al. American Society of Nuclear Cardiology and Society of Nuclear Medicine joint position statement: attenuation correction of myocardial perfusion SPECT scintigraphy. J Nucl Cardiol. 2004;11: 229–230.

Errata

The article "Characterization of Plaques Using ¹⁸F-FDG PET/CT in Patients with Carotid Atherosclerosis and Correlation with Matrix Metalloproteinase-1," by Wu et al. (*J Nucl Med.* 2007;48:227–233), contains a unit-of-measure error. Throughout the article, the data for high-sensitivity C-reactive protein (hs-CRP) should have been given in units of mg/L instead of mg/dL. The authors regret the error.

In the article "Comparison of SPECT/CT, SPECT, and Planar Imaging with Single- and Dual-Phase ^{99m}Tc-Sestamibi Parathyroid Scintigraphy," by Lavely et al. (*J Nucl Med.* 2007;48:1084–1089), Table 1 contains an error. In the leftmost column, line 8 should read "early planar–early SPECT" instead of "early planar–delayed SPECT." The authors regret the error.