THE SOCIETY OF NUCLEAR MEDICINE
26th ANNUAL MEETING

June 26-29, 1979 Georgia World Congress Center Atlanta, Georgia

CALL FOR ABSTRACTS FOR SCIENTIFIC EXHIBITS

The Scientific Exhibits Committee invites the submission of abstracts for display of scientific exhibits at the 26th Annual Meeting of the Society of Nuclear Medicine.

"ONE PICTURE IS WORTH A THOUSAND WORDS"

A visual discipline like nuclear medicine is particularly suited for information exchange in exhibit form. Exhibits provide an alternate route for the author to get his message across, and the viewer can take his own good time to study, criticize, and assimilate the material.

Scientific Exhibits Awards will again be presented in several categories. Selection will be based on scientific merit, originality, display format, and appearance.

This year the accepted abstracts will appear in an abstract booklet for reference at the. Pending approval by the Publications Committee the abstracts are being considered for publication in the June 1979 issue of the JOURNAL OF NUCLEAR MEDICINE.

Exhibits may be large or small, free standing, pegboard display, or illuminated by a viewbox, but must conform to minimal standards. An instruction booklet on "How to Prepare a Scientific Exhibit" is available on request. Exhibits supplementing submitted papers are welcome.

Abstracts must be submitted on a special form for scientific exhibits. These forms are available form:

Society of Nuclear Medicine
475 Park Avenue South
New York, New York 10016

ABSTRACT DEADLINE: March 15, 1979

1978 AUTHOR INDEX

Asterisk indicates abstract

Aamodt, R. L. see Rumble, W. F.
Ackerhalt, R. see Kung, H. F.
Ackerman, R. H.
see Alpert, N. M.
see Correia, J. A.
Adams, R., Hine, G. J., and Zimmerman, C. D. Scintillation camera deadtime in simulated nuclear cardiography, 538
Adams, R., Kirk, G. A., Schulz, E., and Snell, B. ^{125}I imaging with a scintillation camera, 713*
Adams, R., Kirk, G. A., Schulz, E., and Snell, B. ^{125}I imaging with a scintillation camera, 1259
Adolf, R. J. see Nishiyama, H.
Ahlquist, K. J.
see Hosain, P.
see Wang, T. S. T.
Ahmad, M., Logan, K. W., and Martin, R. H. Doughnut pattern on ^{99m}Tc-pyrophosphate scintigrams, 724*
Ahmad, M. see Hendershott, L. R.
Ahmad, M. L., Perrillo, R. P., Sunwood, Y. C., and Donati, R. M. Hepatic ^{133}Xe retention correlated with liver biopsy, 685*
Aitkin, T. A. see Lathrop, K. A.
Ajmani, S. K. and Pircher, F. J. ^{67}Ga-citrate in gynecomastia, 560
Alam, S. E., Friedman, M. I., Kemp, H. G., and Pierson, R. N. Regional myocardial blood flow during contrast induced hyperemia, 726*
Alavi, A., Berg, B. and Dann, R. ^{99m}Tc-S colloid scans in abdominal trauma evaluation, 686*
Alavi, A., Glick, J., and Reichek, N. ^{99m}Tc-diphosphonate scans in adriamycin therapy, 704*
Alavi, A. and Staum, M. M. ^{99m}Tc-phytate lymph node imaging, 1363
Alavi, A., Staum, M. M., Shesol, B. F., and Bloch, P. H. ^{99m}Tc-Sn phytate for lymph node imaging, 422
Alavi, A.
see Alavi, J. B.
see Kuhl, D. E.
Alavi, J. B., Alavi, A., and Staum, M. M. Scintigraphic evaluation of ^{111}In-filtration granulocytes, 672*
Alazraki, N. P., Fierer, J., and Resnick, D. Therapy monitoring with Ga and bone scanning in osteomyelitis, 696*
Alazraki, N. P., Verba, J. W., Nelson, H., Taylor, A., Halpern, S., and Palmer, B. Visibility of hot lesions on ^{67}Ga or ^{99m}Tc camera images, 692*
Alazraki, N. P.
see Chafetz, N.
see Hagan, P. L.
see Taylor, A.
see Verba, J. W.
Albro, P. C., Gould, K. L., Westcott, R. J., and Hamilton, G. W. Myocardial imaging during pharmacologic vasodilatation, 743*
Alderson, J. H. see Kaufman, H. H.
Alderson, P. O. Book review; *Gallium-67 Imaging*, 1189
Alderson, P. O., Doppman, J. L., Diamond, S. S., Mendenhall, K. G., Barron, E. L., and Girton, M. Ventilation-perfusion imaging and lung angiography in pulmonary embolism, 164
Alderson, P. O., Douglass, K. H., Mendenhall, K. G., Donovan, R. C., and Wagner, H. N. Quantitation of left-to-right cardiac shunts, 697*
Alderson, P. O., Gaudiani, V. A., Watson, D. C., Mendenhall, K. G. and Donovan, R. C. Quantitative $^{99m}TcO_4^-$ angiocardiography in experimental atrial septal defects, 364
Alderson, P. O., Lee, H., Summer, W., Motazedi, A. Rigo, P., Stolz, K., Gomez, J., and Wagner, H. N. Methods for imaging regional ventilation, 729*
Alderson, P. O., Vieras, F., Housholder, D. F., Mendenhall, K. G., and Wagner, H. N. Gated and cinematic lung imaging in pulmonary emboli, 729*
Alderson, P. O.
see Bradley, W. P.
see Douglass, K. H.
see Goble, J. C.
see Hamilton, R. G.
see Ito, H.
see Jiang, V. W.
see Johannes, R. S.
see Qureishi, S.
see Yang, S. L.
Alexander, G. W. see Silberstein, E. B.
Ali, A.
see Rayudu, G. V. S.
see Turner, D. A.
Ali, F. M. see Faraj, B. A.
Allen, D. R., Ferens, J. M., Cheney, F. W., and Nelp, W. B. Acute cardiopulmonary toxicity of microspheres, 1204
Allen, D. R.
see Hubbard, T.
see Larson, S. M.
Allen, E. W. see Leonard, J. C.
Allison, A. C. see Segal, A. W.
Alonso, D. see Cahill, P.
Alpert, N. see Konstam, M. A.
Alpert, N. M., Correia, J. A., Ackerman, R. H., Gouliamos, A., Brownell, G. L., and Taveras, J. M. Transverse section imaging of $H_2{}^{15}O$ during continuous $C^{15}O_2$ and $^{15}O_2$ inhalation, 700*
Alpert, N. M.
see Correia, J. A.
see Subramanyam, R.
Altemus, L. R. see Briggs, R. C.
Anderson, P. A. W. see Rerych, S. K.
Anderson, R. J. and Wahner, H. W. Symmetrical hypofunctioning thyroid nodules and medullary thyroid carcinoma, 560
Ando, Y. see Kondo, M.
Andreatta, L. R. see Gunther, C. W.
Andrews, G. A., Hübner, K. F., and Greenlaw, R. H. ^{67}Ga-citrate imaging in malignant lymphoma, 1013
Andrews, G. A. see Sauerbrunn, B. J. L.
Andriole, V. T. see Thakur, M. L.
Appledorn, C. R. see Oppenheim, B. E.
Aquino, J. see Belitsky, P.
Archambeau, J. O. Book review; *Clinical Radiobiology*, 335
Arnold, J. S., Barnes, W. E., Khedkar, N., and Nelson, M. Computerized analysis of ^{99m}Tc-diphosphonate binding, 740*
Arnold, J. S., Khedkar, N., and Barnes, W. E. Whole-body retention of ^{99m}Tc-diphosphonate in metabolic bone disease, 1273
Aronow, W. S. see Lyons, K. P.
Asano, K. see Murata, H.
Ash, J. M.
see Brown, R. G.
see Gilday, D. L.
see Howman-Giles, R. B.
Ashburn, W.
see Pfisterer, M.
see Schuler, G.
see Slutsky, R.
Ashkar, F. and Block, F. Radioassay for antibody to hepatitis A antigen, 747*
Ashkar, F. S., Buehler, R., and Chan, T. Free T_4 radioassay with presaturated anti-T_4 microcapsules, 703*
Atcher, R. W., Friedman, A. M., Huizenga, J. R., Rayudu, G. V. S., Silverstein, E. A., and Turner, D. A. Generator produced ^{52m}Mn, 689*
Athanasoulis, C. A. see Lo, H. H.
Atkins, F. B. and Harper, P. V. Positron camera image reconstruction from orthogonal views, 746*
Atkins, F. B.
see Harper, P. V.
see Scott, R.
Atkins, H. see Ford, L.
Atkins, H. L. and Som, P. Effect of growth hormone on pancreas uptake of ^{75}Se-selenomethionine, 678*
Atkins, H. L. see Saenger, E. L.
Ayres, B. see Pavel, D. G.
Azimi, P. see Sfakianakis, G. N.

Bacharach, S. L.
see Green, M. V.
see Line, B. R.
Baehner, R. L. see Siddiqui, A. R.
Bahn, R. C. see Gustafson, D. E.
Bahr, G. H. see Lewis, J. T.
Bahr, G. K. see Silberstein, E. B.
Bailey, J. J. see Line, B. R.
Baimel, N. H. and Bronskill, M. J. Analog circuit motion correction for liver imaging, 1059
Baker, R. J., Diamanti, C. I., Goodwin, D. A., and Meares, C. F. Properties of ^{99m}Tc-EDTA analogs, 690*
Baker, W. see Coleman, R. E.
Bambynek, W. see Mann, W. B.
Bamrah, V. S. see Meade, R. C.
Banerjee, K. see Browning, E. J.
Banka, V. see Bodenheimer, M.
Barnes, J. W., Bentley, G. E., DeBusk, T. P., Grant, P. M., O'Brien, H. A., Ogard, A. E., and Ott, M. A. Target design at LAMPF, 687*
Barnes, W. E. see Arnold, J. S.
Barnett, R. N. see Perez, L. A.
Baron, J. C. see Correia, J. A.
Barron, E. L. see Alderson, P. O.
Basmadjian, G. P., Mills, S. L., Parker, G. P., Kirschner, A. S., Ice, R. D., and Magarian, R. A. ^{123m}Te-methyl-telluro-hexadecanoic acid for myocardium, 718*
Basmadjian, G. P., Parker, G. R., Kirschner, A. S., Ice, R. D., Magarian, R. A., and Mills, S. L. Synthesis of ^{123m}Te-methyltelluro-cholesterol, 689*
Bates, H. R. see Sauerbrunn, B. J. L.
Batsakis, J. see Woodbury, D. H.
Battle, W. E. see Turner, D. A.
Bauer, J. L. see Gunther, C. W.
Baumgartner, A. M., Jones, P. F., Baumgartner, W. A., and Black, C. T. Radioimmunoassay for morphine in hair, 696*
Baumgartner, W. A., Makinodan, T., and Blahd, W. H. Assays for delayed type hypersensitivity in mice, 722*
Baumgartner, W. A. see Baumgartner, A. M.
Bay, R. see Sy, W. M.
Beal, W. H. and Chaudhuri, T. K. One-week delayed ^{67}Ga-citrate scan, 733*
Beard, J. O. see Drum, D. E.
Beck, J. W. see Tatum, J. L.
Becker, D. V. see Saenger, E. L.
Becker, L. see Burow, R.
Beckers, C. see Pauwels, S.
Beckmann, A. see Okerlund, M. D.
Beierwaltes, W. H., Wieland, D. M., Mosley, S. T., Swanson, D. P., Sarkar, S. D., Freitas, J. E., Thrall, J. H., and Herwig, K. R. Adrenal gland imaging with radiolabeled enzyme inhibitors, 200
Beierwaltes, W. H.
see Carey, J. E.
see Freitas, J. E.
see Gross, M. D.
see Saenger, E. L.
see Wu, J. L.
Beightol, R. see Coleman, R. E.
Bekerman, C.
see Bidani, N.
see Pinsky, S. M.
Bekier, A. Soft tissue accumulation of ^{99m}Tc-pyrophosphate after radiation therapy, 225
Beldon, J. R. see Waxman, A. D.
Belitsky, P., Ghose, T., Aquino, J., Norvell, S. T., and Blair, A. H. ^{131}I-antitumor antibody imaging of primary renal carcinoma, 427
Bell, C. M. J., Leach, M. O., Dabek, J. T., Chettle, D. R., James, H., Thomas, B. J., and Fremlin, J. H. Effect of inert gas elimination on ^{37}Ar measurement of Ca in humans, 54
Beller, G. A., Watson, D. D., Irving, J. F., and Pohost, G. M. ^{201}Tl redistribution after transient myocardial ischemia in dogs, 725*
Beller, G. A.
see Berger, B. C.
see Nichols, A. B.
see Watson, D. D.
Benderly, A. see Front, D.
Benedetto, A. R. see Nusynowitz, M. L.
Bennett, J. M. see Wilson, G. A.
Bennett, L. R. see Graham, L. S.
Bennett, M. C. see Knoll, G. F.
Bennett, S. see DeLand, F. H.
Benson, W. see Ford, L.
Bently, G. E. see Barnes, J. W.
Berg, B. see Alavi, A.
Berger, B. C., Watson, D. D., Sipes, J. N., Pohost, G. M., Teates, C. D., and Beller, G. A. ^{201}Tl redistribution at rest in coronary artery disease, 680*
Berger, H., Reduto, L., Johnstone, D., Sands, M., Borkowski, H., Langou, R., Cohen, L., Gottschalk, A., and Zaret, B. L. First-pass radionuclide assessment of global and regional left ventricular performance, 710*
Berggon, M. J. see Gustafson, D. E.
Berman, D., Maddahi, J., Charuzi, Y., Gray, R., Waxman, A., Vas, R., Swan, H. J. C., and Forrester, J. Multiple gated scintigraphy of left ventricular function during sitting bicycle exercise, 711*
Berman, D.
see Maddahi, J.
see Shah, P. K.
Besnard, J-C. see Guillemart, A.
Bessent, R. G. see Fogelman, I.
Bewick, M. S. see Hilson, A. J. W.
Bezjian, A. A. see Merer, B. D.
Bhargava, V. see Verba, J. W.
Bianco, J. A., Makey, D. G., and Shafer, R. B. Left ventricular systolic ejection rate, 726*
Bianco, J. A. and Shafer, R. B. Indications for ^{201}Tl scintigraphy revisited, 1182
Bianco, J. A. and Shafer, R. B. Thallium-201; the elusive radionuclide, 1366
Bidani, N., Moohr, J. W., Kirchner, P. T., Peng, E., Bekerman, C., and Cooper, M. C. ^{67}Ga-citrate imaging in neuroblastoma, 692*
Bijvoet, O. L. M. see Vellenga, C. J. L. R.
Bilheimer, D. W., Buja, L. M., Parkey, R. W., Bonte, F. J., and Willerson, J. T. Fatty acid and abnormal lipid uptake by experimental myocardial infarcts, 276
Bingham, J. see McKusick, K. A.
Bingham, J. B. and Maisey, M. N. Image appearances of a mobile accessory liver lobe, 1235
Bingham, J. B., Strauss, H. W., McKusick, K. A., and Pohost, G. M. ^{201}Tl clearance from myocardium and lungs in stress, 751*
Black, C. T. see Baumgartner, A. M.
Blahd, W. H.
see Baumgartner, W. A.
see Blumfield, D. E.
see Hecht, H. S.
see Krishnamurthy, G. T.
Blair, A. H. see Belitsky, P.
Blanton, L. see Pettit, W. A.
Blau, F. see Hellman, C.
Blau, M.
see Kung, H. F.
see Rosenspire, K.
see Wicks, R.
Blaufox, M. D. see Wexler, J. P.
Bloch, P. H. see Alavi, A.
Block, F. see Ashkar, F.
Blosser, N. M. see Jackson, G. L.
Blue, J. W. see Nishiyama, H.
Blumfield, D. E., Hecht, H. S., Cukingam, R. A., and Blahd, W. H. ^{201}Tl scanning in coronary artery bypass evaluation, 735*
Bobbitt, J. V. see Chaudhuri, Tapan K.
Bode, R. F.
see Floyd, J. L.
see Sonnemaker, R. E.
Bodenheimer, M., Banka, V., Fooshee, C., Hermann, G., and Helfant, R. Wall motion and regional ejection fraction at rest and during exercise, 711*
Boitnott, J. K. see Johannes, R. S.
Boles, E. T. see Sfakianakis, G. N.
Bonte, F. J.
see Bilheimer, D. W.
see Kulkarni, P. V.
see Parkey, R. W.
Bontemps, R. see Leppo, J.
Borer, J. S. see Green, M. V.
Borkowski, H. see Berger, H.
Born, M. L., Grove, R. B., Jones, J. P., Nadeau, J. H., Price, R. R., Touya, J. J., and Rollo, F. D. Correlation of ^{99m}Tc-DMSA imaging and ureteral catheterization, 721*
Born, M. L. and Rollo, F. D. Scintillation camera methods for ^{123}I thyroid uptakes, 684*
Born, M. L. see Grove, R. B.
Bornstein, I. see Verba, J. W.

Bortels, G. see Mann, W. B.

Bossuyt, A. and Jonckheer, M. H. Pharmacologic effects on ^{201}Tl determination of regional cardiac output, 973

Botvinick, E. H., Shames, D. M., Sharpe, D. N., Klausner, S. C., Werner, J. A., Chatterjee, K., and Parmley, W. W. Specificity of pyrophosphate imaging in prior myocardial infarct, 1121

Bowen, F. see Sfakianakis, G. N.

Bowen, R. D. see Grove, M. B.

Boxer, R. A. see Johnson, P. M.

Boyle, I. T. see Fogelman, I.

Brachman, M. B. see Tanasescu, D. T.

Bradley, W. P., Alderson, P. O., Eckelman, W. C., Hamilton, R. G., and Weiss, J. F. Tumor uptake of ^{67}Ga in animals after whole-body irradiation, 204

Bradley, W. P., Alderson, P. O., and Weiss, J. F. Effect of anemia on ^{67}Ga-citrate biodistribution, 715*

Braun, G. see Sargent, T.

Braun, N. M. T. see Johnson, P. M.

Braun, U. see Sargent, T.

Braunstein, P., Passalaqua, A. M., Chandra, R., and Lieberman, C. M. Spleen uptake of ^{99m}Tc-S colloid in malignant melanoma, 1093

Briandet, P. see Uszler, J. M.

Briggs, R. C., Altemus, L. R., and Leschey, W. H. Criteria for operability in normal-pressure hydrocephalus, 1268

Brill, A. B.
see Lee, G. S.
see Patton, J. A.

Brody, K. R. and Spencer, R. P. ^{125}I- and ^{131}I-orthoiodosophenylphosphoric acid, 848

Brody, W. R. see Green, M. V.

Bronskill, M. J. see Baimel, N. H.

Brookes, M. see Charkes, N. D.

Brown, C. B. see Hilson, A. J. W.

Brown, L. E. see Wu, J. L.

Brown, M. see Swift, T. R.

Brown, Manuel L., Carlson, G. L., and Malagelada, J. R. Radiolabeled fiber marker for gastric emtying, 738*

Brown, Manuel L., O'Donnell, J. B., Thrall, J. H., Votaw, M. L., and Keyes, J. W. ^{67}Ga scintigraphy in non-Hodgkin lymphomas, 875

Brown, Manuel L. see Thrall, J. H.

Brown, Mary L. and Carretta, R. F. Radioimmunoassays for serum folate, 746*

Brown, R. G., Ash, J. M., Verellen-Domoulin, C. H., Percy, M. E., and Chang, L. S. ^{67}Ga-citrate uptake in Duchenne muscular dystrophy, 698*

Brown, R G. see Howman-Giles, R. B.

Brown, W. T., Lyons, K. P., and Winer, R. L. Brown tumors on bone scans in renal osteodystrophy, 1146

Brownell, G. L. Transverse section imaging of vascular structures with ^{11}CO, 709*

Brownell, G. L.
see Alpert, N. M.
see Hnatowich, D. J.
see Subramanyam, R.

Browning, E. J., Banerjee, K., and Reisinger, W. E. Airborne concentration of ^{131}I, 1078

Bruce, D. see Kuhl, D. E.

Brucer, M. Nuclear medicine begins with a boa constrictor, 581

Bruno, G. A. see Saenger, E. L.

Buchbinder, N. see Maddahi, J.

Buchin, M. see Harper, P. V.

Buddemeyer, E. U., Wells, G. M., Hutchinson, R., Cooper, M. C., and Johnston, G. S. Radiometric estimation of the replication time of bacteria in culture, 619

Budinger, T. F., Derenzo, S. E., Greenberg, W. L., Gullberg, G. T., and Huesman, R. H. Quantitative potentials of dynamic emission computed tomography, 309

Budinger, T. F. see Sargent, T.

Buehler, R. see Ashkar, F. S.

Buell, U., Niendorf, H. P., Kazner, E., Lanksch, W., Wilske, J., Steinhoff, H., and Gahr, H. Computerized transaxial tomography and cerebral serial scintigraphy in intracranial tumors, 476

Bueschen, A. J. see Tauxe, W. N.

Buffkin, D. C. and Webber, M. M. ^{14}C-ornithine for malignancy studies, 731*

Buja, L. M.
see Bilheimer, D. W.
see Kulkarni, P. V.
see Parkey, R. W.

Burdine, J. A., DePuey, E. G., Orzan, F., and Mathur, V. Diagnosis of perioperative myocardial infarction, 735*

Burdine, J. A.
see DePuey, E. G.
see Groch, M. W.
see Murphy, P. H.

Burney, B. T. see Wellman, H. N.

Burney, S. W. see Burrows, B. A.

Burow, R., Pond, M., Schafer, A. W., and Becker, L. "Circumferential profile" of ^{201}Tl myocardial images, 744*

Burrows, B. A., Podolsky, S., Cardarelli, J. A., Burney, S. W., Morley, D. P., and Genna, S. Body K changes with diuretic therapy, 721*

Burrows, B. A. see Evdokimoff, V. N.

Burt, R. W. see Wellman, H. N.

Bush, C. A. see Kolibash, A. J.

Bushberg, J. T. see Goodwin, D. A.

Butler, T. A.
see Hübner, K. F.
see Washburn, L. C.

Bynum, L. J. see Wilson, J. E.

Byrd, B. L. see Hübner, K. F.

Byrne, E. F. and Smith, J. E. Synthesis, structure and biodistribution of ^{99m}Tc-dithiolates, 695*

Byrom, E. and Pavel, D. G. Computer definition of regions of interest, 959

Byrom, E. and Pavel, D. G. High framing rate time-activity curves in first transit cardiac studies, 670*

Byrom, E. see Pavel, D. G.

Cacciari, C. see Sciaretta, G.

Cahill, P., Ho, S., Hurley, J., Ornstein, E., and Nikolich, P. Quantitative first-pass ^{99m}Tc-DTPA in kidney transplant, 739*

Cahill, P., Ho, S., Jacobstein, J., Alonso, D., Kline, S., and Post, M. Kinetics of myocardial infarct growth in dogs, 748*

Caldwell, J. H., Williams, D. L., Kennedy, J. W., and Hamilton, G. W. Quantitative semi-automated determination of regional left ventricular ejection fraction, 710*

Call, T. D. see Kolibash, A. J.

Callery, P. S. see Fields, A. T.

Camargo, E. E., Kertcher, J. A., Chen, M. F., Larson, S. M., Tepper, B. S., Charache, P. A., McIntyre, P. A., and Wagner, H. N. Radiometric assay of fatty acid metabolism by mycobacteria, 696*

Cameron, W. J. see Gobuty, A. H.

Camp, V. M. see Faraj, B. A.

Cannon, D. C. see Kaufman, H. H.

Capitanio, M. A. see Williams, J. L.

Cardarelli, J. A. see Burrows, B. A.

Carey, F. J. see Greditzer, H. G.

Carey, J. E., Thrall, J. H., Freitas, J. E., and Beierwaltes, W. H. Radiation dosimetry of ^{131}I-iodomethylnorcholesterol, 682*

Carey, J. E. see Kircos, L. T.

Carlson, G. L. see Brown, Manuel L.

Caro, M. see Okerlund, M. D.

Carpenter, J. see Hellman, C.

Carretta, R. F., Weiland, F. L., Harvey, W. C., and Podoloff, D. A. ^{67}Ga localization of abscesses and inflammation, 734*

Carretta, R. F.
see Brown, Mary L.
see Von Hofe, S. E.

Cash, A. see Russell, C. D.

Castronovo, F. P. see Potsaid, M. S.

Chacko, A. K. Myocardial imaging with ^{99m}Tc-pyrophosphate in adriamycin therapy, 564

Chafetz, N., Taylor, A., Alazraki, N. P., and Gosink, B. Ultrasound and the inhomogeneous liver scan, 690*

Chafetz, N.
see Taylor, A.
see Van Kirk, O.

Chaffin, J. S. see Pohost, G. M.

Chan, T. see Ashkar, F. S.

Chandra, R. Rating radiopharmaceuticals for brain imaging, 1087

Chandra, R. see Braunstein, P.

Chang, B., Verma, R. C., Webber, M. M., and O'Connell, T. X. Localization of intra-arterial vs intravenous ^{3}H-adriamycin, 716*

Chang, C. C. see Cohen, M. B.

Chang, J. see Correia, J. A.
Chang, L. S. see Brown, R. G.
Chang, M. K. see Liao, S. Q.
Charache, P. A.
see Camargo, E. E.
see D'Antonio, N. L.
Charkes, N. D., Brookes, M., and Makler, P. T. 5-compartmental model of ^{18}F-fluoride kinetics, 688*
Charkes, N. D., Makler, P. T., and Philips, C. Digital 5-compartmental model of ^{18}F-fluoride kinetics, 1301
Charkes, N. D.
see Malmud, L. S.
see Sagar, V.
Charuzi, Y.
see Berman, D.
see Maddahi, J.
Chatterjee, K. see Botvinick, E. H.
Chaudhuri, T. K. see Beal, W. H.
Chaudhuri, Tapan K., Venkatesan, R., and Bobbitt, J. V. Monitoring renal emphysema by dual radiopharmaceutical scintiscanning, 67
Chavaudra, J. see Parmentier, C.
Chen, I. W., Sperling, M., and Volle, C. STAT procedure for digoxin radioassay, 747*
Chen, M. F., McIntyre, P. A., and Kertcher, J. A. Radiometric biologic measurement of folates in plasma and erythrocytes, 906
Chen, M. F. see Camargo, E. E.
Chen, W. Y. see Tsan, M-F.
Cheney, F. W. see Allen, D. R.
Cheng, A. see Lim, C. B.
Cheng, T. H. and Holman, B. L. Radionuclide assessment of Gaucher's disease, 1333
Chesebro, J. H. see Fuster, V.
Chettle, D. R. see Bell, C. M. J.
Chi, S-L., Hoag, S. G., and Yanchick, V. A. Electrolytic complexing of glucoheptonate and ^{99m}Tc, 520
Chi, S-L. see Hoag, S. G.
Chiba, K. see Murata, H.
Chiles, J. see Tetalman, M. R.
Chopp, R. T. see Hekmat-Ravan, H.
Chopra, S. K., Taplin, G. V., and Elam, D. Comparison of inhalation lung images with ^{133}Xe, ^{81m}Kr and ^{99m}Tc-aerosols, 676*
Chopra, S. K. see Taplin, G. V.
Christie, J. H. see Saenger, E. L.
Christmas, P. see Mann, W. B.
Chuck, B. see Okerlund, M. D.
Chun, J. see Lutzger, L. G.
Ciofetta, G., Pratt, T. A., and Hughes, J. M. B. Regional pulmonary perfusion with continuous ^{81m}Kr infusion, 1126
Citrin, D. L. see Fogelman, I.
Clare, J. M. see Thrall, J. H.
Clark, P.
see Huang, C. C.
see Rayudu, G. V. S.
Clements, J. P. see Newman, R. A.
Clorius, J. H., Kjelle-Schweigler, M., Ostertag, H., and Möhring, K. ^{131}I-Hippuran renography in orthostatic hypertension, 343
Clorius, J. H.
see Coupal, J. J.
see Domstad, P.
Coates, G. and Garnett, E. S. Order of ventilation and perfusion scanning, 1085
Cobbs, W. B. see Faraj, B. A.
Cochavi, S.
see Hnatowich, D. J.
see Nichols, A. B.
Coffey, C. Book review; *The Fundamentals of X-ray and Radiation Physics*, 570
Cohen, L. see Berger, H.
Cohen, M. see Thakur, M. L.
Cohen, M. B., Spolter, L., Chang, C. C., and MacDonald, N. S. Enzymatic synthesis of ^{11}C-pyruvic acid, -lactic acid and -L-alanine, 701*
Colandrea, M. A. see Turner, D. A.
Coleman, R. E., Portas, M., Beightol, R., Kitahara, M., Baker, W., and Hill, H. R. Granulocyte chemotaxis radioassay, 722*
Collica, C. J. see Perez, L. A.
Colman, M. see Pinsky, S. M.
Conley, F. K. see Goodwin, D. A.
Cook, J. S. see Robinson, G. D.
Cooke, S. see VanKirk, O.
Cooper, J. A. see Line, B. R.
Cooper, M. C.
See Bidani, N.
see Buddemeyer, E. U.
see Kirchner, P. T.
Corbett, D. B. see Lewis, S. E.
Correia, J. A., Ackerman, R. H., Alpert, N. M., Chang, J., Gouliamos, A., Baron, J. C., and Taveras, J. M. Quantitative cerebral imaging during continuous $C^{15}O_2$ and $^{15}O_2$ inhalation, 700*
Correia, J. A. see Alpert, N. M.
Costello, P. see Hill, T. C.
Couch, M. W. and Williams, C. M. 19-iodocholesterol and 6-iodomethylnorcholesterol for adrenal scanning, 333
Coupal, J. J. Book review; *Basis of Radiopharmacy*, 1277
Coupal, J. J., DeLand, F. H., Fried, A., and Kim, E. E. Abstracts of current literature, 444, 572
Coupal, J. J., DeLand, F. H., Fried, A., Kim, E. E., and Simmons, G. Abstracts of current literature, 336
Coupal, J. J., Domstad, P., Fried, A., Kim, E. E., and Clorius, J. H. Abstracts of current literature, 1279, 1371
Coupal, J. J., Fried, A., Kim, E. E., and Simmons, G. H. Abstracts of current literature, 123, 229
Coupal, J. J., Fried, A., Kim, E. E., Simmons, G. H., and Clorius, J. H. Abstracts of current literature, 867*, 1096*
Coupal, J. J., Fried, A., Kim, E. E., Simmons, G. H., Clorius, J. H., Iio, M., and McReady, V. R. Abstracts of current literature, 658
Coupal, J. J. see Kim, E. E.
Craig, W. E. see Sonnemaker, R. E.
Crawford, E., Friedkin, M., Fowler, J. S., Gallagher, B. M., MacGregor, R. R., Wolf, A. P., Wodinsky, I., Goldin, A., and Little, A. D. ^{18}F-fluorouridylate for RNA synthesis and tumor growth rate measurement, 702*
Creditor, M. see Pinsky, S. M.
Crystal, R. G. see Line, B. R.
Cukingan, R. A. see Blumfield, D. E.
Cusmano, J. V. Predictive value of myocardial perfusion scintigraphy after stress, 1274

Dabek, J. T. see Bell, C. M. J.
Daems, W. Th. see Thesingh, C. W.
Daggett, W. M.
see Gewirtz, H.
see Pohost, G. M.
Dahlager, J. I. Sequential ^{125}I-iodohippurate renograms after temporary ischemia, 1324
Daily, P. O. see Schuler, G.
Dalia, D. P. see Turner, D. A.
Dalrymple, G. V. Book review; *Physical Techniques in Medicine*, 443
Dalton, D. R. see Kowalsky, R. J.
Daly, J. L.
see Fletcher, J. W.
see Overman, R. T.
Daly, M. J. Transaxial tomography and serial scintigraphy in intracranial tumors, 1269
Daly, M. J., Henry, R. E., and Patton, D. D. Measurement of skin perfusion with ^{133}Xe, 709*
Daly, M. J. and Patton, D. D. Ventriculitis diagnosis with ^{99m}Tc-DTPA, 1233
Daniels, D. L. see Sonnemaker, R. E.
Dann, R. see Alavi, A.
D'Antonio, N. L., Tsan, M-F., Griffin, D. E. Charache, P. A., and Wagner, H. N. Radiometric detection of herpes simplex viruses, 185
Daspit, S. G. see Goris, M. L.
Davis, H. H. see Welch, M. J.
Davis, M. A. and Hanson, R. N. Biodistribution of ^{59}Fe-bis-pyridincarboxaldehyde thiosemicarbazones, 731*
Davis, M. A. and Taube, R. A. Safety of lung perfusion imaging as a function of particle size, 1209
Davis, M. A.
see Elmaleh, D.
see Jeffcoat, M. K.
see Kaplan, W. D.
see Neirinckx, R. D.
Davison, R. see Spies, S. M.
DeAbrew, S. see Sephton, R. G.
Debertin, K. see Mann, W. B.
DeBusk, T. P. see Barnes, J. W.
deGraaf, P., Schicht, I. M., Pauwels, E. K. J., and deGraeff, J. Detection of uremic pulmonary calcification with bone scintigraphy, 723*
deGraaf, P., Schicht, I. M., Pauwels, E. K. J., teVelde, J., and deGraeff, J. Bone scintigraphy in renal osteodystrophy, 1289

deGraeff, J. see deGraaf, P.
DeLand, F. H. Book review; *Atlas of Cerebrovascular Disease*, 1370
DeLand, F. H. Book review; *Birk-Cerebrovascular Disease*, 1370
DeLand , F. H. Book review; *Birkner-Radiologic Chart of the Human Skeleton*, 1095
DeLand, F. H. Book review; *CRC Atlas of Scintimaging for Clinical Nuclear Medicine*, 655
DeLand, F. H. Editorial; State of the Art, 1, 579
DeLand, F. H. Editorial; World Federation of Nuclear Medicine and Biology, 451
DeLand, F. H. Plasma determinations after 20 years, 858
DeLand, F. H., Fried, A., Kim, E. E., Pettit, W., Simmons, G., and Clorius, J. H. Abstracts of current literature, 979
DeLand, F. H., Kim, E. E., Bennett, S., Primus, F. J., and Goldenberg, D. M. Carcinoma imaging with ^{131}I-CEA antibody, 693*
DeLand, F. H.
see Coupal, J. J.
see Kim, E. E.
see Marx, M. B.
see Pettit, W. A.
see Simmons, G. H.
DeNardo, G. L.
see DeNardo, S. J.
see Glass, E. C.
see Jansholt, A-L.
see Swanson, M. A.
DeNardo, S. J., DeNardo, G. L., Swanson, M. A., and Wong, K. A. Radioimmunoassay of fibrinopeptide, 695*
DeNardo, S. J., Krohn, K. A., DeNardo, G. L., Mangum, J., and Meyers, J. ^{123}I-Bleomycin for tumor detection, 693*
Denis, R. see Piepsz, A.
Denney, J. D., Marty, R., Schor, R. A., and Van Herle, A. J. Thyroglobulin radioimmunoassay in metastatic thyroid carcinoma, 678*
Dennish, G. see Schuler, G.
DePuey, E. G., Burdine, J. A., Murphy, P. H., and Hall, R. J. Infarct induced wall motion abnormalities in aortocoronary bypass, 724*
DePuey, E. G., Mathur, V., and Werp, P. The new dual cardiac probe, 731*
DePuey, E. G.
see Burdine, J. A.
see Groch, M. W.
see Murphy, P. H.
Dequeker, J. and deRoo, M. Scintigraphic investigation of sacroiliac disease, 119
Derenzo, S. E. see Budinger, T. F.
deRoo, M. see Dequeker, J.
DeRouen, T. A. see Trobaugh, G. B.
Deshmukh, H. see Turner, D. A.
Dessel, S. see Malmud, L. S.
Deteix, P. see Segal, A. W.
Deutchman, A. H. see Tetalman, M. R.
Dewanjee, M. K. and Wahner, H. W. Myocardial localization of Sn ion from ^{99m}Tc agents, 717*
Dewanjee, M. K. see Gustafson, D. E.
Dewey, B. T. see Kiser, S. R.
Dhand, S. see Rosenberg, R.
Dhawan, V. M., Kaess, K. R., and Spencer, R. P. False-positive thyroid scan due to Zenker's diverticulum, 1231
Dhawan, V. M., Sziklas, J. J., and Spencer, R. P. ^{67}Ga uptake by inflammations in the abscence of polymorphonuclear leukocytes, 292
Dhawan, V. M., Sziklas, J. J., Spencer, R. P., and Rich, D. A. Computerized double-tracer subtraction in inflammatory diseases, 1297
Dhond, R. V., Iyer, P. S., and Worlikar, R. M. Personnel doses from nuclear medicine procedures, 1353
Diamanti, C. I.
see Baker, R. J.
see Goodwin, D. A.
Diamond, S. S. see Alderson, P. O.
Diaz, J. E. see Garcia, E. V.
Dinsmore, R. E. see Liberthson, R. R.
Dixon, R. S. see Nusynowitz, M. L.
Doherty, P. W. and Goodwin, D. A. ^{111}In-oxine-autologous lymphocytes in inflammation, 742*
Doherty, P. W. see Goodwin, D. A.
Dokoh, S. see Morita, R.
Dolan, G. F. see Witztum, K. F.
Domstad, P., Fried, A., Kim, E. E., and Clorious, J. H. Abstracts of current literature, 1190
Domstad, P. see Coupal, J. J.
Donaldson, R. see Ell, P. J.
Donati, R. M.
see Ahmad, M. L.
see Fernandez-Pol, J. A.
see Fletcher, J. W.
see George, E. A.
see Greditzer, H. G.
see Overman, R. T.
see Secker-Walker, R. H.
see Witztum, K. F.
Donovan, R. C. see Alderson, P. O.
Doppman, J. L. see Alderson, P. O.
Dorfman, S. G.
see Von Hofe, S. E.
see Young, R. L.
Dorr, L. D. see Sakimura, I. T.
Dos Remedios, L. V. see Schor, R. A.
Doty, D. B. see Verani, M. S.
Douglas, M. A. see Green, M. V.
Douglass, K. H., Wagner, H. N., Alderson, P. O., and Rigo, P. Left ventricular time-activity curves in normals, 670*
Douglass, K. H.
see Alderson, P. O.
see Ito, H.
see Qureshi, S.
Downs, J. see Thakur, M. L.
Dowsett, D. J. see Morley, T. R.
Driessen, O. M. J. see Thesingh, C. W.
Drum, D. E. Book review; *Radioimmunoassay: Methodology and Applications in Physiology and in Clinical Studies*, 227
Drum, D. E. and Beard, J. O. Liver scintigraphic features associated with alcoholism, 154
Dubovsky, E. V. see Tauxe, W. N.
Dudek, J. see Harper, P. V.
Dunham, R. G. see Line, B. R.
Durakovic, A. see Wilson, G. A.
Dworkin, H. Book review; *Year Book of Nuclear Medicine*, 121

Easton, M. P. see Robinson, G. D.
Eckelman, W. Book review; *The Chemistry of Radiopharmaceuticals*, 1277
Eckelman, W. C., Gibson, R. E., Rzeszotarski, W. J., and Reba, R. C. In vitro tests for receptor binding radiotracers, 671*
Eckelman, W. C. and Reba, R. C. The classification of radiotracers, 1179
Eckelman, W. C.
see Bradley, W. P.
see Jiang, V. W.
Ege, G. N. and Warbick, A. ^{99m}Tc-phytate imaging of lymph nodes, 1362
Ehrhardt, G. J. and Welch, M. J. ^{68}Ge-^{68}Ga generator, 925
Ehrhardt, J. C. see Verani, M. S.
Ehrlich, M. G. see Norris, S.
Eikman, E. A., Mack, G. A., Jain, V. K., and Madden, J. A. Liver mass estimation, 737*
Ein, S. see Gilday, D. L.
Eisenberg, J.
see Katz, H.
see Maayan, M. L.
Elam, D.
see Chopra, S. K.
see Taplin, G. V.
Ell, P. J., Joseph, S., Donaldson, R., Ross, P., Marcomichaelaidis, I., Taggert, P., Williams, E. S., and Somerville, W. ^{201}Tl and ^{99m}Tc-microspheres for myocardial perfusion evaluation, 724*
Ellis, J. M. see Gunther, C. W.
Elmaleh, D., Hnatowich, D. J., Hinton, R., Kulprathipanja, S., Davis, M. A., Livni, E., Lees, R. S., and Strauss, H. W. ^{75}Se-hypotaurine for pancreas and myocardium, 718*
Elmaleh, D. see Hnatowich, D. J.
Elson, M. K., Peterson, L. R., Kozak, A. J., and Shafer, R. B. Use of labeled antibodies to detect occult infection, 687*
English, D. Platelet contamination of labeled leukocytes preparations, 1257
Entine, G. see Mauderli, W.
Eraklis, A. see Fischer, K. C.
Erbsmann, F. see Piepsz, A.
Eshima, D. see Fritzberg, A. R.
Esser, P. D. Quantitation of left-to-right shunts, 740*
Esser, P. D.
see Johnson, P. M.
see Wang, T. S. T.

Evdokimoff, V. M. and Burrows, B. A. Assay of ^{32}P for radiotherapy, 1365

Fajman, W. A., Perkel, M. S., Hersh, T., Sarper, R., and Tarcan, Y. A. Scintillation camera-computer assessment of solid meal gastric emptying, 734*
Fajman, W. A. see Sarper, R.
Faraj, B. A., Walker, W. R., Camp, V. M., Ali, F. M., and Cobbs, W. B. Enzyme radioimmunoassay of dopamine in plasma and urine, 1217
Favus, M. J. see Pinsky, S. M.
Fawwaz, R. A.
see Johnson, P. M.
see Wang, T. S. T.
Feigenbaum, L. see Taplin, G. V.
Feiglin, D., Huckell, V., Staniloff, H., McEwen, P., Morch, J., and McLaughlin, P. Segmental Tl perfusion defects in cardiomyopathies, 704*
Feindel, W. see Yamamoto, Y. L.
Meinendegen, L. E. see Machulla, H-J.
Feldman, M. F. see Witztum, K. F.
Feola, J. M. Book review; *Modification of Radiosensitivity of Biological Systems*, 121
Ferens, J. M. see Allen, D. R.
Fernandez, M. Book review; *Diagnosis and Treatment of Incorporated Radionuclides*, 865
Fernandez-Pol, J. A. and Donati, R. M. Cyclic AMP response ot prostaglandin E 1 in cultured cells, 719*
Fernandez-Pol, J. A. see Greditzer, H. G.
Festisoff, F. see Guillemart, A.
Ficek, M. A. see Shreeve, W. W.
Fields, A. T., Porter, D. W., Callery, P. S., and Loberg, M. D. Radiochemical purity of ^{99m}Tc-iminodiacetates, 694*
Fields, A. T.
see Loberg, M.D.
see Porter, D. W.
Fierer, J. see Alazraki, N. P.
Findley, D. O. Book review; *Annual Report 1976: Programme Radiation Protection*, 571
Fini, A. see Sciaretta, G.
Fischer, K. C., Eraklis, A., Rossello, P., and Treves, S. Scintigraphic followup of pediatric splenic trauma, 3
Fischer, K. C., Rabinovitch, M., and Treves, S. ^{201}Tl myocardial uptake estimation of right ventricular pressures, 725*
Fisher, R. S.
see Malmud, L. S.
see Tolin, R.
Fishman, L. S. see Gates, G. F.
Fitzgerald, L. T. see Mauderli, W.
Fitzpatrick, T. B. see Sober, A. J.
Flesh, L. H. see Tatarczuk, J. R.
Fletcher, J. W., Rao, P. S., Herbig, F. K., Witztum, K. F., Daly, J. L., Mueller, H, and Donati, R. M. ^{201}Tl size assessment in early infarction, 680*
Fletcher, J. W.
see Gatson, R. C.
see George, E. A.
see Secker-Walker, R. H.
see Witztum, K. F.
Flickinger, F. W. see Jackson, G. L.
Florek, R. S. see Ito, H.
Floyd, J. L., Sonnemaker, R. E., Waliszewski, J. A., and Bode, R. F. Probe radiocardiography for left ventricular ejection fraction, 703*
Floyd, J. L.
see Nusynowitz, M. L.
see Sonnemaker, R. E.
Fogelman, I. and Bessent, R. G. Whole-body retention of ^{99m}Tc-diphosphonate in metabolic bone diseases, 1273
Fogelman, I., Bessent, R. G., Turner, J. G., Citrin, D. L., Boyle, I. T., and Greig, W. R. Whole-body ^{99m}Tc-diphosphonate retention in the diagnosis of bone metastasis, 270
Fogelman, I., McKillop, J. H., Bessent, R. G., Boyle, I. T., Turner, J. G., and Greig, W. R. Bone scanning in osteomalacia, 245
Ford, L., Shroff, A., Benson, W., Atkins, H., and Rhodes, B. A. SNM drug problem reporting system, 116
Fordham, E. W.
see Huang, C. C.
see Rayudu, G. V. S.
see Turner, D. A.
Fordtran, J. S. see Lewis, S. E.
Forrester, J.
see Berman, D.
see Maddahi, J.
see Shah, P. K.
Forstrom, L., Gomez, L., Weiblen, B., Hoogland, D., McCullough, J., and Loken, M. ^{111}In-oxine labeled leukocytes for inflammation or abscess detection, 672*
Fortman, D. L. see Robbins, P. J.
Foshee, C. see Bodenheimer, M.
Fowler, J. S.
see Crawford, E.
see Gallagher, B. M.
Francis, M. D. see Potsaid, M. S.
Frank, M. see Weissman, H.
Franken, C. see Thesingh, C. W.
Freedberg, A. S. In memoriam; Herrman L. Blumgart, 569
Freedman, G. S. see Sano, R. M.
Freeman, L. M.
see Leppo, J.
see Weissman, H.
Freitas, J. E. Book review; *Nuclear Medicine: Endocrinology*, 1189
Freitas, J. E., Grekin, R. J., Thrall, J. H., Gross, M. D., Swanson, D. P., and Beierwaltes, W. H. ^{131}I-iodocholesterol for localizing preoperative aldosteronoma, 677*
Freitas, J. E., Swanson, D. P., Gross, M. D., and Sisson, J. C. ^{131}I therapy for hyperthyroidism in children, 714*
Freitas, J. E., Thrall, J. H., Swanson, D. P., Rifai, A., and Beierwaltes, W. H. Normal adrenal asymmetry, 149
Freitas, J. E.
see Beierwaltes, W. H.
see Carey, J. E.
see Gross, M. D.
see Koral, K. F.
see Thrall, J. H.
Fremlin, J. H. see Bell, C. M. J.
Freundlieb, Ch. see Machulla, H-J.
Frick, M. P., Knight, L. C., Ponto, R. A., and Loken, M. K. Methods of liver hematoma evaluation, 737*
Frick, M. P., Ponto, R. A., and Loken, M. K. Emission computerized tomography of the brain, 700*
Fried, A.
see Coupal, J. J.
see Domstad, P.
Friedkin, M. see Crawford, E.
Friedman, A. M.
see Atcher, R. W.
see Huang, C. C.
see Secker-Walker, R. H.
Friedman, J. J. see Knoebel, S. B.
Friedman, M. I.
see Alam, S. E.
see Spencer, J. L.
Fritzberg, A. R., Eshima, D., Klingensmith, W. C., and Whitney, W. ^{99m}Tc-hepatobiliary agents based on bicyclic aromatic ring system, 694*
Fritzberg, A. R. see Klingensmith, W. C.
Frohman, L. A. see Pinsky, S. M.
Front, D., Hardoff, R., Levy, J., and Benderly, A. Bone scintigraphy in scurvy, 916
Front, D., Hardoff, R., and Mashour, N. Stomach artifact in bone scintigraphy, 974
Fruhling, J. see Paridaens, R.
Frye, R. L. see Fuster, V.
Fujita, T. see Ishii, Y.
Fukuchi, M., Tachibana, K., Kuwata, K., Nishikawa, A., Hyodo, K., Okamoto, E., and Nagai, K. ^{201}Tl imaging in thyroid carcinoma, 195
Fukunaga, M. see Morita, R.
Fulmer, J. D. see Line, B. R.
Funkenstein, H. H. see Papanicolaou, N.
Fusaro, G. A. see Robbins, P. J.
Fuster, V., Chesebro, J. H., Wahner, H. W., and Frye, R. L. Predictors of coronary artery disease, 671*

Gabel, M. see Nishiyama, H.
Gahr, H. see Buell, U.
Gajaraj, A. see Rajagopalan, K. R.
Galante, M. see Okerlund, M. D.
Gallagher, B. M., Fowler, J. S., Gutterson, N. I., MacGregor, R. R., Wan, C-N., and Wolf, A. P. Metabolic trapping as a principle

of radiopharmaceutical design, 1154
Gallagher, B. M. see Crawford, E.
Gallagher, J. G. see Newman, R. A.
Galy, G. see Guillemart, A.
Ganatra, R. D. see Raikar, U. R.
Ganz, W. see Maddahi, J.
Garagnani, B. see Sciaretta, G.
Garcia, D. A. see Tow, D. E.
Garcia, E. V., Inglis, A. E., Diaz, J. E., Miale, A. and Serafini, A. N. Single-photon emission computed body tomography, 708*
Garcia, M. M. see Witherspoon, L. R.
Garcia, R. see Segal, A. W.
Garnett, E. S. see Coates, G.
Gates, G. F. Sepsis in children following splenectomy, 113
Gates, G. F., Fishman, L. S., and Segall, H. D. Imaging congenital intracranial vascular malformations, 235
Gates, G. F. see Miller, J. H.
Gatley, S. J. see Madsen, M. T.
Gatson, R. C., Hendershott, L. R., Ordway, F. S., and Fletcher, J. W. Effect of ionophores on the biodistribution of ^{201}Tl, 687*
Gatson, R. C. see Hendershott, L. R.
Geisse, G. ^{67}Ga-citrate imaging and ultrasound in abdominal abscesses, 861
Gelder, F. B., Reese, C. J., Moosa, A. R., Stark, V., and Harper, P. V. Localization of cold insoluble globulin in damaged tissue, 732*
Gelfand, M. J. and Harcke, H. T. Skeletal imaging in sickle cell disease, 698*
Genna, S.
see Burrows, B. A.
see Pang, S. C.
George, D. L. Permissible ^{127}Xe concentration in air, 105
George, E. A. In vivo function tests in nephrology, 221
George, E. A., Henry, R. E., Fletcher, J. W., and Donati, R. M. Mechanism of liver extraction of ^{99m}Tc-S colloid, 681*
Gertz, E. W. see Malin, F. R.
Gewirtz, H., O'Keefe, D. D., Pohost, G. M., Strauss, H. W., MacIlduff, K. A., and Daggett, W. M. Effect of ischemia on myocardial clearance of ^{201}Tl, 679*
Gewirtz, H. see Pohost, G. M.
Ghose, T. see Belitsky, P.
Gibbs, S. J. see Patton, J. A.
Gibbs, W. see Hübner, K. F.
Gibson, R. E.
see Eckelman, W. C.
see Jiang, V. W.
Gilani, S. see Kung, H. F.
Gilani, S. S. H., Salvatori, V., and Higby, D. J. ^{111}In oxine granulocyte labeling, 673*
Gilday, D. L., Ash, J. M., Savage, J. P., Shandling, B., and Ein, S. Scrotal imaging in children, 719*
Gilday, D. L. see Howman-Giles, R. B.
Gindler, J. see Secker-Walker, R. H.
Girton, M. see Alderson, P. O.
Giuntini, C. see Pistolesi, M.
Giwa, L. see Shreeve, W. W.
Glass, E. C., Hines, H. H., and DeNardo, G. L. A curvilinear count profile program, 749*
Gleason, W. A. see Ho, J. E.
Glick, J. see Alavi, A.
Gloria, I. V. see Lathrop, K. A.
Goble, J. C., Wagner, H. N., Alderson, P. O., Mitchell, T. G., and Nickoloff, E. L. Perception of perfusion defects in ^{201}Tl myocardial studies, 679*
Gobuty, A H. and Cameron, W. J. Non-destructive radioassay of sperm viability, 722*
Goddard, J. see Siegel, E.
Goddard, T. and Walton, P. Handling and dispensing ^{127}Xe, 419
Gökce, A., Nakamura, R., O'Brien, T., Tubis, M., and Wolf, W. Double antibody immunoradiometric assay using terminal labeling, 748*
Goldenberg, D. M. see DeLand, F. H.
Goldin, A. see Crawford, E.
Goldman, M. see Weissman, H.
Goldsmith, S. J.
see Markus, B.
see Sorek, M.
Gomez, J. see Alderson, P. O.
Gomez, L. see Forstrom, L.
Goodrich, J. K. see Tatum, J. L.
Goodwin, D. A. Cell labeling with ^{111}In and ^{99m}Tc chelates, 557
Goodwin, D. A., Bushberg, J. T., Doherty, P. W., Lipton, M. J., Conley, F. K., Diamanti, C. I., and Meares, C. F. ^{111}In-autologous platelets for vascular thrombi location, 626
Goodwin, D. A.
see Baker, R. J.
see Doherty, P. W.
Gordon, D. see Pfisterer, M.
Goris, M. L. Myocardial imaging with ^{201}Tl, 332
Goris, M. L. and Daspit, S. G. ^{81m}Kr lung ventilation studies in pulmonary embolism diagnosis, 728*
Gorton, S. see Wilson, G. A.
Gosink, B. see Chafetz, N.
Gotti, E. W. Microsphere angiography of the liver, 433
Gottschalk, A.
see Berger, H.
see Hauser, M. F.
see Neumann, R. D.
see Thakur, M. L.
Gould, K. L.
see Albro, P. C.
see Hamilton, G. W.
Gouliamos, A.
see Alpert, N. M.
see Correia, J. A.
Graham, L. S., Holly, F. E., Uszler, J. M., and Bennett, L. R. Automatic window tracking and field uniformity corrections, 684*
Graham, L. S., Horn, B., Nelson, T., Holly, F. E., and Bennett, L. R. Pulmonary and cardiac transit time measurements, 740*
Gramm, H. F. see Hill, T. C.
Grant, P. M., Whipple, R. E., O'Brien, H. A., and Kulprathipanja, S. Carrier strontium and eluant volume effects on ^{82}Sr and ^{82}Rb generators, 1250
Grant, P. M. see Barnes, J. W.
Gray R.
see Berman, D.
see Maddahi, J.
Gray, W. R. see Hickey, D. C.
Greditzer, H. G., Fernandez-Pol, J. A., Witztum, K. F., Carey, F. J., and Donati, R. M. Serum ferritin as an indicator of neoplasm, 718*
Greditzer, H. G. see Witztum, K. F.
Green, F. see Rosenspire, K.
Green, M. V., Brody, W. R., Douglas, M. A., Borer, J. S., Ostrow, H. G., Line, B. R., Bacharach, S. L., and Johnston, G. S. Ejection fraction by count rate from gated images, 880
Greenberg, J. see Kuhl, D. E.
Greenberg, W. L. see Budinger, T. F.
Greenfield, A. J. see Lo, H. H.
Greenfield, M. A.
see Lee, W-N. P.
see Saenger, E. L.
Greenlaw, R. H. see Andrews, G. A.
Greenspan, F. see Okerlund, M. D.
Greenwald, E. B. see Hart, H. E.
Gregg, C. T., Rudnick, J., McInteer, B. B., Whaley, T. W., and Shreeve, W. W. Ethanol effect on ^{13}C-galactose oxidation in alcoholic liver, 679*
Greig, W. R. see Fogelman, I.
Grekin, R. J. see Freitas, J. E.
Griffin, D. E. see D'Antonio, N. L.
Grigsby, P. W. see Simmons, G. H.
Gringberg, B. see Mann, W. B.
Groch, M. W. A one-dimensional imaging device, 730*
Groch, M. W., Lewis, G. K., Murphy, P. H., DePuey, E. G., and Burdine, J. A. Radionuclide kymography assessment of regional myocardial wall motion, 1131
Groch, M. W. see Murphy, P. H.
Gross, M. D., Freitas, J. E., and Silver, T. M. Documentation of adrenal cyst by scanning, 1092
Gross, M. D., Freitas, J. E., Swanson, D. P., and Beierwaltes, W. H. Dexamethasone suppression adrenal scans in normals, 677*
Gross, M. D.
see Freitas, J. E.
see Thrall, J. H.
Grossman, Z. D., and Wistow, B. W. Visualization of hepatic lesions with upright views, 564
Grossman, Z. D., Wistow, B. W., McAfee, J. G., Subramanian, G., Thomas, F. D., Henderson, R. W., Rohner, R. F., and Roskopf, M. L. Localization of vascular lesions with ^{99m}Tc- and ^{111}In-oxine complex labeled platelets, 488
Grossman, Z. D. see Wistow, B. W.

Grove, R. see Saenger, E. L.
Grove, R. B. Book review; *Nuclear Ophthalmology-Dynamic Function Studies in Introcular Disease*, 227
Grove, R. B., Born, M. L., and Martin, R. L. Guided ultrasound exam based on liver and Ga scans, 690*
Grove, R. B., Bowen, R. D., Melton, R. E., and Rollo, F. D. Clinical application of magnification imaging, 684*
Grove, R. B., Pinsky, S. M., and Bowen, R. D. Abnormality criteria of the ^{67}Ga-citrate liver scan, 693*
Grove, R. B. see Born, M. L.
Grunbaum, Z. see Larson, S. M.
Guadiani, V. A. see Alderson, P. O.
Guillemart, A., Besnard, J-C., Le-Pape, A., Galy, G., and Festissoff, F. Autoradiography of ^{95m}Tc- and ^{99}Tc-pyrophosphate uptake by bone, 895
Guiney, T. E. see Nichols, A. B.
Guiterman, H. see Norris, S.
Guldberg, C. and Rossing, N. Comparing gamma camera performance under high count-rate conditions, 545
Gulick, T. see Johnston, A. S.
Gullberg, G. T. see Budinger, T. F.
Gumerman, L. W., Fogel, S. R., Goodman, M. A., Hanley, E. N., Kappakas, G. S., Rutkowski, R., and Levine, G. Bone imaging in experimental fracture healing, 1320
Gunther, C. W., Andreatta, L. R., Bauer, J. L., and Ellis, J. M. Electrolytic complexing of glucoheptonate and ^{99m}Tc, 1271
Gustafson, D. E., Singh, M., Berggon, M. J., Dewanjee, M. K., Bahn, R. C., and Ritman, E. L. Emission computed tomography of acute myocardial infarct in dogs, 684*
Gutterson, N. I. see Gallagher, B. M.
Guzzardi, R. see Pistolesi, M.

Haase, G. M. see Sfakianakis, G. N.
Hagan, P. L., Krejcarek, G. E., Taylor, A., and Alazraki, N. P. Rapid ^{111}In and ^{113m}In labeling of albumin micropheres, 1055
Hales, C. A. see Nichols, A. B.
Hall, R. J. see DePuey, E. G.
Halpern, S. see Alazraki, N. P.
Halpin, W. W. and Marks, D. S. Clotting problem with ^{125}I-human fibrinogen sensor, 563
Ham, H. R. see Piepsz, A.
Hamanaka, D.
see Ishii, Y.
see Suzuki, T.
Hamburger, J. I. Human reaction to bovine TSH, 1183
Hamilton, G. W. Book review; *Cardiac Catheterization and Angiocardiography*, 1189
Hamilton, G. W. Myocardial imaging with ^{201}Tl, 332
Hamilton, G. W., Narahara, K. A., Trobaugh, G. B., Ritchie, J. L., and Williams, D. L. ^{201}Tl myocardial ECG synchronized images, 1103
Hamilton, G. W., Narahara, K. A., Yee, H., Ritchie, J. L., Williams, D. L., and Gould, K. L. Effect of cardiac drugs on ^{201}Tl myocardial imaging, 10
Hamilton, G. W., Williams, D. L., and Kennedy, J. W. Statistics correlation coefficient, 973
Hamilton, G. W.
see Albro, P. C.
see Caldwell, J. H.
see Hegge, F. N.
see Lewellen, T. K.
see Ritchie, J. L.
see Sorensen, S. G.
see Trobaugh, G. B.
see Williams, D. L.
Hamilton, R. G. and Alderson, P. O. $^{99m}TcO_4^-$ in vivo red cell labeling, 972
Hamilton, R. G. see Bradley, W. P.
Handa, S. see Kondo, M.
Handel, S. F. see Kaufman, H. H.
Handler, S. J. see Winston, M. A.
Hannah, J. E. see Sorensen, S. G.
Hansell, J. see Rabinowitz, J. L.
Hanson, R. N. see Davis, M. A.
Harcke, H. T. Bone imaging in infants and children, 324
Harcke, H. T.
see Gelfand, M. J.
see Williams, J. L.
Hardoff, R. see Front, D.
Harper, P. V., Atkins, F. B., Scott, R., Dudek, J., and Buchin, M. Quantitative uptakes using the Searle positron camera system, 683*
Harper, P. V.
see Atkins, F. B.
see Gelder, F. B.
see Lathrop, K. A.
see Majumdar, C.
see Pai, A. L.
see Scott, R.
see Zalutsky, M.
Harris, A. W. see Sephton, R. G.
Harris, D. R. see Sauerbrunn, B. J. L.
Harris, G. I.
see Holman, B. L.
see Neirinckx, R. D.
Harrison, K. and Wagner, H. N. Distribution of ^{14}C-doxorubicin and -duanorubicin in mice, 84
Hart, H. E. and Greenwald, E. B. Scintillation proximity assay of antigen-antibody binding, 681*
Harvey, W. C. see Caretta, R. F.
Harvey, W. J. see Potsaid, M. S.
Hashimoto, S. see Kondo, M.
Hattner, R. S.
see Kaufman, L.
see Lim, C. B.
Hauser, M. F., and Gottschalk, A. Comparison of the Anger tomographic scanner and the 15 inch scintillation camera for ^{67}Ga imaging, 1074
Hayes, R. L.
see Hübner, K. F.
see Washburn, L. C.
Haynes, R. see Sfakianakis, G. N.
Haynie, T. P. Book review; *Clinical Oncology*, 978
Haynie, T. P. Rating radiopharmaceuticals for brain imaging, 1088
Hays, M. T. Compartmental model of the thyroid trap, 789
Hazue, M. see Kato, M.
Heading, R. C. see Tothill, P.
Heaton, W. A. see Welch, M. J.
Hecht, H. S., Mirell, S. G., Rolett, E. L., and Blahd, W. H. Left-ventricular ejection fraction and segmental wall motion, 17
Hecht, H. S. see Blumfield, D. E.
Heerwald, P. E. see Kubiatowicz, D. O.
Hegge, F. N. Prominent motion of a Meckel's diverticulum, 1087
Hegge, F. N., Hamilton, G. W., Larson, S. M., Ritchie, J. L., and Richards, P. Cardiac chamber imaging with in vivo and in vitro labeled ^{99m}Tc-RBC, 129
Hein, L. J. see Krohn, K. A.
Hekmat-Ravan, H., Chopp, R. T., and Siemsen, J. K. Emergency radionuclide studies in renal trauma, 721*
Helfant, R. see Bodenheimer, M.
Hellman, C., Carpenter, J., Blau, F., Johnson, W. D., and Schmidt, D. First pass radionuclide cardioangiography following nitroglycerin, 705*
Helson, L. see Yeh, S. D. J.
Hendershott, L. R., Gatson, R. C., Ordway, F. S., and Ahmad, M. ^{99m}Tc-RBC labeling using an on-line column eluate concentrator, 689*
Hendershott, L. R. see Gatson, R. C.
Henderson, R. W.
see Grossman, Z. D.
see Wistow, B. W.
Henkin, R. I. see Rumble, W. F.
Henry, H. W., Staples, D., Lull, R. J., Kiser, S. R., Kehn, B. D., Yuille, D. L., Telepak, R. J., Lambrecht, R. W., and McAuley, R. Radioactive marshmallow swallow for dysphagia evaluation, 738*
Henry, R. E.
see Daly, M. J.
see George, E. A.
see Hofstetter, K. R.
Herbig, F. K. see Fletcher, J. W.
Hermann, G. see Bodenheimer, M.
Herner, A. see Hsu, T. H.
Hersh, T. see Fajman, W. A.
Herwig, K. R. see Beierwaltes, W. H.
Hevezi, J. M. see Kaufman, H. H.
Hichwa, R. D. see Madsen, M. T.
Hickey, D. C., Gray, W. R., Lewis, S. E., Thal, E. R., and Parkey, R. W. Preoperative evaluation of amputation level, 706*
Higby, D J. see Gilani, S. S. H.
Hilberg, A. W. see Saenger, E. L.
Hill, H. R. see Coleman, R. E.

Hill, J. R. see Noujaim, A. A.
Hill, T. C., Costello, P., Gramm, H. F., and McNeil, B. J. Clinical value of emission computed tomography, 684*
Hill, T. C. see Shimshak, R. R.
Hilson, A. J. W., Maisey, M. N., Brown, C. B., Ogg, C. S., and Bewick, M. S. Dynamic ^{99m}Tc-DTPA renal transplant studies, 994
Hilty, M. see Sfakianakis, G. N.
Hine, G. J. see Adams, R.
Hines, H. H.
see Glass, E. C.
see Krohn, K. A.
Hinton, R. see Elmaleh, D.
Hnatowich, D. J., Elmaleh, D., Cochavi, S., Kulprathipanja, S., and Brownell, G. L. ^{18}F emission tomography of a canine head, 707*
Hnatowich, D. J., Kramer, R. I., Sledge, C. B., Noble, J. and Shortkroff, S. ^{165}Dy-ferric hydroxide macroaggregates for radiation synovectomy, 303
Hnatowich, D. J. see Elmaleh, D.
Ho, E. see Kim, E. E.
Ho, J. see Secker-Walker, R. H.
Ho, J. E., Gleason, W. A., and Thompson, J. S. $^{99m}TcO_4^-$ abdominal imaging, 691*
Ho, S. see Cahill, P.
Hoag, S. G., Chi, S-L., and Yanchick, V. A. Electrolytic complexing of glucoheptonate and ^{99m}Tc, 1271
Hoag, S. G. see Chi, S-L.
Höck, A. see Machulla, H-J.
Hodges, R. L. Drug effects on use of ^{99m}Tc radiopharmaceuticals, 743*
Hodgson, G. S. see Sephton, R. G.
Hoffer, P. B. ^{67}Ga in tumor imaging, 1082
Hoffer, P. B., Huberty, J., and Samuel, A. Chromatography determination of ^{67}Ga binding to tear fluid components, 732*
Hoffer, P. B.
see Lim, C. B.
see Neumann, R. D.
see Shimshak, R. R.
see Steidley, J. W.
see Turner, D. A.
see Weiner, R. E.
Hoffman, E. J., Huang, S. C., and Phelps, M. E. Effect of object size in quantitative positron computed tomography, 683*
Hoffman, E. J.
see Huang, S. C.
see Kuhl, D. E.
see Phelps, M. E.
see Schelbert, H. R.
Hofstetter, K. R., Patton, D. D., and Henry, R. E. Cerebral perfusion deficit masked by Paget's disease of the skull, 197
Holland, L. M. see Hupf, H. B.
Hollenbeck, J. see Taylor, A.
Holly, F. E. see Graham, L. S.
Holman, B. L., Harris, G. I., Neirinckx, R. D., Jones, A. G., and Idoine, J. Production of ^{178}W parent of short-lived ^{178}Ta, 510
Holman, B. L.
see Cheng, T. H.
see Neirinckx, R. D.
Holmes, E. R. Phantom kidney in ^{99m}Tc-DTPA renal blood flow studies, 972
Holmes, R. A. Editorial, Anaheim 1978, 666
Holmes, R. A. Quantification of skeletal ^{99m}Tc-phosphates in metabolic bone disease, 330
Holmes, R. A. see Logan, K. W.
Holodny, E. I. see Kowalsky, W. P.
Hoogland, D. see Forstrom, L.
Hoop, B. see Subramanyam, R.
Hooser, W. see Taylor, A.
Horgan, J. D. see Meade, R. C.
Horn, B. see Graham, L. S.
Hosain, F., Hosain, P., and Spencer, R. P. Testicular imaging with ^{201}Tl, 720*
Hosain, F.
see Spencer, R. P.
see Wang, T. S. T.
Hosain, P., Spencer, R. P., Ahlquist, K. J., and Sripada, P. Bone accumulation of ^{99m}Tc-carbomyl phosphate and analogs, 530
Hosain, P.
see Hosain, F.
see Spencer, R. P.
see Wang, T. S. T.
Hosking, E. J. see Vellenga, C. J. L. R.
Housholder, D. F.
see Alderson, P. O.
see Qureshi, S.
Howman-Giles, R. B., Gilday, D. L., Ash, J. M., and Brown, R. G. Spleen uptake of ^{99m}Tc-diphosphonate in thalassemia major, 976
Hsu, T. H., Nickoloff, E. L., Rock, R. C., and Herner, A. Effect of serum binding on T_3 radioimmunoassay, 703*
Hsu, T. H. see Lipson, A.
Hu, W. J. see Liao, S. Q.
Huang, C. C., Friedman, A. M., Rayudu, G. V. S., Clark, P., and Fordham, E. W. ^{131}I-trimethylammonium for myocardial imaging, 717*
Huang, H. see Schelbert, H. R.
Huang, S. C., Phelps, M. E., Hoffman, E. J., and Kuhl, D. E. Inaccurate attenuation correction in emission computed tomography, 745*
Huang, S. C.
see Hoffman, E. J.
see Phelps, M. E.
Hubbard, T., Larson, S. M., and Allen, D. R. Effect of phenobarbitol on liver uptake of ^{67}Ga, 1089
Huberty, J. see Hoffer, P. B.
Hübner, K. F., Hayes, R. L., Washburn, L. C., Gibbs, W., Byrd, B. L., and Butler, T. A. Pancreas scanning with ^{11}C-valine and -trytophan, 686*
Hübner, K. F.
see Andrews, G. A.
see Sauerbrunn, B. J. L.
Huckell, V. see Feiglin, D.
Hudson, F. R., Thomson, D. M., and Waters, S. L. Coincidence-counting techniques, 1185
Hudson, F. R. and Waters, S. L. Coincidence assay techniques; ^{197}Hg, 1183
Huesman, R. H. see Budinger, T. F.
Hughes, J. M. B. see Ciofetta, G.
Hui, J. see Shreeve, W. W.
Huizenga, J. R. see Atcher, R. W.
Hunt, T. see Okerlund, M. D.
Hupf, H. B., Wanek, P. M., O'Brien, H. A., and Holland, L. M. Rapid radioiodination of rose bengal at room temperature, 525
Hurlburt, E. M., Ki, P. F., and Wagner, H. N. Effect of cytomegalovirus infection on WI-38 cell cultures, 191
Hurley, J. see Cahill, P.
Hurst, R. R. see Logan, K. W.
Hutchinson, J. M. R. see Mann, W. B.
Hutchinson, R. see Buddemeyer, E. U.
Hwang, K. J. Interaction of In^{3+}-8-hydroxyquinoline with membrane bilayer, 1162

Ice, R. D. see Basmadjian, G. P.
Idoine, J. see Holman, B. L.
Igor, B. see Natasa, B.
Iio, M.
see Coupal, J. J.
see Murata, H.
Inglis, A. E. see Garcia, E. V.
Ioannou, B. see Pfisterer, M.
Irving, J. F.
see Beller, G. A.
see Watson, D. D.
Irwin, R. J. see Potsaid, M. S.
Ishii, Y., Hamanaka, D., Yonekura, Y., Fujita, T., Kumada, K., and Torizuka, K. Diagnosis for intermittent claudication using ^{201}Tl, 708*
Ishii, Y., Itoh, H., Suzuki, T., Yonekura, Y., Mukai, T., and Torizuka, K. Quantitative assessment of ventilation-perfusion mismatch by ^{133}Xe imaging, 607
Ishii, Y., Suzuki, T., Itoh, H., Yonekura, Y., Hamanaka, D., Torizuka, K., and Fujita, T. Gamma camera imaging of closing phenomenon in the lung, 675*
Ishii, Y.
see Suzuki, T.
see Yonekura, Y.
Ishimatsu, K. see Ueda, K.
Ithakissios, D. S. see Kubiatowicz, D. O.
Ito, H., Smaldone, G. C., Florek, R. S., Wells, W. H., Swift, D. L., and Wagner, H. N. Monodispersed radioaerosol for scintillation imaging, 675*
Ito, H, Smaldone, G. C., Swift, D. L., Proctor, D. L., Douglass, K.

H., Alderson, P. O., and Wagner, H. N. Effect of carrier gas on distribution of inhaled aerosols, 676*
Itoh, H.
see Ishii, Y.
see Suzuki, T.
Iyer, P. S. see Dhond, R. V.

Jackson, F. I. see Lentle, B. C.
Jackson, G. L., Flickinger, F. W., and Blosser. N. M. Intracavitory chromic radiophosphate therapy, 693*
Jackson, G. L., Flickinger, F. W., and Blosser, N. M. Low-dose ^{131}I therapy for thyrotoxicosis, 713*
Jacobstein, J. see Cahill, P.
Jain, V. K. see Eikman, E. A.
James, A. E. see Siegel, E.
James, H. see Bell, C. M. J.
Janeway, C. M. see Sailor, J. F.
Jansholt, A-L., Krohn, K. A., Stadalnik, R. C., Matolo, N. M., and DeNardo, G. L. Catabolism and protein binding of ^{99m}Tc-pyridoxylideneglutamate, 1036
Jansholt, A-L. see Stadalnik, R. C.
Jansons, D. see Tow, D. E.
Jaszczak, R. see Murphy, P.
Jeffcoat, M. K., McNeil, B. J., and Davis, M. A. In and Fe as tracers for erythroid precursors, 496
Jengo, J. A. see Uszler, J. M.
Jewkes, R. F. see Richardson, V. J.
Jeyasingh, K. see Richardson, V. J.
Jiang, V. W., Gibson, R. E., Rzeszotarski, W. J., Eckelman, W. C., Reba, R. C., Vieras, F., and Alderson, P. O. Radioiodinated derivatives of adrenoceptor blockers for myocardial imaging, 918
Joe, P. see Krishnamurthy, G. T.
Johannes, R. S., Boitnott, J. K., Alderson, P. O., Maddrey, W. C., and Wagner, H. N. ^{99m}Tc-S colloid liver scans in directing liver biopsy, 737*
Johannsen, B., Syhre, R., Spies, H., and Münze, R. Characterization of ^{99m}Tc-cysteine and -cysteine analogs, 816
Johnson, A. D. see Schuler, G.
Johnson, P. M., Boxer, R. A., Esser, P. D., Fawwaz, R. A., and Steeg, C. N. Quantitative pulmonary radioangiography for measuring left-to-right shunts, 745*
Johnson, P. M., Braun, N. M. T., Skultety, N. A., and Esser, P. D. ^{81m}Kr dynamic ventilation imaging, 728*
Johnson, P. M. see Wang, T. S. T.
Johnson, W. D. see Hellman, C.
Johnston, A. S., Gulick, T., Kim, I., and Pinsky, S. Multigated cardiac, liver and brain studies, 739*
Johnston, G. S.
see Buddemeyer, E. U.
see Green, M. V.
see Line, B. R.
see Rumble, W. F.
Johnstone, D. see Berger, H.
Joist, H. J. see Welch, M. J.
Jonckheer, M. H. see Bossuyt, A.
Jones, A. E.
see Line, B. R.
see Rumble, W. F.
Jones, A. G.
see Holman, B. L.
see Neirinckx, R. D.
Jones, J. P. see Born, M. L.
Jones, P. F. see Baumgartner, A. M.
Jones, R. H.
see Rerych, S. K.
see Tatum, J. L.
Jones, R. L., Sproule, B. J., and Overton, T. R. Regional ventilation and lung perfusion with ^{133}Xe, 1187
Joseph, R. see Sarkar, S. D.
Joseph, S. see Ell, P. J.
Jungerman, J. see Saenger, E. L.

Kaess, K. R. see Dhawan, V. M.
Kaisier, H. see Yang, S. L.
Kammer, H. and Loveless, M. O. Hyperfunctioning thyroid nodule disappearance after TSH stimulation, 1149
Kan, M. Inexpensive EKG gate for computer-processed studies, 1186
Kan, M. Inexpensive EKG gate, 1265
Kan, M. K. Inexpensive EKG gate for cardiac motion study, 320
Kao, Y. see Wilson, M. A.
Kaplan, E. see Secker-Walker, R. H.
Kaplan, S. A. see Lee, W-N. P.
Kaplan, W. D., Davis, M. A., Uren, R. F., Wisotsky, T. and La-Tegola, M. A model for radionuclide measurement of ascites fluid volumes, 1138
Kariyone, S. see Uchida, T.
Karliner, J. see Slutsky, R.
Karunaratne, H. see Pai, A. L.
Kasecamp, W. see Yang, S. S. L.
Kato, M. and Hazue, M. Preparation and distribution of ^{99m}Tc-Sn-pyridoxylideneaminates, 397
Kato, M. and Hazue, M. ^{99m}Tc-pyridoxylideneaminates for hepatobiliary imaging, 687*
Katsuyama, N. see Kawakami, K.
Katz, H., Majid, S. B., Lopez, E. M., Eisenberg, J., and Maayan, M. L. ^{131}I therapy for thyrotoxicosis, 713*
Kaufman, H. H., Woo, J., Alderson, J. H., Cannon, D. C., Handel, S. F., and Hevezi, J. M. Radioiodinated fiibrinogen for detection of cervical carotid thrombosis, 370
Kaufman, L. and Hattner, R. S. Myocardial imaging with ^{201}Tl, 861
Kaufman, L.
see Lim, C. B.
see Okerlund, M. D.
see Palmer, D. W.
Kawagichi, S. see Murata, H.
Kawaguchi, F. see Ueda, K.
Kawakami, K., Tada, S., Katsuyama, N., and Mochizuki, S. Radionuclide study in pulmonary sequestration, 287
Kazmi, S. see Krishnamurthy, G. T.
Kazner, E. see Buell, U.
Kearns, D. S. see Steidley, J. W.
Keelan, M. H. see Soin, J. S.
Kehn, B. D.
see Henry, H. W.
see Kiser, S. R.
Keim, D. E. see Norris, S.
Kelly, J. F. see Vieras, F.
Kemp, H. G. see Alam, S. E.
Kenmore, P. see Sauerbrunn, B. J. L.
Kennedy, J. W.
see Caldwell, J. H.
see Hamilton, G. W.
see Sorensen, S. G.
Kertcher, J. A.
see Camargo, E. E.
see Chen, M. F.
Keyes, J. W.
see Brown, Manuel, L.
see Kircos, L. T.
see Koral, K. F.
see Rogers, W. L.
Khedkar, N. see Arnold, J. S.
Ki, P. F. see Hurlburt, E. M.
Kim, E. E., Coupal, J. J., DeLand, F. H., and Lovelace, D. R. Human serum as a cause of radiocolloid aggregation, 685*
Kim, E. E., DeLand, F. H., Maruyama, Y., and Ho, E. Detection of lipoid tumors by ^{133}Xe, 64
Kim, E. E.
see Coupal, J. J.
see DeLand, F. H.
see Domstad, P.
Kim, I. see Johnston, A. S.
Kim, T. S. see Sy, W. M.
Kinoshita, F. see Kondo, M.
Kirch, D. L., Shabason, L., LeFree, M. T., and Steele, P. P. Anger camera nonuniformity, 712*
Kirch, D. L., Vogel, R. A., LeFree, M. T., and Steele, P. P. A nonmoving system for myocardial perfusion tomography, 683*
Kirch, D. L., Vogel, R. A., LeFree, M. T., and Steele, P. P. Simultaneous multiple angle reconstruction in emission tomography, 745*
Kirch, D. L.
see LeFree, M. T.
see Vogel, R. A.
Kirchner, P. T., Simon, M. A., and Cooper, M. C. Bone and Ga scanning in tumors of the extremities, 697*
Kirchner, P. T. see Bidani, N.
Kircos, L. T., Carey, J. E., and Keyes, J. W. Quantitative emission computed tomography, 682*
Kircos, L. T., Leonard, P. P., and Keyes, J. W. Scintillation camera collimator for single-photon computed tomography, 322
Kirk, G. A. see Adams, R.
Kirschner, A. S. see Basmadjian, G. P.
Kiser, S. R., Lehman, H. G., Lull, R. J., Yuille, D. L., Dewey, B. T., and Kehn, B. D. Program for best fit of the standard radioassay curve, 748*
Kiser, S. R. see Henry, H. W.
Kitahara, M. see Coleman, R. E.

Kjelle-Schweigler, M. see Clorius, J. H.
Klausner, S. C. see Botvinick, E. H.
Kline, S. see Cahill, P.
Klingensmith, W. C., Fritzberg, A. R., and Koep, L. J. ^{99m}Tc-diethyl IDA and -pyridoxylideneglutamate hepatobiliary studies, 737*
Klingensmith, W. C., Yang, S. L., and Wagner, H. N. Lung uptake of ^{99m}Tc-S colloid, 31
Klingensmith, W. C. see Fritzberg, A. R.
Knight, L. C., Primeau, J. L., Siegel, B. A., and Welch, M. J. ^{111}In-platelets and iodinated fibrinogen for deep vein thrombosis detection, 891
Knight, L. C.
see Frick, M. P.
see McElvany, K. D.
Knoebel, S. B., Lowe, D. K., Lovelace, D. E., and Friedman, J. J. Myocardial blood flow measured by ^{84}Rb and microspheres, 1020
Knoll, G. F., Bennett, M. C., and Strange, D. R. Real-time correction of camera signals, 746*
Knowles, L. G. see Qureshi, S.
Koep, L. J. see Klingensmith, W. C.
Kogut, M. D. see Miller, J. H.
Kolibash, A. J., Call, T. D., Bush, C. A., Tetalman, M. R., Olsen, J., and Scheu, J. Exercise ^{201}Tl and resting ^{99m}Tc-MAA imaging, 751*
Kondo, M., Masaki, H., Kosunda, S., Ando, Y., Takagi, Y., Kubo, A., and Hashimoto, S. Lung uptake of ^{111}In-chloride, 1266
Kondo, M., Yamazaki, H., Kubo, A., Ohsuzu, F., Handa, S., Tsugu, T., Masaki, H., Kinoshita, F., and Hashimoto, S. ^{201}Tl imaging evaluation of right-ventricular overloading, 1197
Konstam, M. A., Strauss, H. W., Alpert, N., Miller, S., Murphy, R. X., and McKusick, K. A. Pulmonary arterial pressure by analysis of blood flow distribution, 727*
Kontzen, F. see Tauxe, W. N.
Koral, K. F., Freitas, J. E., Rogers, W. L., and Keyes, J. W. Time-coded aperture thyroid scintigraphy, 741*
Koral, K. F. see Rogers, W. L.
Korobkin, M. see Shimshak, R. R.
Kostenbauder, H. B. see Stavchansky, S. A.
Kosunda, S. see Kondo, M.
Kotlyarov, E. V. and Quaife, M. A. "Rebound" endogenous stimulation of thyroid uptake, 741*
Kowalsky, R. J., Dalton, D. R., and Saylor, W. L. Device for transfer and unit dose packaging of ^{127}Xe, 414
Kowalsky, W. P., Holodny, E. I., VanHeertum, R. L., and Schwarz, G. Low data loss acquisition with subsequent computer analysis, 1256
Kowell, A. see Kuhl, D. E.
Kozak, A. J. see Elson, M. K.
Kozenitzky, I. see Lubin, E.
Krakoff, I. H. see Newman, R. A.
Kramer, R. I. see Hnatowich, D. J.
Kraychy, S. and Leeper, M. A. 19-iodocholesterol and 6-iodomethyl-norcholesterol for adrenal scanning, 333
Krejcarek, G. E. see Hagan, P. L.
Kressel, H. Y. see Shimshak, R. R.
Krishnamurthy, G. T. Human reaction to bovine TSH, 284
Krishnamurthy, G. T. Tin in bone imaging agents, 1272
Krishnamurthy, G. T., Blahd, W. H., Taylor, R., Kazmi, S., and Rolett, E. L. ^{99m}Tc-pyrophosphate myocardial imaging, 750*
Krishnamurthy, G. T., Tubis, M., Joe, P., and Blahd, W. H. The importance of tin in commercial bone imaging kits, 565
Krohn, K. A. and Hines, H. H. Normality of radiopharmaceutical distribution data, 688*
Krohn, K. A., Stadalnik, R. C., Matolo, N. M., and Hein, L. J. L or D/L tryptophan for pancreas imaging, 689*
Krohn, K. A.
see DeNardo, S. J.
see Jansholt, A-L.
see Stadalnik, R. C.
see Vera, D. R.
Kronenberg, R. S. see Williams, L. E.
Kronenwetter, C. see Meade, R. C.
Kubiatowicz, D. O., Ithakissios, D. S., Wicks, J. H., and Heerwald, P. E. Semi-automated T_3 uptake test, 854
Kubo, A. see Kondo, M.
Kuhl, D. E., Alavi, A., Hoffman, E. J., Phelps, M. E., Zimmerman, R., Obrist, W., Bruce, D., Greenberg, J., and Uzzell, B. Local cerebral blood volume in head trauma, 699*
Kuhl, D. E., Phelps, M. E., Hoffman, E. J., Robinson, G. D., MacDonald, N. S., Kowell, A., and Winter, J. Cerebral glucose utilization and perfusion in ischemia, 699*
Kuhl, D. E.
see Huang, S. C.
see Phelps, M. E.
see Schelbert, H. R.
Kulkarni, P. V., Parkey, R. W., Buja, L. M., Wilson, J. E., Bonte, F. J., and Willerson, J. T. ^{99m}Tc-heparin for damaged coronary artery and myocardium imaging, 810
Kulkarni, P. V., Parkey, R. W., Buja, L. M., Wilson, J. E., Bonte, F. J., and Willerson, J. T. ^{99m}Tc-heparin for identification of damaged coronary endothelium and myocardium, 718*
Kulprathipanja, S.
see Elmaleh, D.
see Grant, P. M.
see Hnatowich, D. J.
Kumada, K. see Ishii, Y.
Kung, H. F., Ackerhalt, R., and Blau, M. Early and late uptake in myocardial lesions, 717*
Kung, H. F., Ackerhalt, R., and Blau, M. ^{99m}Tc-monophosphates in bone and myocardial necrosis, 1027
Kung, H. F. and Blau, M. Rat model for early detection of myocardial necrosis, 948
Kung, H. F., Gilani, S., and Blau, M. Pancreas specificity of I- and Br-aliphatic amino acid analogs, 393
Kuperus, J. see Lyons, K. P.
Kupfernagel, Ch. see Machulla, H-J.
Kushner, T. R. see Line, B. R.
Kuwahara, M. see Yonekura, Y.
Kyriakakos, A. see Maayan, M. L.

Lade, R. E. see Shiue, C. Y.
Lagunas-Solar, M. see Stadalnik, R. C.
Lam, E. see Okerlund, M. D.
Lambrecht, R. M. see Ruth, T. J.
Lambrecht, R. W. see Henry, H. W.
Landing, B. H. see Miller, J. H.
Langou, R. see Berger, H.
Lanksch, W. see Buell, U.
Lao, R. S. see Sy, W. M.
Lapin, S. see Sakimura, I. T.
Larson, S. M., Allen, D. R., Rasey, J. S., and Grunbaum, Z. Kinetics of carrier-free ^{67}Ga binding to human transferrin, 1245
Larson, S. M., Rasey, J. S., and Allen, D. R. Transferrin mediated ^{67}Ga uptake by EMT-6 sarcoma, 715*
Larson, S. M., Siegel, B. A., and Robinson, R. G. Clinical evaluation of radiopharmaceuticals, 1359
Larson, S. M.
see Camargo, E. E.
see Hegge, F. N.
see Hubbard, T.
see Van Kirk, O.
Larsson, I. see Strand, S-E.
Lastra, M. P. see Sauerbrunn, B. J. L.
LaTegola, M. see Kaplan, W. D.
Lathrop, K. A., Tsui, B. M. W., Gloria, I. V., Aitkin, T. A., and Harper, P. V. Transport of ^{99m}Tc by the gastrointestinal system, 736*
Lathrop, K. A.
see Majumdar, C.
see Tsui, B. M.
LaVallee, C. A. see Sano, R. M.
Lavelle, K. J., Park, H. M., Moseman, A. M., and Lewis, S. Renal parenchymal uptake of ^{99m}Tc-HEDP in acute tubular necrosis, 720*
Leach, M. O. see Bell, C. M. J.
Leavitt, M. B. see Nichols, A. B.
Lee, G. S., Patton, J. A., and Brill, A. B. Thyroid iodine content in radioiodine treated hyperthyroidism, 742*

Lee, H. see Alderson, P. O.
Lee, K-I., Tanaka, T., and Ohi, T. Focal uptake in ^{99m}Tc-HEDP brain scans, 290
Lee, W-N. P., Mpanias, P. D., Wimmer, R. J., Greenfield, M. A., and Kaplan, S. A. Early ^{123}I uptake in pediatric hyperthyroidism, 985
Leeper, M. A. see Kraychy, S.
Lees, R. S. see Elmaleh, D.
LeFree, M. T., Vogel, R. A., Kirch, D. L., and Steele, P. P. Computerized interpretation of myocardial perfusion images, 748*
LeFree, M. T.
see Kirch, D. L.
see Vogel, R. A.
LeGallic, Y. see Mann, W. B.
Legrand, J. see Mann, W. B.
Lehman, H. G. see Kiser, S. R.
Lentle, B. C., Percy, J. S., Rigal, W. M., and Russell, A. S. Muscle uptake of ^{99m}Tc-pyrophosphate after exercise, 223
Lentle, B. C., Russell, A. S., Percy, J. S., and Jackson, F. I. Scintigraphic investigation of sacroiliac disease, 120
Lentle, B. C., Schmidt, R., and Noujaim, A. A. Drug effects in radiotracer biodistribution, 743*
Lentle, B. C. see Noujaim, A. A.
Leonard, J. C., Allen, E. W., and Wenzl, J. E. Glucoheptonate renal imaging in pediatrics, 699*
Leonard, P. F. see Rogers, W. L.
Leonard, P. P. see Kircos, L. T.
LePape, A. see Guillemart, A.
Leppo, J., Yipintsoi, T., Bontemps, R., and Freeman, L. M. Infarction diagnosis methods correlated with surgical findings, 725*
Lerario, A. C. see Wajchenberg, B. L.
Leschey, W. H. see Briggs, R. C.
Levinsohn, E. M. see Wistow, B. W.
Levitt, R. G. and Naidich, T. P. Book review; *Cross-sectional Anatomy*, 866
Levy, J. see Front, D.
Lew, R. A. see Sober, A. J.
Lewellen, T. K., Williams, D. L., Murano, R., Hamilton, G. W., and Nelp, W. B. Quantitative assessment of nuclear imaging cameras, 954
Lewis, C. L. ^{131}I dose for thyroid ablation, 332
Lewis, G. K. see Groch, M. W.
Lewis, J. T., Neff, R. A., Nishiyama, H., and Bahr, G. H. Photon energy effects on scintillation camera field uniformity tests, 553
Lewis, J. T. see Nishiyama, H.
Lewis, S. see Lavelle, K. J.
Lewis, S. E., Corbett, D. B., Richardson, C. T., and Fordtram, J. S. Gastric function in diabetic patients, 686*
Lewis, S. E. see Hickey, D. C.
Li, D. K., Seltzer, S. E., and McNeil, B. J. V/Q mismatches unassociated with pulmonary embolism, 1331
Liao, S. Q., Hu, W. J., Chang, M. K., and Yeh, S. D. J. Cerebral perfusion studies in the differential diagnosis of intracranial neoplasms, 673*
Liberthson, R. R., Pohost, G. M., Dinsmore, R. E., McKusick, K. A., Shea, W. H., and Strauss, H. W. Pre- and postoperative evaluation of atrial septal defect, 750*
Lieberman, C. M. see Braunstein, P.
Lilien, D. L. see Lim, C. B.
Lim, C. B., Hoffer, P. B., Rollo, F. D., and Lilien, D. L. Performance of wide field scintillation cameras, 942
Lim, C. B., Perez-Mendez, V., Cheng, A., Hattner, R. S., and Kaufman, L. Positron emission longitudinal tomography, 707*
Lindenberg, J. see Nielson, S. P.
Line, B. R., Dunham, R. G., Cooper, J. A., Kushner, T. R., Bacharach, S. L., and Johnston, G. S. A spirometric method for volume gating ventilation studies, 740*
Line, B. R., Fulmer, J. D., Nagel, J. S., Jones, A. E., and Crystal, R. G. Multiple lung studies in sarcoidosis, 729*
Line, B. R., Jones, A. E., Bailey, J. J., Crystal, R. G., and Fulmer, J. D. Regional ventilatory clearance time in pulmonary fibrosis, 729*
Line, B. R. see Green, M. V.
Lipson, A., Nickoloff, E. L., Hsu, T. H., Shakir, R., and Wagner, H. N. Age-dependent changes in thyroid hormone values, 703*
Lipton, M. J. see Goodwin, D. A.
Little, A. D. see Crawford, E
Little, J. see Yamamoto, Y. L.
Littlefield, J. L. see Malmud, L. S.
Litvak, A. S. Book review; *Urological Radiology of the Adult Male Lower Urinary Tract*, 1095
Liu, O. K. see Yeh, S. H.
Liu, R. S. see Yeh, S. H.
Livni, E. see Elmaleh, D.
Llaurado, J. G., Madden, J. A., Meade, R. C., and Smith, G. A. Distribution of post-stress injected ^{201}Tl in rats, 172
Lo, H. H., McKusick, K. A., and Strauss, H. W. Gastric distention simulating a left subphrenic abscess, 438
Lo, H. H., McKusick, K. A., Strauss, H. W., Athanasoulis, C. A., Waltman, A. C., and Greenfield, A. J. Accuracy of lung imaging techniques for pulmonary embolism, 723*
Lo, H. H. see Sober, A. J.
Loberg, M. D., Fields, A. T., and Porter, D. W. Radiochemically pure ^{99m}Tc-fatty acid analogs, 717*
Loberg, M. D.
see Fields, A. T.
see Porter, D. W.
Logan, K. W., Hurst, R. R., and Holmes, R. A. Wall motion and self-absorption effects in determining ejection fractions, 726*
Logan, K. W. see Ahmad, M.
Logsdon, D. F. Book review; *Biological Implications of Metals in the Environment*, 571
Loken, M. see Forstrom, L.
Loken, M. K.
see Frick, M. P.
see Williams, L. E.
Lopez, E. M.
see Katz, H.
see Maayan, M. L.
Lotter, M. G. see Qureshi, S.
Lovelace, D. E. see Knoebel, S. B.
Lovelace, D. R. see Kim, E. E.
Loveless, M. O. see Kammer, H.
Lowe, D. K. see Knoebel, S. B.
Lubin, E., Rachima, M., Oren, V., Weininger, J., Trumper, J., Kozenitzky, I., and Rechnic, Y. ^{99m}Tc-pyridoxylidene glutamate in jaundice, 24
Lubin, E., Zelikovski, A., Trumper, J., Weininger, J., Rechnic, J., and Urca, I. ^{99m}Tc-RBC imaging of saphenous vein varicosities, 1090
Lull, R. J., and Welch, G. M. Quantitative studies of ^{133}Xe washout in acute inhalation injuries, 727*
Lull, R. J.
see Henry, H. W.
see Kiser, S. R.
Luthman, R. see Mauderli, W.
Lutzger, L. G. and Chun, J. Imaging in non-surgical treatment of liver-spleen injury, 734*
Lyons, K. P., Olson, H. G., Kuperus, J., Stemmer, E. A., and Aronow, W. S. ^{99m}Tc-pyrophosphate imaging and coronary artery bypass surgery correlation, 1116
Lyons, K P. see Brown, W. T.

Maayan, M. L., Eisenberg, J., Lopez, E. M., Kyriakakos, A., Majid, S., and Pohutsky, K. Intravenous ^{133}Xe for pulmonary embolism diagnosis, 723*
Maayan, M. L. see Katz, H.
MacAllister, N. P. see Yang, S. S. L.
MacDonald, N. S.
see Cohen, M. B.
see Kuhl, D. E.
see Phelps, M. E.
see Robinson, G. D.
MacGregor, R. R.
see Crawford, E.
see Gallagher, B. M.
see Shiue, C. Y.
MacIlduff, K. A. see Gewirtz, H.
Machulla, H-J., Stöcklin, G., Kupfernagel, Ch., Freundlieb, Ch., Höck, A., Vyska, K., and Feinendegen, L. E. Comparison of ^{11}C-, ^{34m}Cl-, ^{77}Br- and ^{123}I-fatty acids for myocardial metabolism, 298
Mack, G. A. see Eikman, E. A.
Maddahi, J., Berman, D., Silverberg, R., Charuzi, Y., Buch-

binder, N., Gray, R., Waxman, A., Vas, R., Shah, P. K., Swan, H. J. C., and Forrester, J. Two minute multiple gated assessment of left ventricular ejection fraction and wall motion, 669*
Maddahi, J., Gray, R., Berman, D., Raymond, M., Waxman, A., Ganz, W., Matloff, J., and Swan, H. J. C. Transient left ventricular dysfunction after coronary bypass surgery, 735*
Maddahi, J.
see Berman, D.
see Shah, P. K.
Madden, J. A.
see Eikman, E. A.
see Llaurado, J. G.
Maddrey, W. C.
see Johannes, R. S.
see Yang, S. S. L.
Madsen, M. T., Nickles, R. J., Gatley, S. J., Hichwa, R. D., Simpkin, D. J., and Martin, J. L. Positron labeled anesthetics for regional cerebral blood flow studies, 700*
Magarian, R. A. see Basmadjian, G. P.
Maisey, M. N.
see Bingham, J. B.
see Hilson, A. J. W.
Majerick, J. E. see Russell, C. D.
Majid, S. see Maayan, M. L.
Majid, S. B. see Katz, H.
Majumdar, C., Stark, V., Lathrop, K. A., and Harper, P. V. Species differences in myocardial localization of ^{13}N-asparagine, 701*
Makey, D. G. see Bianco, J. A.
Makinodan, T. see Baumgartner, W. A.
Makler, P. T.
see Charkes, N. D.
see Malmud, L. S.
see Sagar, V.
see Tolin, R.
Malaguti, P. see Sciaretta, G.
Malegelada, J. R. see Brown, Manuel L.
Malin, F. R., Rollo, F. D., and Gertz, E. W. Post-infarct sequential myocardial ^{99m}Tc-pyrophosphate scintigraphy, 1111
Malmud, L. S., Fisher, R. S., Littlefield, J. L., Rosenberg, R., Dessel, S., Makler, P. T., and Charkes, N. D. Alginic acid compound in gastroesophageal reflux reduction, 686*
Malmud, L. S.
see Rosenberg, R.
see Tolin, R.
Manaka, R. C. and Wolf, W. Radiopharmacokinetics of ^{195m}Pt-cis-platin, 732*
Mangum, J. see DeNardo, S. J.
Man, W. B., Grinberg, B., LeGallic, Y., Radoszewski, T., Wagner, S., Merritt, J. S., Bambynek, W., Hutchinson, J. M. R., Debertin, K., Bortels, G., Christmas, P., Legrand, J., and Woods, M. J. International committee for radionuclide metrology, 1264
Manoli, R. S. and Soin, J. S. Congenital intrarenal arteriovenous fistula diagnosis, 440
Marcomichaelaidis, I. see Ell, P. J.
Marcus, M. L. see Verani, M. S.
Marino, C. A. see Spitznagle, L. A.
Marks, D. S. see Halpin, W. W.
Markus, B. and Goldsmith, S. J. Thin layer chromatography of Tc radiopharmaceuticals, 742*
Martin, C. C. see Murphy, P. H.
Martin, J. L. see Madsen, M. T.
Martin, P. W. and Skov, K. Perturbed angular correlation study of ^{111}In transferrin labeling, 1171
Martin, R. H. see Ahmad, M.
Martin, R. L. see Grove, R. B.
Marty, R. see Denney, J. D.
Maruyama, Y. see Kim, E. E.
Marx, M. B., and DeLand, F. H. Editorial; conducting research, 763
Marx, R. S. see Thrall, J. H.
Masaki, H. see Kondo, M.
Mashour, N. see Front, D.
Mathias, C. J. see Welch, M. J.
Mathur, V.
see Burdine, J. A.
see DePuey, E. G.
Matloff, J. see Maddahi, J.
Matolo, N. M.
see Jansholt, A-L.
see Krohn, K. A.
see Stadalnik, R. C.
Matsui, K. see Murata, H.
Mauderli, W., Fitzgerald, L. T., Luthman, R., Williams, C. M., Toswill, C. H., and Entine, G. A computerized rotating laminar radionuclide camera, 707*
Maxon, H. R. see Silberstein, E. B.
Maynard, C. D. Book review; *Cerebral Radionuclide Angiography*, 335
Mayron, L. see Secker-Walker, R. H.
McAfee, J. G.
see Grossman, Z. D.
see Wistow, B. W.
McCartney, W. H., Perry, J. R., Staab, E. V., and Parker, L. A. Comparison of ^{127}Xe and ^{133}Xe in diagnosis of pulmonary embolism, 675*
McClelland, R. R. Imaging of congenital aneurysmal dilatation of the left auricle, 507
McCullough, J. see Forstrom, L.
McCutchen, W. C. see Taylor, A.
McDonald, J. M. see Stavchansky, S. A.
McElvany, K. D., Knight, L. C., and Welch, M. J. Preparation of ^{77}Br-proteins, 702*
McEwen, P. see Feiglin, D.
McInteer, B. B. see Gregg, C. T.
McIntyre, J. A. Stereoscopic imaging of gamma ray sources, 708*
McIntyre, P. A.
see Camargo, E. E.
see Chen, M. F.
see Scheffel, U.
see Yang, S. S. L.
McKillop, J. H. see Fogelman, I.
McKusick, K. A., Bingham, J., Pohost, G. M., and Strauss, H. W. Ungated vs gated ^{201}Tl cardiac images, 725*
McKusick, K. A.
see Bingham, J. B.
see Konstam, M. A.
see Liberthson, R. R.
see Lo, H. H.
see Nichols, A. B.
see Norris, S.
see Sober, A. J.
McLaughlin, P. see Feiglin, D.
McLean, J. R. Rapid assay for unbound Tc-99m in Tc-99m MAA, 1045
McLoughlin, G. P. see Tothill, P.
McNeil, B. J.
see Hill, T. C.
see Jeffcoat, M. K.
see Li, D. K.
see Papanicolaou, N.
McReady, V. R. see Coupal, J. J.
Meade, R. C., Bamrah, V. S., Horgan, J. D., Ruetz, P. P., Kronenwetter, C., and Yeh, E-L. Quantitative evaluation of ^{201}Tl myocardial perfusion images, 1175
Meade, R. C. see Llaurado, J. G.
Meares, C. F.
see Baker, R. J.
see Goodwin, D. A.
Meignan, M. see Parmentier, C.
Melton, R. E. see Grove, M. B.
Mendenhall, K. G.
see Alderson, P. O.
see Vieras, F.
Menin, R. see Tolin, R.
Menon, S., Wagner, H. N., and Tsan, M-F. ^{67}Ga-citrate uptake by *staphylococcus aureus*, 44
Merer, B. D. and Bezjian, A. A. Ultrasound as a diagnostic aid for uterine myomas, 690*
Merritt, J. S. see Mann, W. B.
Messer, J. V. see Turner, D. A.
Mettler, F. A. Visualization of hepatic lesions with upright views, 564
Mey, M. see Pistolesi, M.
Meyer, E. see Yamamoto, Y. L.
Meyers, J. see DeNardo, S. J.
Miale, A. see Garcia, E. V.
Mikesell, H. H. see Yang, S. S. L.
Miles, L. E. M. see Wilson, M. A.
Miller, J. H., Gates, G. F., Landing, B. H., Kogut, M. D., and Roe, T. F. Scintigraphic abnormalities in glycogen storage disease, 354
Miller, J. M. see Saenger, E. L.
Miller, S. see Konstam, M. A.
Mills, S. L. see Basmadjian, G. P.
Minato, K. see Yonekura, Y.
Minh, V. D. see Witztum, K. F.
Mintzis, M. M. see Sober, A. J.
Mirell, S. G. see Hecht, H. S.
Mitchell, T. G. see Goble, J. C.
Mochizuki, S. see Kawakami, K.
Mock, B. H. Rapid miniaturized chromatography for ^{99m}Tc-agents, 1086
Möhring, K. see Clorius, J. H.
Mojdehi, G. E. see Wang, T. S. T.
Moohr, J. W. see Bidani, N.

Moore, M. see Murphy, P.
Moore, T. S. and Teates, C. D. Photon-deficient lesion in ^{67}Ga-citrate scanning, 118
Moore, T. S. see Sfakianakis, G. N.
Moosa, A. R. see Gelder, F. B.
Morch, J. see Feiglin, D.
Morita, R., Fukunaga, M., Dokoh, S., Yamamoto, I., and Torizuka, K. Differential diagnosis of hypercalcemia, 1225
Morley, D. P. see Burrows, B. A.
Morley, T. R., Short, M. D., and Dowsett, D. J. Femoral head activity in Perthes' disease, 884*
Moses, H. L. see Rizza, R. A.
Moseman, A. M. see Lavelle, K. J.
Mosley, S. T. see Beierwaltes, W. H.
Motazedi, A. see Alderson, P. O.
Mpanias, P. D. see Lee, W-N. P.
Mueller, H. see Fletcher, J. W.
Muerhrcke, R. C. see Turner, D. A.
Mukai, T. see Ishii, Y.
Münze, R. see Johannsen, B.
Murano, R. see Lewellen, T. K.
Murata, H., Iio, M., Asano, K., Toyama, H., Kawagichi, S., Chiba, K., Yamada, H., and Matsui, K. Left ventricular performance in athletes and non-athletes, 736*
Murphy, P. H., Burdine, J. A., and Martin, C. C. Videotape recording of computer images, 852
Murphy, P. H., Burdine, J. A., Moore, M. L., Groch, M. W., and Von Behren, P. L. Computerized cardiac nuclear kymography, 749*
Murphy, P. H., Burdine, J. A., Moore, M. L., Jaszczak, R., Thompson, W., and DePuey, G. Single photon emission computed tomography, 683*
Murphy, P. H.
see DePuey, E. G.
see Groch, M. W.
Murphy, W. A. Book review; *Breast Carcinoma—The Radiologist's Expanded Role*, 570
Murphy, R. X. see Konstan M. A.
Myers, W. G. Fifth anniv ry of the symbol of nuclear med ne, 606
Myerson, D. A. see Myerson, P. J.
Myerson, P. J., Myerson, D. A., and Spencer, R. P. Diffuse peritoneal uptake of ^{67}Ga in pancreatic disease, 1266

Nacianceno, S. see Sarkar, S. D.
Nadeau, J. H. see Born, M. L.
Nagel, J. S. see Line, B. R.
Naidich, T. P. see Levitt, R. G.
Nakamura, R. see Gökce, A.
Narahara, K. A.
see Hamilton, G. W.
see Ritchie, J. L.
Nash, M. see Sy, W. M.
Nass, H. W. Mo-99 nuclear decay data, 1365
Natarajan, R. see Rajagopalan, K. R.
Natasa, B., Ugo, F., and Igor, B. Pulmonary radiation microemboli, 1183
Nathanson, L. Spleen uptake of ^{99m}Tc-S colloid in malignant melanoma, 1093
Neff, R. A. see Lewis, J. T.
Neirinckx, R. D., Jones, A. G., Davis, M. A., Harris, G. I., and Holman, B. L. ^{178}W-^{178}Ta generator, 514
Neirinckx, R D. see Holman, B. L.
Nelp, W. B.
see Allen, D. R.
see Lewellen, T. K.
Nelson, D. F., O'Mara, R. E., Reddy, K. V., and Rubin, P. Thyroid abnormalities after neck irradiation, 714*
Nelson, H. see Alazraki, N. P.
Nelson, H. T. and Taylor, A. Bone scanning in osteomyelitis, 696*
Nelson, J. A. see Sorensen, J. A.
Nelson, M. see Arnold, J. S.
Nelson, T. see Graham, L. S.
Neumann, R. Book review; *Origins of Human Cancer*, 1278
Neumann, R. D., Gottschalk, A., and Hoffer, P. B. Electronic motion correction in liver scans, 737*
Newall, J. B. see Pohost, G. M.
Newman, G. E. see Rerych, S. K.
Newman, R. A., Gallagher, J. G., Clements, J. P., and Krakoff, I. H. ^{67}Ga localization in human placenta, 504
Nichols, A. B., Cochavi, S., Hales, C. A., McKusick, K. A., Beller, G. A., Waltman, A. C., and Strauss, H. W. Accuracy of $C^{15}O_2$ inhalation studies in pulmonary embolism detection, 674*
Nichols, A. B., Cochavi, S., Strauss, H. W., Guiney, T. E., Leavitt, M. B., Beller, G. A., and Pohost, G. M. Cardiopulmonary blood volume changes during exercise in coronary artery disease, 711*
Nickles, J. see Zalutsky, M.
Nickles, R. J. see Madsen, M. T.
Nickoloff, E. L.
see Goble, J. C.
see Hsu, T. H.
see Lipson, A.
see Qureshi, S.
see Yang, S. S. L.
Niederman, R. see Tow, D. E.
Nielsen, M. L. see Nielson, S. P.
Nielson, S. P., Trap-Jensen, J., Lindenberg, J., and Nielsen, M. L. ^{99m}Tc-diethylacetanilidoiminodiacetate studies in obstructive jaundice, 452
Niendorf, H. P. see Buell, U.
Nikolich, P. see Cahill, P.
Nishiyama, H. Book review; *Ichiban*, 865
Nishiyama, H., Romhilt, D. W., Williams, C. C., Adolph, R. J., Sodd, V. J., Blue, J. W., Lewis, J. T., Gabel, M. and van der Bel-Kahn, J. M. Collimator evaluation for ^{201}Tl myocardial imaging, 1067
Nishiyama, H. see Lewis, J. T.
Nissen, A. see Sy, W. M.
Noble, J. see Hnatowich, D. J.
Norris, S., Ehrlich, M. G., Keim, D. E., Guiterman, H., and McKusick, K. A. ^{67}Ga diagnosis of early disc-space infection, 384
Northcutt, R. C. see Rizza, R. A.
Norvell, S. T. see Belitsky, P.
Noujaim, A. A., Lentle, B. C., Hill, J. R., Terner, U. K., and Wong, H. Model for Ga tumor uptake studies, 715*
Noujaim, A. A. see Lentle, B. C.
Novetsky, G. J. see Turner, D. A.
Nusynowitz, M. L., Sonnemaker, R. E., and Floyd, J. L. ^{201}Tl myocardial perfusion imaging for coronary arteriography election, 725*
Nusynowitz, M. L., Straw, J. D., Benedetto, A. R., and Dixon, R. S. Blood clearance rates for ^{99m}Tc-albumin, 1142

O'Brien, H. A.
see Barnes, J. W.
see Grant, P. M.
see Hupf, H. B.
O'Brien, T. see Gökce, A.
Obrist, W. see Kuhl, D. E.
O'Connell, T. X. see Chang, B.
O'Donnell, J. B. see Brown, Manuel L.
Ogard, A. E. see Barnes, J. W.
Ogg, C. S. see Hilson, A. J. W.
Ohi, T. see Lee, K-I.
Ohsuzu, F. see Kondo, M.
O'Keefe, D. D.
see Gewirtz, H.
see Pohost, G. M.
Okerlund, M. D., Beckmann, A., Caro, M., Sommers, J., Kaufman, L., Greenspan, F., Galante, M., and Hunt, T. Radiation induced thyroid disease, 714*
Okerlund, M. D., Sommers, J., Chuck, B., Lam, E., Galante, M., and Hunt, T. ^{131}I scanning and thyroglobulin radioimmunoassay for thyroid cancer detection, 678*
Oldendorf, W. H. Need for new radiopharmaceutiacls, 1182
Olsen, J.
see Kolibash, A. J.
see Tetalman, M. R.
Olson, H. G. see Lyons, K. P.
O'Mara, R. E.
see Nelson, D. F.
see Owunwanne, A.
Oppenheim, B. E. and Appledorn, C. R. An anatomic-physiological renal model, 739*
Oppenheim, B. E.
see Turner, D. A.
see Wellman, H. N.
Ordway, F. S.
see Gatson, R. C.
see Hendershott, L. R.
Oren, V.
see Lubin, E.
see Uszler, J. M.
Ornstein, E. see Cahill, P.
Ortiz, V. N. see Sfakianakis, G. N.
Orzan, F. see Burdine, J. A.
Oseas, R. S. see Siddiqui, A. R.
Oster, Z. H. Deferoxamine-mesylate

effect on ^{67}Ga-citrate biodistribution, 732*
Oster, Z. H. Phantom kidney in ^{99m}Tc-DTPA renal blood flow studies, 972
Ostertag, H. see Clorius, J. H.
Ostrow, H. G. see Green, M. V.
Ott, M. A. see Barnes, J. W.
Overman, R. T., Daly, J. L., and Donati, R. M. Generating and storing images for observer performance studies, 746*
Overton, T. R. see Jones, R. L.
Owunwanne, A., Weber, D. A., and O'Mara, R. E. Paper chromatographic analysis of ^{99m}Tc-phosphorous compounds, 534

Pai, A. L., Zaid, J. M., Sbarbaro, J. Karunaratne, H., Resnekov, L., and Harper, P. V. A computerized cardio-nuclear record system, 749*
Palmer, B. see Alazraki, N. P.
Palmer, D. W. and Kaufman, L. Characteristics of four thyroid fluorescent scanners, 707*
Panagiotis, N. M. see Verma, R. C.
Pang, S. C. and Genna, S. Attenuation induced spread functions in E-CAT, 745*
Papanicolaou, N., McNeil, B. J., Funkenstein, H. H., and Sudarsky, L. R. Abnormal cisternogram ossociated with Diamox therapy, 501
Paras, P. see Saenger, E. L.
Paridaens, R., Fruhling, J., Strijckmans, P., and Schell-Frederick, E. Platelet contamination of labeled leukocyte preparations, 1274
Park, H. M.
see Lavelle, K. J.
see Wellman, H. N.
Parker, J. R. see Basmadjian, G. P.
Parker, L. A. see McCartney, W. H.
Parkey, R. W., Poliner, L. R., Buja, L. M., Bonte, F. J., and Willerson, J. T. Clinicopathologic correlation with ^{99m}Tc-pyrophosphate myocardial imaging, 724*
Parkey, R. W.
see Bilheimer, D. W.
see Hickey, D. C.
see Kulkarni, P. V.
Parmentier, C., Chavaudra, J., and Meignan, M. Dose received by lymphatics during ^{99m}Tc labeling, 223
Parmley, W. W. see Botvinick, E. H.
Passalaqua, A. M. see Braunstein, P.
Patton, D. D.
see Daly, M. J.
see Hofstetter, K. R.
Patton, J. A. and Brill, A. B. Simultaneous emission and fluorescent thyroid scanning, 464
Patton, J. A., Gibbs, S. J., Price, R. R., and Brill, A. B. X-ray fluorescence of radiopaque material in the maxillary sinus, 1337
Patton, J. A., Rollo, F. D., and Brill, A. B. Longitudinal section tomography with a germanium array, 730*
Patton, J. A. see Lee, G. S.
Pauwels, E. K. J.
see DeGraaf, P.
see Thesingh, C. W.
see Vellenga, C. J. L. R.
Pauwels, S., Steels, M., Piret, L., and Beckers, C. ^{99m}Tc-diethyl-IDA hepatobiliary studies, 783
Pavel, D. G., Byrom, E., Swiryn, S. and Ayres, B. First transit cardiac studies, 704*
Pavel, D. G. and Zimmer, A. M. In vivo red cell labeling with $^{99m}TcO_4^-$, 972
Pavel, D. G. and Zimmer, A. M. In vivo ^{99m}Tc labeling of red blood cells in hyperthyroidism, 333
Pavel, D. G.
see Byrom, E.
see Zimmer, A. M.
Peng, E. see Bidani, N.
Pepper, G. H. see Pettit, W. A.
Percy, J. S. see Lentle, B. C.
Percy, M. E. see Brown, R. G.
Perez, L. A., Collica, C. J., and Barnett, R. N. Misuse of statistics correlation coefficient, 973
Perez-Mendez, V. see Lim, C. B.
Perkel, M. S. see Fajman, W. A.
Perkins, P. J. Bowel activity in early ^{67}Ga imaging, 733*
Perrillo, R. P. see Ahmad, M. L.
Perry, J. R. see McCartney, W. H.
Peter, T. see Shah, P. K.
Peterson, K.
see Pfisterer, M.
see Schuler, G.
Peterson, L. R. see Elson, M. K.
Pettit, W. A. and DeLand, F. H. Labeling proteins with ^{99m}Tc, 694*
Pettit, W. A., DeLand, F. H., Pepper, G. H., and Blanton, L. Characterization of Sn-Tc colloid in Tc-albumin, 387
Pfisterer, M., Schuler, G., Ricci, D., Swanson, S., Gordon, D., Slutsky, S., Peterson, K., and Ashburn, W. Left ventricular ejection fraction by equilibrium radionuclide angiography, 710*
Pfisterer, M., Swanson, S., Ioannou, B., Sano, R., Verba, J. W., and Ashburn, W. Non-computerized cardiac module for left ventricular ejection fraction, 670*
Pfisterer, M. see Slutsky, R.
Phelps, M. E., Hoffman, E. J. Huang, S-C., and Kuhl, D. E. Computerized positron tomographic system, 635
Phelps, M. E., Hoffman, E. J., Schelbert, H. R., Selin, C., Huang, S. C., Robinson, G. D., MacDonald, N. S., and Kuhl, D. E. ^{18}F-deoxyglucose and ^{11}C-palmitic acid for measuring myocardial metabolism, 677*
Phelps, M. E., Hoffman, E. J., Selin, C., Huang, S. C., Robinson, G. D., MacDonald, N. S., Schelbert, H. R., and Kuhl, D. E. ^{18}F-fluorodeoxyglucose for measuring myocardial glucose metabolism, 1311
Phelps, M. E., Huang, S. C., Hoffman, E. J., Selin, C., and Kuhl, D. E. Cerebral glucose metabolic rate measurement with emission computed tomography, 682*
Phelps, M. E.
see Hoffman, E. J.
see Huang, S. C.
see Kuhl, D. E.
see Schelbert, H. R.
Philips, C. see Charkes, N. D.
Piccone, J. M. see Sagar, V.
Pichler, M. see Shah, P. K.
Piepsz, A., Ham, H. R., Struyven, J., Denis, R., Schulman, C. C., and Erbsmann, F. Simultaneous determination of GFR and renal transit times, 699*
Pieroni, R. R. see Wajchenberg, B. L.
Pierson, R. N.
see Alam, S. E.
see Spencer, J. L.
Pinsky, S. see Johnston, A. S.
Pinsky, S. M., Bekerman, C., Ryo, U. Y., Frohman, L. A., Favus, M. J., and Schneider, A. B. Thyroid abnormalities after head and neck irradiation, 741*
Pinsky, S. M., Ryo, U. Y., Bekerman, C., Creditor, M., and Colman, M. The oblique thyroid scan image, 742*
Pinsky, S. M. see Grove, R. B.
Pinto, H. see Wajchenberg, B. L.
Pircher, F. J. see Ajmani, S. K.
Piret, L. see Pauwels, S.
Pistolesi, M., Solfanelli, S., Guzzardi, R., Mey, M., and Giuntini, C. Tomographic lung imaging by Compton scatter, 727*
Pistolesi, M., Solfanelli, S., Guzzardi, R., Mey, M., and Giuntini, C. Transmission chest tomography by gamma camera, 94
Pitt, B. see Thrall, J. H.
Podoloff, D. A. see Carretta, R. F.
Podolsky, S. see Burrows, B. A.
Pohost, G. M., O'Keefe, D. D., Gewirtz, H., Strauss, H. W., Newall, J. B., Chaffin, J. S., and Daggett, W. M. ^{201}Tl redistribution in cases of severe fixed coronary stenosis, 680*
Pohost, G. M.
see Beller, G. A.
see Berger, B. C.
see Bingham, J. B.
see Gewirtz, H.
see Liberthson, R. R.
see McKusick, K. A.
see Nichols, A. B.
Pohutsky, K. see Maayan, M. L.
Poliner, L. R. see Parkey, R. W.
Pond, M. see Burow, R.
Ponto, R. A.
see Frick, M. P.
see Williams, L. E.
Portas, M. see Coleman, R. E.

Porter, D. W., Loberg, M. D., and Fields, A. T. ^{99m}Tc-steroids as hepatobiliary agents, 687*
Porter, D. W.
see Fields, A. T.
see Loberg, M. D.
Post, M. see Cahill, P.
Potchen, E. J. see Saenger, E. L.
Potsaid, M. S., Irwin, R. J., Castronovo, F. P., Prout, G. R., Harvey, W. J., Francis, M. D., Tofe, A. J., and Zemenhof, R. G. ^{32}P-diphosphonate dose determination in therapy for bone metastases, 98
Potsaid, M. S. see Sober, A. J.
Prabhu, A. V. see Spencer, J. L.
Pratt, T. A. see Ciofetta, G.
Preston, D. F. Book review; *Nuclear Medicine: Focus on Clinical Diagnosis*, 335
Price, R. R.
see Born, M. L.
see Patton, J. A.
Primeau, J. L. see Knight, L. C.
Primus, F. J. see DeLand, F. H.
Pritchard, J. H. see Winston, M. A.
Proctor, D. F. see Ito, H.
Prout, G. R. see Potsaid, M. S.
Przybylek, J. see Spies, S. M.

Quaife, M. A. see Kotlyarov, E. V.
Quinn, J. L. see Saenger, E. L.
Qureshi, S., Wagner, H. N., Alderson, P. O., Housholder, D. F., Douglass, K. H., Lotter, M. G., Nickoloff, E. L., Tanabe, M., and Knowles, L. G. Evaluation of left ventricular function, 135

Rabinovitch, M. see Fischer, K. C.
Rabinowitz, A. see Wexler, J. P.
Rabinowitz, J. L., Hansell, J., and Staeffen, J. Rate of ^{14}C-octanoate oxidation as a cirrhosis test, 689*
Rachima, M. see Lubin, E.
Radoszewski, T. see Mann, W. B.
Raghunath, B. see Raikar, U. R.
Raichle, M. E. see Tewson, T. J.
Raikar, U. R., Ganatra, R. D., and Raghunath, B. Dry aerosol delivery system compared to ultrasonic nebulizer, 1088
Rajagopalan, K. R., Ramadas, N., Natarajan, R., Rethinasabapathi, C., and Gajaraj, A. Radiometry of blood loss during operation, 438
Ramadas, N. see Rajagopalan, K. R.
Ramanathan, M. see Wilson, J. E.
Ramanna, L. see Verma, R. C.
Rao, P. S. see Fletcher, J. W.
Rapacz, P. see Spitznagle, L. A.
Rasey, J. S. see Larson, S. M.
Rauf, C. see Silberstein, E. B.
Ravikrishnan, K. P. see Sarkar, S. D.
Raymond, M. see Maddahi, J.
Rayudu, G. V. S., Clark, P., Sukerkar, A. N., Ali, A., Turner, D. A., and Fordham, E. W. ^{111}In- and ^{67}Ga-oxine complexes in sarcoma-180 tumor, 716*
Rayudu, G. V. S.
see Atcher, R. W.
see Huang, C. C.
Razzak, M. see Verani, M. S.
Reba, R. C.
see Eckelman, W. C.
see Jiang, V. W.
see Varma, V. M.
Rechnic, J. see Lubin, E.
Rechnic, Y. see Lubin, E.
Reddy, K. V. see Nelson, D. F.
Reduto, L. see Berger, H.
Reese, C. J. see Gelder, F. B.
Regina, A. see Spencer, J. L.
Reichek, N. see Alavi, A.
Reilley, J. see Tolin, R.
Reisinger, W. E. see Browning, E. J.
Rerych, S. K., Anderson, P. A. W., Scholz, P. M., Newman, G. E., and Jones, R. H. Left ventricular diastolic volume using first-pass technique, 726*
Resnekov, L. see Pai, A. L.
Resnick, D. see Alazraki, N. P.
Rethinasabapathi, C. see Rajagopalan, K. R.
Rhodes, B. Book review; *Isotope Effects on Enzyme-catalyzed Reactions*, 656
Rhodes, B. A. see Ford, L.
Riba, A. L. see Thakur, M. L.
Ricci, D. see Pfisterer, M.
Rich, D. A. see Dhawan, V. M.
Richards, A. G. The descent of nuclear medicine, 1359
Richards, P. see Hegge, F. N.
Richardson, C. T. see Lewis, S. E.
Richardson, R. L. Composite video output signal from the Gamma-11 computing system, 952
Richardson, V. J., Jeyasingh, K., Jewkes, R. F., Ryman, B. E., and Tattersall, M. H. N. Tumor localization of ^{111}In-liposomes, 1049
Richin, P. F. see Sauerbrunn, B. J. L.
Richli, W. see Waxman, A. D.
Rifai, A. see Freitas, J. E.
Rigal, W. M. see Lentle, B. C.
Rigo, P.
see Alderson, P. O.
see Douglass, K. H.
Ritchie, J. L., Sorensen, S. G., Narahara, K. A., Singer, J. W., and Hamilton, G. W. Radionuclide ejection fraction and adriamycin toxicity, 671*
Ritchie, J. L.
see Hamilton, G. W.
see Hegge, F. N.
see Sorensen, S. G.
see Trobaugh, G. B.
see Williams, D. L.
Ritman, E. L. see Gustafson, D. E.
Rizza, R. A., Wahner, H. W., Spelsberg, T. C., Northcutt, R. C., and Moses, H. L. Visualization of nonfunctioning adrenal adenomas with ^{131}I-iodocholesterol, 458
Robbins, J. see Saenger, E. L.
Robbins, P. J., Fortman, D. L., Scholz, K. L., Fusaro, G. A., and Sodd, V. J. Synthesis and kinetics of ^{18}F-fluoroantipyrine, 1346
Robbins, P. J., Fortman, D. L., and Sodd, V. J. Preparation and evaluation of ^{18}F-fluoroantipyrene, 688*
Robertson, J. S. Calculation of radioactive decay with a pocket calculator, 1270
Robinson, G. D., MacDonald, N. S., Easton, M. P., and Cook, J. S. ^{18}F-fluorodeoxyglucose production, 701*
Robinson, G. D.
see Kuhl, D. E.
see Phelps, M. E.
Robinson, R. G. see Larson, S. M.
Rock, R. C. see Hsu, T. H.
Roe, T. F. see Miller, J. H.
Rogers, W. L., Koral, K. F., Leonard, P. F., and Keyes, J. W. Coded aperture imaging of the heart, 730*
Rogers, W. L.
see Koral, K. F.
see Thrall, J. H.
Rohner, R. F.
see Grossman, Z. D.
see Wistow, B. W.
Rolett, E. L.
see Hecht, H. S.
see Krishnamurthy, G. T.
Rollo, F. D. and Williams, D. Dual window technique for ^{123}I thyroid scans, 713*
Rollo, F. D.
see Born, M. L.
see Grove, M. B.
see Lim, C. B.
see Malin, F. R.
see Patton, J. A.
Rom, W. N. see Sorek, M.
Romhilt, D. W. see Nishiyama, H.
Ronai, P. M. Book review; *The Physical Principles of Diagnostic Radiology*, 655
Root, R. see Thakur, M. L.
Rosen, R. S. see Sakimura, I. T.
Rosenberg, R., Dhand, S., Shon, B., and Malmud, L. S. ^{133}Xe washout curves in small airway dysfunction, 675*
Rosenberg, R. see Malmud, L. S.
Rosenblatt, R. see Weissman, H.
Rosenspire, K., Blau, M., Russamanno, L., and Green, F. Quantitative evaluation of articular disease, 705*
Roskopf, M. L.
see Grossman, Z. D.
see Wistow, B. W.
Ross, J. see Schuler, G.
Ross, J. F. Nuclear Medicine Pioneer Citation, 1978: Benedict Cassen, Ph.D., 662
Ross, P. see Ell, P. J.
Rossello, P. see Fischer, K. C.
Rossi, N. P. see Verani, M. S.
Rossing, N. see Guldberg, C.
Rubin, P. see Nelson, D. F.
Rubin, P.D. see Turner, D. A.
Rucknagel, D. see Thrall, J. H.
Rudnick, J. see Gregg, C. T.
Ruetz, P. P. see Meade, R. C.
Rumble, W. F., Aamodt, R. L., Jones, A. E., Henkin, R. I., and Johnston, G. S. Ingestion of ^{99m}Tc in breast milk by infant, 913
Russamanno, L. see Rosenspire, K.

Russell, A. S. see Lentle, B. C.
Russell, C. D. Quantity of tin in bone imaging agents, 1272
Russell, C. D. and Cash, A. Pertechnetate reduction in complexing media, 694*
Russell, C. D. and Majerik, J. E. Radiochemical purity of ^{99m}Tc-pyrophosphate, 1270
Ruth, T. J., Lambrecht, R. M., Wolf, A. P., and Thakur, M. L. On-line, automated ^{81}Rb-^{81m}Kr generator system, 702*
Ryman, B. E. see Richardson, V. J.
Ryo, U. Y. see Pinsky, S. M.
Rzeszotarski, W. J.
see Eckelman, W. C.
see Jiang, V. W.

Saenger, E. L., Atkins, H. L., Becker, D. V., Beierwaltes, W. H., Bruno, G. A., Christie, J. H., Greenfield, M. A., Grove, R., Hilberg, A. W., Jungerman, J., Miller, J. M., Paras, P., Potchen, E. J., Quinn, J. L., Robbins, J., Siegel, B. A., and Wellman, H. N. Evaluation of thyroid diseases with in vivo radionuclides, 107
Sagar, V., Piccone, J. M., Charkes, N. D., and Makler, P. T. Bone blood flow and tracer uptake, 705*
Sailor, J. F. and Janeway, C. M. $^{99m}TcO_4^-$ demonstration of a Barrett's esophagus, 1366
Sakimura, I. T., Dorr, L. D., Lapin, S., Siemsen, J. K., and Rosen, R. S. Ventilation-perfusion assessment of a postoperative pulmonary embolism, 723*
Salvatori, V. see Gilani, S. S. H.
Samuel, A. see Hoffer, P. B.
Sanders, R. Book review, *Diagnostic Ultrasound in Clinical Obstetrics and Gynecology*, 1369
Sands, M. see Berger, H.
Sanjabi, P. see Secker-Walker, R. H.
Sano, R. see Pfisterer, M.
Sano, R. M., Tinkel, J. B., LaVallee, C. A., and Freedman, G. S. Crystal thickness effects on gamma camera resolution and sensitivity, 712*
Sargent, T., Budinger, T. F., Braun, G., Shulgin, A. T., and Braun, U. An iodinated catecholamine congener for brain imaging and metabolic studies, 71
Sarkar, S. D., Nacianceno, S., Joseph, R., and Woodbury, D. ^{67}Ga-citrate scanning in inflammatory disease of the colon, 733*
Sarkar, S. D. and Ravikrishnan, K. P. ^{67}Ga-citrate scanning in extrapulmonary tuberculosis, 734*
Sarkar, S. D.
see Beierwaltes, W. H.
see Woodbury, D. H.
Sarper, R., Fajman, W. A., Witkowski, J., and Tarcan, Y. A. Spatial resolution of large field cameras for ^{201}Tl myocardial imaging, 731*
Sarper, R. see Fajman, W. A.
Sauerbrunn, B. J. L., Andrews, G. A., and Hübner, K. F. ^{67}Ga-citrate imaging of genito-urinary tract tumors, 470
Sauerbrunn, B. J. L., Lastra, M. P., Bates, H. R., Kenmore, P., Harris, D. R., and Richin, P. F. Bone scanning in prosthetic implants, 697*
Savage, J. P. see Gilday, D. L.
Saylor, W. L. see Kowalsky, R. J.
Sbarbaro, J. see Pai, A. L.
Schafer, A. W. see Burow, R.
Schaffer, E. see Thesingh, C. W.
Scharf, S. see Wexler, J. P.
Scheffel, U., and McIntyre, P. A. ^{111}In labeling of human platelets in plasma, 671*
Scheffel, U.
see Tsan, M-F.
see Yang, S. S. L.
Schelbert, H. R., Phelps, M. E., Hoffman, E. J., Selin, C., Huang, H., and Kuhl, D. E. ^{13}N-NH_3 tomography of regional myocardial perfusion, 743*
Schelbert, H R. see Phelps, M. E.
Schell-Frederick, E. see Paridaens, R.
Schenk, E. see Wilson, G. A.
Scheu, J.
see Kolibash, A. J.
see Tetalman, M. R.
Schicht, I. M. see de Graaf, P.
Schmidt, D. see Hellman, C.
Schmidt, R. see Lentle, B. C.
Schneider, A. B. see Pinsky, S. M.
Schneider, P. B. Hypothyroidism within one year after ^{131}I therapy for goiter, 1272
Schober, B. Percentage uptake of ^{131}I by the thyroid in therapy, 1268
Scholz, K. L. see Robbins, P. J.
Scholz, P. M. see Rerych, S. K.
Schor, R. see Shimshak, R. R.
Schor, R. A., Shames, D. M., Weber, P. M., and Dos Remedios, L. V. Comparison of ^{81m}Kr and ^{133}Xe for regional ventilation, 348
Schor, R. A. see Denney, J. D.
Schuler, G., Peterson, K., Ashburn, W., Johnson, A. D., Slutsky, R., Dennish, G., Utley, J., Daily, P. O., and Ross, J. Right ventricular performance after surgery for pulmonary hypertension, 736*
Schuler, G.
see Pfisterer, M.
see Slutsky, R.
Schulman, C. C. see Piepsz, A.
Schulz, E. see Adams, R.
Schwarz, G. see Kowalsky, W. P.
Sciaretta, G., Malaguti, P., Turba, E., Fini, A., Verri, A., Garagnani, B., and Cacciari, C. $^{99m}TcO_4^-$ imaging in retained gastric antrum syndrome, 377
Scoles, P. see Sfakianakis, G. N.
Scott, R., Atkins, F. B., and Harper, P. V. The median window filter for smoothing and edge preserving, 749*
Scott, R. see Harper, P. V.
Secker-Walker, R. H. Pulmonary physiology, etiology and ventilation-perfusion studies, 961
Secker-Walker, R. H., Friedman, A. M., Sanjabi, P., Fletcher, J. W., Mayron, L., Gindler, J., Kaplan, E., and Donati, R. M. ^{81m}Kr regional ventilation-perfusion relationships, 728*
Secker-Walker, R. H., Friedman, A. M., Sanjabi, P., Fletcher, J. W., Mayron, L., Gindler, J., Kaplan, E., and Donati, R. M. ^{81m}Kr regional ventilation studies in coal workers, 728*
Secker-Walker, R. H., Tansuwan, C., and Ho, J. Regional lung function in bronchiectasis, 722*
Seder, J. see Weiss, P.
Segal, A. W., Deteix, P., Garcia, R., Tooth, P., Zanelli, G. D., and Allison, A. C. ^{111}In labeling of leukocytes, 1238
Segall, H. D. see Gates, G. F.
Selin, C.
see Phelps, M. E.
see Schelbert, H. R.
Seltzer, S. E. see Li, D. K.
Sephton, R. G. and Harris, A. W. ^{67}Ga uptake by cultured tumor cells, 681*
Sephton, R. G., Hodgson, G. S., DeAbrew, S., and Harris, A. W. ^{67}Ga and ^{59}Fe distributions in mice, 930
Serafini, A. N. see Garcia, E. V.
Sfakianaki, E. see Sfakianakis, G. N.
Sfakianakis, G. N., Haase, G. M., Ortiz, V. N., and Moore, T. S. Abdominal imaging for ectopic gastric mucosa, 691*
Sfakianakis, G. N., Ortiz, V. N., Haase, G. M., and Boles, E. T. ^{99m}Tc-diphosphonate imaging in necrotizing enterocolitis, 691*
Sfakianakis, G. N., Scoles, P., Welch, M., Haynes, R., Hilty, M., and Azimi, P. Evolution of bone image findings in osteomyelitis, 706*
Sfakianakis, G. N., Sfakianaki, E., and Bowen, F. ^{99m}Tc-DTPA renal studies in neonates, 698*
Sfakianakis, G. N., Sfakianaki, E., Smith, J. P., Wise, H. A., and Sotos, J. F. Computer assisted study of changes in renal functional anatomy, 698*
Sfakianakis, G. N., Sfakianaki, E., Smith, J. P., Wise, H. A., and Sotos, J. F. Renal anatomy and function in children, 698*
Shabason, L. see Kirch, D. L.
Shafer, R. B.
see Bianco, J. A.
see Elson, M. K.
Shah, P. K., Berman, D., Maddahi, J., Pichler, M., Peter, T., Waxman, A., Singh, B., Forrester, J., and Swan, H. J. C. High risk subset of acute inferior myocardial infarction, 680*
Shah, P. K. see Maddahi, J.
Shakir, R. see Lipson, A.

Shames, D. M.
see Botvinick, E. H.
see Schor, R. A.
Shandling, B. see Gilday, D. L.
Sharpe, D. N. see Botvinick, E. H.
Shea, W. H. see Liberthson, R. R.
Sherman, L. A. see Welch, M. J.
Shesol, B. F. see Alavi, A.
Shimshak, R. R., Korobkin, M., Hoffer, P. B., Schor, R., Hill, T. C., and Kressel, H. Y. ^{67}Ga-citrate imaging and computed tomography in suspected abdominal infection, 262
Shiue, C. Y., MacGregor, R. R., Lade, R. E., Wan, C. N., and Wolf, A. P. Synthesis of ^{11}C-deoxyglucose for measuring regional brain glucose metabolism, 676*
Shon, B. see Rosenberg, R.
Short, M. D. see Morley, T. R.
Shortkroff, S. see Hnatowich, D. J.
Shreeve, W. W., Giwa, L., Ficek, M. A., Spoering, B. G., and Hui, J. Exercise and surgery effects on ^{201}Tl uptake in peripheral vascular disease, 709*
Shreeve, W. W. see Gregg, C. T.
Shreiner, D. P. Visualization of hepatic lesions with upright views, 563
Shroff, A. see Ford, L.
Shuler, S. E. see Witherspoon, L. R.
Shulgin, A. T. see Sargent, T.
Siddiqui, A. R., Oseas, R. S., Wellman, H. N., and Baehner, R. L. Bone marrow imaging in pediatric oncology, 692*
Siddiqui, A. R. see Wellman, H. N.
Siegel, B. A.
see Knight, L. C.
see Larson, S. M.
see Saenger, E. L.
see Welch, M. J.
Siegel, E., Siegel, E. P., Goddard, J., and James, A. E. Effects of ultrasound on T-l kidney cells, 681*
Siegel, E. P. see Siegel, E.
Siegel, M. E. and Siemsen, J. K. ^{201}Tl leg scans in peripheral vascular disease, 709*
Siegel, M. E. The peripheral ulcer perfusion study, 750*
Siegel, R. see Soin, J. S.
Siemsen, J. K.
see Hekmat-Ravan, H.
see Sakimura, I. T.
see Siegel, M. E.
see Waxman, A. D.
Silberstein, E. B. ^{67}Ga in primary lung cancer, 1188
Silberstein, E. B. Motion corrected hepatic scintigraphy, 1364
Silberstein, E. B. Optimizing brain scan sensitivity, 561
Silberstein, E. B., Maxon, H. R., Alexander, G. W., Rauf, C., and Bahr, G. K. Comparison of ^{99m}Tc-diphosphonate and -pyrophosphate bone imaging, 161
Silver, T. M. see Gross, M. D.
Silverberg, R. see Maddahi, J.
Silverstein, E. A. see Atcher, R. W.
Simmons, G. Book review; *Fundamental Aspects of Medical Thermography*, 122
Simmons, G. Book review; *Radiation Protection for Medical and Allied Health Personnel, NCRP Report #48*, 227
Simmons, G. Book review; *Structural Shielding Design and Evaluation for Medical Use of X-rays and Gamma Rays of Energies up to 10 MeV, NCRP Report No. 49*, 228
Simmons, G. H., DeLand, F. H., and Young, C. Distribution of ^{99m}Tc-glucoheptonate using a new total body scanning system, 682*
Simmons, G. H., Grigsby, P. W., and White, G. A. Resolution and sensitivity in the scintillation camera, 712*
Simmons, G. H. see Coupal, J. J.
Simon, M. A. see Kirchner, P. T.
Simpkin, D. J. see Madsen, M. T.
Singer, J. W. see Ritchie, J. L.
Singh, B. see Shah, P. K.
Singh, M. see Gustafson, D. E.
Sipes, J. N. see Berger, B. C.
Sisson, J. C. see Freitas, J. E.
Sizemore, G. W. Calciotrophic hormone measurement in hypercalcemia, 1261
Skov, K. see Martin, P. W.
Skultety, N. A. see Johnson, P. M.
Sledge, C. B. see Hnatowich, D. J.
Slutsky, R., Schuler, G., Pfisterer, M., Karliner, J., and Ashburn, W. Equilibrium radionuclide angiography calculation of left ventricular volume response to exercise, 711*
Slutsky, R.
see Pfisterer, M.
see Schuler, G.
Smaldone, G. C. see Ito, H.
Smith, G. A. see Llaurado, J. G.
Smith, J. E. see Byrne, E. F.
Smith, J. P. see Sfakianakis, G. N.
Snell, B. see Adams, R.
Snyder, G. J. see Turner, D. A.
Snyder, S. Vocal cord paralysis after radioiodine therapy, 975
Sober, A. J., Mintzis, M. M., Lew, R. A., Lo, H. H., Whalen, C., McKusick, K. A., Potsaid, M. S., Vialotti, C., and Fitzpatrick, T. B. Augmented spleen uptake in malignant melanoma, 693*
Sodd, V. J.
see Nishiyama, H.
see Robbins, P. J.
Soin, J. S. Myocardial imaging with ^{99m}Tc-pyrophosphate in adriamycin therapy, 564
Soin, J. S., Tresch, D. D., Siegel, R., and Keelan, M. H. Myocardial perfusion studies in mitral valve prolapse, 736*
Soin, J. S. see Manoli, R. S.
Sokole, E. B. see Trobaugh, G. B.
Solfanelli, S. see Pistolesi, M.
Som, P. see Atkins, H. L.
Somerville, W. see Ell, P. J.
Somers, J. see Okerlund, M. D.
Sonnemaker, R. E., Daniels, D. L., Craig, W. E., Floyd, J. L., and Bode, R. F. Serum myoglobin determination, 696*
Sonnemaker, R. E.
see Floyd, J. L.
see Nusynowitz, M. L.
Sonnenblick, E. A. see Wexler, J. P.
Sorek, M., Rom, W. N., and Goldsmith, S. J. ^{67}Ga-citrate in diffuse pleural mesothelioma staging, 692*
Sorensen, J. A. and Nelson, J. A. Absorption-edge transmission technique for measuring stable iodine, 707*
Sorensen, S. G., Ritchie, J. L., Hamilton, G. W., and Kennedy, J. W. Cardiac output and ejection fraction following nitroglycerin, 735*
Sorensen, S. G., Williams, D. L., Hannah, J. E., and Hamilton, G. W. The R-wave synchronized blood pool ejection fraction, 669*
Sorensen, S. G. see Ritchie, J. L.
Sotos, J. F. see Sfakianakis, G. N.
Souza, I. see Wajchenberg, B. L.
Sperlsberg, T. C. see Rizza, R. A.
Spencer, J. L., Regina, A., Friedman, M. I., Prabhu, A. V., and Pierson, R. N. Pulsatile models of the central circulation, 670*
Spencer, R. P. Book review; *Nuclear Medicine: Clinical and Technological Bases*, 444
Spencer, R. P., Hosain, P., Hosain, F., and Wang, T. S. T. Structural requirements for ^{99m}Tc-bone agents, 695*
Spencer, R. P.
see Brody, K. R.
see Dhawan, V. M.
see Hosain, F.
see Hosain, P.
see Myerson, P. J.
see Wang, T. S. T.
Sperling, M. see Chen, I. W.
Spies, H. see Johannsen, B.
Spies, S. Book review; *Liver Scans, Clearances and Perfusions—The Development of Nuclear Hepatology*, 978
Spies, S. M., Davison, R., and Przybylek, J. ^{99m}Tc-pyrophosphate imaging following cardiopulmonary resuscitation, 704*
Spitznagle, L. A., Marino, C. A., and Rapacz, P. Preparation and biodistribution of a ^{18}F-dihydrotestosterone analog, 702*
Spoering, B. G. see Shreeve, W. W.
Spolter, L. see Cohen, M. B.
Spoto, G. see Verani, M. S.
Sproule, B. J. see Jones, R. L.
Sripada, P. see Hosain, P.
Staab, E. V. see McCartney, W. H.
Stadalnik, R. C., Vogel, J. M., Jansholt, A-L., Krohn, K. A., Matolo, N. M., Lagunas-Solar, M., and Zielinski, F. Renal clearance and extraction of ^{123}I-o-iodohippurate, 720*

Stadalnik, R. C.
see Jansholt, A-L.
see Krohn, K. A.
see Vera, D. R.
Staeffer, J. see Rabinowitz, J. L.
Staniloff, H. see Feiglin, D.
Staples, D. see Henry, H. W.
Stark, V.
see Gelder, F. B.
see Majumdar, C.
Staum, M. M.
see Alavi, A.
see Alavi, J. B.
Stavchansky, S. A., Tilbury, R. S., McDonald, J. M., Ting, C. T., and Kostenbauder, H. B. Distribution and imaging use of ^{11}C-phenytoin and its major metabolite, 936
Steeg, C. N. see Johnson, P. M.
Steele, P. P.
see Kirch, D. L.
see LeFree, M. T.
see Vogel, R. A.
Steels, M. see Pauwels, S.
Steidley, J. W., Kearns, D. S., and Hoffer, P. B. Uniformity correction with the Micro Z processor, 712*
Steinhoff, H. see Buell, U.
Stemmer, E. A. see Lyons, K. P.
Stöcklin, G. see Machulla, H-J.
Stolz, K. see Alderson, P. O.
Strand, S-E., and Larsson, I. High photon-flow image artifacts in single-crystal scintillation cameras, 407
Strange, D. R. see Knoll, G. F.
Strauss, H. W. Pharmacologic effects on ^{201}Tl determination of regional cardiac output, 973
Strauss, H. W.
see Bingham, J. B.
see Elmaleh, D.
see Gewirtz, H.
see Konstam, M. A.
see Liberthson, R. R.
see Lo, H. H.
see McKusick, K. A.
see Nichols, A. B.
see Pohost, G. M.
Straw, J. D. see Nusynowitz, M. L.
Strijckmans, P. see Paridaens, R.
Strom, J. see Wexler, J. P.
Struyven, J. see Piepsz, A.
Subramanian, G.
see Grossman, Z. D.
see Wistow, B. W.
Subramanyam, R., Alpert, N. M., Hoop, B., Brownell, G. L., and Taveras, J. M. A model for regional cerebral oxygen distribution during inhalation of $^{15}O_2$, $C^{15}O$ and $^{15}CO_2$, 48
Sudarsky, L. R. see Papanicolaou, N.
Sukerkar, A. N.
see Rayudu, G. V. S.
see Turner, D. A.
Sullivan, T. M. see Tow, D. E.
Summer, W. see Alderson, P. O.
Sun, T. T. see Washburn, L. C.
Sunwoo, Y. C. see Ahmad, M. L.
Sutherland, R. see Wilson, G. A.
Suzuki, T., Ishii, Y., Itoh, H., Yonekura, Y., Hamanaka, D., and Torizuka, K. Radioaerosol scintigraphy in chronic obstructive pulmonary disease, 675*
Suzuki, T. see Ishii, Y.
Swan, H. J. C.
see Berman, D.
see Maddahi, J.
see Shah, P. K.
Swanson, D. P.
see Beierwaltes, W. H.
see Freitas, J. E.
see Gross, M. D.
see Thrall, J. H.
see Wu, J. L.
Swanson, M. A., Wong, K. A., and DeNardo, G. L. CEA determinations and estimation of tumor burden, 718*
Swanson, M. A. see DeNardo, S. J.
Swanson, S. see Pfisterer, M.
Swift, D. L. see Ito, H.
Swift, T. R. and Brown, M. ^{99m}Tc-pyrophoshate muscle labeling in McArdle syndrome, 295
Swiryn, S. see Pavel, D. G.
Sy, W. M., Lao, R. S., Bay, R., and Nash, M. $^{99m}TcO_4^-$ venography-large volume injection, 1001
Sy, W. M., Lao, R. S., Nissen, A., and Kim, T. S. Radionuclide venography in occlusion of inferior vena cava, 1007
Syhre, R. see Johannsen, B.
Sziklas, J. J. see Dhawan, V. M.

Tada, S. see Kawakami, K.
Taggert, P. see Ell, P. J.
Takagi, Y. see Kondo, M.
Takami, K. see Ueda, K.
Talner, L. B. see Taylor, A.
Tanabe, M. see Qureshi, S.
Tanaka, T. see Lee, K-I.
Tanasescu, D. E. see Waxman, A. D.
Tanasescu, D. T., Wolfstein, R. S., Brachman, M. B., and Waxman, A. D. The early ^{99m}Tc-glucoheptonate scan, 673*
Tansuwan, C. see Secker-Walker, R. H.
Taplin, G. V., Chopra, S. K., and Uszler, J. M. Imaging pulmonary ischemic lesions after inhalation of a diffusible radioaerosol, 567
Taplin, G. V., Feigenbaum, L., Chopra, S. K., and Elam, D. Perfusion-radioaerosol inhalation procedure for diagnosing pulmonary embolism, 676*
Taplin, G. V. see Chopra, S. K.
Tarcan, Y. A.
see Fajman, W. A.
see Sarper, R.
Tatarczuk, J. R. and Flesh, L. H. Inexpensive EKG gate for computer-processed studies, 1186
Tattersall, M. H. N. see Richardson, V. J.
Tatum, J. L., Beck, J. W., Goodrich, J. K., and Jones, R. H. Dual angle simultaneous imaging, 730*
Taube, R. A. see Davis, M. A.
Tauxe, W. N., Dubovsky, E. V., Kontzen, F., Tobin, M., and Bueschen, A. J. Computer assisted renal function study, 720*
Taveras, J. M.
see Alpert, N. M.
see Correia, J. A.
see Subramanyam, R.
Taylor, A., Chafetz, N., Hollenbeck, J., Hooser, W. The source of fecal gallium, 1214
Taylor, A. and Talner, L. B. Relative renal accumulation of ^{99m}Tc-penicillamine, 178
Taylor, A., Verba, J. W., Alazraki, N. P., and McCutchen, W. C. Portable scintillation camera monitoring of ^{125}I contamination, 431
Taylor, A.
see Alazraki, N. P.
see Chafetz, N.
see Hagan, P. L.
see Nelson, H. T.
see Van Kirk, O.
see Verba, J. W.
Taylor, R. see Krishnamurthy, G. T.
Teates, C. D.
see Berger, B. C.
see Moore, T. S.
see Watson, D. D.
Telepak, R. J. see Henry, H. W.
Tepper, B. S. see Camargo, E. E.
Terner, U. K. see Noujaim, A. A.
Tetalman, M. R., Deutchman, A. H., Scheu, J., Olsen, J., and Chiles, J. The optimal radiopharmaceutical for brain imaging, 673*
Tetalman, M. R. see Kolibash, A. J.
te Velde, J. see de Graaf, P.
Tewson, T. J., Welch, M. J., and Raichle, M. E. Synthesis and biodistribution of ^{18}F-deoxyfluoroglucose, 1339
Thakur, M. L., Riba, A. L., Downs, J., Andriole, V. T., Zaret, B. L., and Gottschalk, A. ^{111}In-platelets for imaging bacterial endocarditis, 744*
Thakur, M. L., Zakhireh, B., Cohen, M., Gottschalk, A., and Root, R. In vitro evaluation of ^{111}In-neutrophils, 672*
Thakur, M. L., Zaret, B. L., and Gottschalk, A. ^{111}In-leukocyte imaging of acute myocardial infarct, 744*
Thakur, M. L.
see Ruth, T. J.
see Weiner, R. E.
Thal, E. R. see Hickey, D. C.
Thesingh, C. W. ^{67}Ga in primary lung carcinoma, 1188
Thesingh, C. W., Driessen, O. M. J., Daems, W. Th., Franken, C., Pauwels, E. K. J., Schaffer, E., Vermeij, J., and Wisse, E. ^{67}Ga-citrate localization in primary lung carcinoma, 28
Thomas, B. J. see Bell, C. M. J.
Thomas, F. D.
see Grossman, Z. D.
see Wistow, B. W.

Thompson, C. see Yamamoto, Y. L.
Thompson, J. S. see Ho, J. E.
Thompson, W. see Murphy, P.
Thomson, D. M. see Hudson, F. R.
Thrall, J. H., Clare, J. M., and Rogers, W. L. Shielding in cardiac blood pool imaging, 750*
Thrall, J. H., Freitas, J., Gross, M. D., Rucknagel, D., Swanson, D. P., and Pitt, B. Perfusion studies with ^{201}Tl, 708*
Thrall, J. H., Freitas, J. E., Swanson, D., Rogers, W. L., Clare, J. M., Brown, Manuel L., and Pitt, B. Cardiac blood pool studies with ^{99m}Tc-RBC and ^{99m}Tc-HSA, 796
Thrall, J. H., Pitt, B., and Marx, R. S. Videotape for off line viewing of radionuclide heart studies, 210
Thrall, J. H., Swanson, D. P., and Wieland, D. M. Non-ionic gamma emitters for myocardial imaging, 969
Thrall, J. H.
see Beierwaltes, W. H.
see Brown, Manuel L.
see Carey, J. E.
see Freitas, J. E.
Tilbury, R. S. see Stavchansky, S. A.
Ting, C. T. see Stavchansky, S. A.
Tinkel, J. B. see Sano, R. M.
Tobin, M. see Tauxe, W. N.
Tofe, A. J. see Potsaid, M. S.
Tolin, R., Malmud, L. S., Menin, R., Makler, P. T., Reilley, J., and Fisher, R. S. Dual isotope technique for gallbladder and gastric emptying, 738*
Tolin, R., Malmud, L. S., Menin, R., Reilley, J., Makler, P. T., and Fisher, R. S. Enterogastric reflux following Billroth II surgery, 739*
Tooth, P. see Segal, A. W.
Torizuka, K.
see Ishii, Y.
see Morita, R.
see Suzuki, T.
see Yonekura, Y.
Toswill, C. H. see Mauderli, W.
Tothill, P., McLoughlin, G. P., and Heading, R. C. Scintigraphic measurements of gastric emptying, 256
Touya, J. J. see Born, M. L.
Tow, D. E. Book review; *Regional Differences in the Lungs*, 443
Tow, D. E. Shorter-lived radiopharmaceuticals for perfusion lung scans, 441
Tow, D. E., Garcia, D. A., Jansons, D., Sullivan, T. M., and Niederman, R. Bone scan in dental diseases, 845
Toyama, H. see Murata, H.
Tran, N. and Wagner, H. N. Liquid scintillation vial for radiometric assay of lymphocyte carbohydrate metabolism, 61
Trap-Jensen, J. see Nielson, S. P.
Tresch, D. D. see Soin, J. S.
Treves, S. see Fischer, K. C.
Triplett, R. G. see Vieras, F.
Trobaugh, G. B., Wackers, F. J. Th., Sokole, E. B., DeRouen, T. A., Ritchie, J. L., and Hamilton, G. W. ^{201}Tl myocardial imaging: interinstitutional observer variability, 359
Trobaugh, G. B. see Hamilton, G. W.
Trumper, J. see Lubin, E.
Tsan, M-F. Effect of polymorphonuclear leukocytes and bacteria on inflammation uptake of ^{67}Ga, 492
Tsan, M-F., Chen, W. Y., Scheffel, U., and Wagner, H. N. ^{67}Ga-citrate uptake by human polymorphonuclear lymphocytes, 36
Tsan, M-F.
see D'Antonio, N. L.
see Menon, S.
Tsugu, T. see Kondo, M.
Tsui, B. M. W. and Lathrop, K. A. Biokinetics of Ga and In in mice, 733*
Tsui, B. M. W. see Lathrop, K. A.
Tubis, M.
see Gökce, A.
see Krishnamurthy, G. T.
Turba, E. see Sciaretta, G.
Turner, D. A. Motion corrected hepatic scintigraphy, 1364
Turner, D. A. Observer variability, 435, 870
Turner, D. A. Predictive value of myocardial perfusion scintigraphy after stress, 1274
Turner, D. A. Receiver operating characteristic curve analysis, 213
Turner, D. A., Battle, W. E., Deshmukh, H., Colandrea, M. A., Snyder, G. J., Fordham, E W., and Messer, J. V. Myocardial perfusion scintigraphy after stress in patients with chest pain, 249
Turner, D. A., Fordham, E. W., Ali, A., Rubin, P. D., Muerhrcke, R. C., Oppenheim, B. E., Yasillo, N. J., Sukerkar, A. N., Novetsky, G. J., Dalia, D. P., and Hoffer, P. B. Motion corrected hepatic scintigraphy, 142
Turner, D. A.
see Atcher, R. W.
see Rayudu, G. V. S.
Turner, J. G. see Fogelman, I.

Uchida, T. and Kariyone, S. Preparation and distribution of ^{99m}Tc labeled white cells, 672*
Ueda, K., Kawaguchi, F., Takami, K., and Ishimatsu, K. Contribution functions in a scintillation camera, 825
Ueno, K. In vivo ^{99m}Tc labeling of red blood cells in hyperthyroidism, 332
Ugo, F. see Natasa, B.
Urca, I. see Lubin, E.
Uren, R. F. see Kaplan, W. D.
Uszler, J. M., Jengo, J. A., Briandet, P., and Oren, V. Digitizing contrast radiographic and emission tomographic images, 746*
Uszler, J. M.
see Graham, L. S.
see Taplin, G. V.
Utley, J. see Schuler, G.
Uzzell, B. see Kuhl, D. E.

Van Damme, K. J. Coincidence assay techniques, 1185
van der Bel-Kahn, J. M. see Nishiyama, H.
Van Heertum, R. L. see Kowalsky, W. P.
Van Herle, A. J. see Denney, J. D.
Van Kirk, O., Chafetz, N., Cooke, S., Taylor, A., and Larson, S. M. ^{99m}Tc bowel imaging in gallium studies, 69
Varma, V. M. and Reba, R. C. ^{131}I therapy in papillary and follicular thyroid carcinoma, 714*
Vas, R.
see Berman, D.
see Maddahi, J.
Vellenga, C. J. L. R., Pauwels, E. K. J., Bijvoet, O. L. M., and Hosking, E. J. Bone imaging in osteitis deformans treatment, 706*
Venkatesan, R. see Chaudhuri, Tapan K.
Vera, D. R., Krohn, K. A., and Stadalnik, R. C. Liver imaging via labeled hepatic binding protein ligands, 685*
Verani, M. S., Marcus, M. L., Ehrhardt, J. C., and Doty, D. B. Myocardial perfusion after aortic implantation of left coronary artery, 1032
Verani, M. S., Marcus, M. L., Razzak, M. A., and Ehrhardt, J. C. ^{201}Tl exercise imaging in coronary artery disease diagnosis, 773
Verani, M. S., Marcus, M. L., Spoto, G., Rossi, N. P., Ehrhardt, J. C., and Razzak, M. ^{201}Tl scintigram evaluation of aorto-coronary saphenous bypass surgery, 765
Verba, J. W., Bhargava, V., Alazraki, N. P., Taylor, A., and Bornstein, I. Quantitative segmental wall motion, 726*
Verba, J. W.
see Alazraki, N. P.
see Pfisterer, M.
see Taylor, A.
Verellen-Domoulin, C. H. see Brown, R. G.
Verma, R. C., Panagiotis, N. M., and Ramanna, L. Three day T_3 suppression test, 741*
Verma, R. C., Ramanna, L., and Webber, M. M. Ga scanning for inflammatory lesions, 734*
Verma, R. C. see Chang, B.
Vermeij, J. see Thesingh, C. W.
Verri, A. see Sciaretta, G.
Vialotti, C. see Sober, A. J.
Vieras, F., Triplett, R. G., Mendenhall, K. G., and Kelly, J. F. Quantitative bone imaging of host-graft activity patterns, 706*
Vieras, F.
see Alderson, P. O.
see Jiang, V. W.

Vogel, J. M. see Stadalnik, R. C.
Vogel, R. A., Kirch, D. L., LeFree, M. T., and Steele, P. P. Improved myocardial perfusion tomography, 730*
Vogel, R. A., Kirch, D. L., LeFree, M. T., and Steele, P. P. Multiplanar emission tomography with a seven pinhole collimator, 648
Vogel, R. A.
see Kirch, D. L.
see LeFree, M. T.
Volle, C. see Chen, I. W.
Von Behren, P. L. see Murphy, P. H.
Von Hofe, S. E., Dorfman, S. G., Carretta, R. F., and Young, R. L. Increasing incidence of hypothyroidism within one yr of ^{131}I thyroid therapy, 180
Von Hofe, S. E. see Young, R. L.
Votaw, M. L. see Brown, Manuel L.
Vyska, K. see Machulla, H-J.

Wackers, F. J. Th. see Trobaugh, G. B.
Wagner, H. N. Images of the future, 599
Wagner, H. N.
see Alderson, P. O.
see Camargo, E. E.
see D'Antonio, N. L.
see Douglass, K. H.
see Goble, J. C.
see Harrison, K.
see Hurlburt, E. M.
see Ito, H.
see Johannes, R. S.
see Klingensmith, W. C.
see Lipson, A.
see Menon, S.
see Qureshi, S.
see Tran, N.
see Tsan, M-F.
see Yang, S. L.
Wagner, S. see Mann, W. B.
Wahner, H. W. Radionuclides in the diagnosis of fracture healing, 1357
Wahner, H. W.
see Anderson, R. J.
see Dewanjee, M. K.
see Fuster, V.
see Rizza, R. A.
Wajchenberg, B. L., Pinto, H., Souza, I., Lerario, A. C., and Pieroni, R. R. Preparation of ^{125}I-insulin for radioimmunoassay, 900
Waliszewski, J. A. see Floyd, J. L.
Walker, W. R. see Faraj, B. A.
Waltman, A. C.
see Lo, H. H.
see Nichols, A. B.
Walton, P. see Goddard, T.
Wan, C. N.
see Gallagher, B. M.
see Shiue, C. Y.
Wanek, P. M. see Hupf, H. B.
Wang, T. S. T., Fawwaz, R. A., Esser, P. D., and Johnson, P. M. Body distribution of $^{99m}TcO_4^-$ in latrogenic hyperaluminemia, 381
Wang, T S. T., Hosain, P., Spencer, R. P., Ahlquist, K. J., and Hosain, F. ^{99m}Tc-analogs of methylene diphosphonate, 1151
Wang, T. S. T., Mojdehi, G. E., Fawwaz, R. A., and Johnson, P. M. Chemical structure and bone uptake of ^{99m}Tc-Sn diphosphonic acids, 695*
Wang, T. S. T. see Spencer, R. P.
Warbick, A. see Ege, G. N.
Washburn, L. C., Wieland, B. W., Sun, T. T., Hayes, R. L., and Butler, T. A ^{11}C-DL-valine for pancreas imaging, 77
Washburn, L. C. see Hübner, K. F.
Washington, G. see Woodbury, D. H.
Waters, S. L. see Hudson, F. R.
Watson, D. C. see Alderson, P. O.
Watson, D. D., Beller, G. A., Irving, J. F., and Teates, C. D. A kinetic model for Tl redistribution, 680*
Watson, D. D.
see Beller, G. A.
see Berger, B. C.
Waxman, A.
see Berman, D.
see Maddahi, J.
see Shah, P. K.
Waxman, A. D., Beldon, J. R., Richli, W., Tanasescu, D. E., and Siemsen, J. K. Steroid-induced suppression of ^{67}Ga uptake in CNS tumors, 480
Waxman, A. D. see Tanasescu, D. T.
Webber, M. M.
see Buffkin, D. C.
see Chang, B.
see Verma, R. C.
Weber, D. A. see Owunwanne, A.
Weber, P. M. see Schor, R. A.
Weiblen, B. see Forstrom, L.
Weiland, F. L. see Carretta, R. F.
Weiner, H. E. Noninvasive methods of infarct sizing, 1264
Weiner, R. E., Hoffer, P. B., and Thakur, M. L. Identification of ^{67}Ga binding component in neutrophils, 732*
Weininger, J. see Lubin, E.
Weiss, J. F. see Bradley, W. P.
Weiss, P. and Sedar, J. Interpreting lung studies in suspected pulmonary embolism, 863
Weissman, H., Frank, M., Rosenblatt, R., Goldman, M., and Freeman, L. M. ^{99m}Tc-HIDA and anatomic imaging studies in hepatobiliary disease, 738*
Welch, G. M. see Lull, R. J.
Welch, M. see Sfakianakis, G. N.
Welch, M. J., Mathias, C. J., Davis, H. H., Heaton, W. A., Joist, H. J., Sherman, L. A., and Siegel, B. A. Labeling platelets with ^{111}In, 688*
Welch, M. J.
see Ehrhardt, G. J.
see Knight, L. C.
see McElvany, K. D.
see Tewson, T. J.
Wellman, H. N., Siddiqui, A. R., Burt, R. W., Park, H. M., Oppenheim, B. E., and Burney, B. T. ^{123}I and ^{99m}Tc-diphosphonate imaging of thyroid nodules, 741*
Wellman, H. N.
see Saenger, E. L.
see Siddiqui, A. R.
Wells, G. M. see Buddemeyer, E. U.
Wells, W. H. see Ito, H.
Wenzl, J. E. see Leonard, J. C.
Werner, J. A. see Botvinick, E. H.
Werp, P. see DePuey, E. G.
Westcott, R. J. see Albro, P. C.
Wexler, J. P., Scharf, S., and Rabinowitz, A. Modification of a gated acquisition test device, 565
Wexler, J. P., Strom, J., Sonnenblick, E. A., and Blaufox, M. D. Probe technique for ejection fraction determination, 704*
Whalen, C. see Sober A. J.
Whaley, T. W. see Gregg, C. T.
Whipple, R. E. see Grant, P. M.
White, G. A. see Simmons, G. H.
Whitehead, F. R. Minimum detectable gray-scale differences, 87
Whitney, W. see Fritzberg, A. R.
Wickland, T. see Zalutsky, M.
Wicks, J. H. see Kubiatowicz, D. O.
Wicks, R. and Blau, M. The pitfalls of field correction, 712*
Wieland, B. W. see Washburn, L. C.
Wieland, D. M.
see Beierwaltes, W. H.
see Thrall, J. H.
see Wu, J. L.
Willerson, J. T.
see Bilheimer, D. W.
see Kulkarni, P. V.
see Parkey, R. W.
Williams, C. C. see Nishiyama, H.
Williams, C. M.
see Couch, M. W.
see Mauderli, W.
Williams, D. see Rollo, F. D.
Williams, D. L., Ritchie, J. L., and Hamilton, G. W. A digital image superposition algorithm for radionuclide images, 316
Williams, D. L.
see Caldwell, J. H.
see Hamilton, G. W.
see Lewellen, T. K.
see Sorensen, S. G.
Williams, E. S. see Ell, P. J.
Williams, J. L., Capitanio, M. A., and Harcke, H. T. Bone scanning in neonatal subcutaneous fat necrosis, 861
Williams, L. E., Loken, M. K., Ponto, R. A., and Kronenberg, R. S. Functional ventilation imaging in chronic obstructive pulmonary disease, 674*
Wilske, J. see Buell, U.
Wilson, G. A., Durakovic, A., Gorton, S., Schenk, E., Sutherland, R., and Bennett, J. M. ^{99m}Tc-pyrophosphate myocardial imaging in rabbits given adriamycin, 716*
Wilson, J. E., Bynum, L. J., and Ramanathan, M. Regional ventilation and lung perfusion with ^{133}Xe, 1188
Wilson, J. E. see Kulkarni, P. V.

Wilson, M. A., Kao, Y., and Miles, L. E. M. Radioimmunoassay and immunoradiometric assay of human growth hormone, 747*
Wimmer, R. J. see Lee, W-N. P.
Winer, R. L. see Brown, W. T.
Winston, M. A. ^{67}Ga-citrate imaging and ultrasound in abdominal abscesses, 861
Winston, M. A., Handler, S. J., and Pritchard, J. H. Ultrasonography and radiotracer perfusion of the testis, 615
Winter, J. see Kuhl, D. E.
Wise, H. A. see Sfakianakis, G. N.
Wisotsky, T. see Kaplan, W. D.
Wisse, E. see Thesingh, C. W.
Wistow, B. W., Grossman, Z. D., McAfee, J. G., Subramanian, G., Thomas, F. D., Henderson, R. W., Rohner, R. F., and Roskopf, M. L. Labeling platelets with oxine complexes of ^{99m}Tc and ^{111}In, 483
Wistow, B. W. and Levinsohn, E. M. Book review; *Clinical Lymphography*, 1095
Wistow, B. W. see Grossman, Z. D.
Witherspoon, L. Book review, *The Yearbook of Nuclear Medicine*, 1369
Witherspoon, L. R., Shuler, S. E., Garcia, M. M., and Zollinger, L. A. Optimization of radioimmunoassay angiotensin I measurement, 747*
Witkowski, J. see Sarper, R.
Witztum, K. F., Greditzer, H. G., Fletcher, J. W., Feldman, M. F., Donati, R. M, Dolan, G. F., and Minh, V-D. Patient position effect on regional functional residual capacity using ^{133}Xe, 674*
Witztum, K. F.
see Fletcher, J. W.
see Greditzer, H. G.
Wodinsky, Y. see Crawford, E.
Wolf, A. P.
see Crawford, E.
see Gallagher, B. M.
see Ruth, T. J.
see Shiue, C. Y.
Wolf, W.
see Gökce, A.
see Manaka, R. C.
Wolfstein, R. S. "Hyperfunctioning" thyroid carcinoma, 441
Wolfstein, R. S. see Tanasescu, D. T.
Wolk, R. B. ^{67}Ga scanning in mesothelioma, 808
Wong, H. see Noujaim, A. A.
Wong, K. A.
see DeNardo, S. J.
see Swanson, M. A.
Woo, J. see Kaufman, H. H.
Woodbury, D. H., Washington, G., Batsakis, J., and Sarkar, S. D. M-B isoenzyme activity in hypothyroidism, 678*
Woodbury, D. H. see Sarkar, S. D.
Woods, M. J. see Mann, W. B.
Worlikar, R. M. see Dhond, R. V.
Wu, J. L., Wieland, D. M., Beierwaltes, W. H., Swanson, D. P., and Brown, L. E. Radiolabeled enzyme inhibitors, 677*

Yamada, H. see Murata, H.
Yamamoto, I. see Morita, R.
Yamamoto, Y. L., Little, J., Meyer, E., Thompson, C., and Feindel, W. ^{77}Kr emission tomography for stroke treatment evaluation, 701*
Yamazaki, H. see Kondo, M.
Yanchick, V. A.
see Chi, S-L.
see Hoag, S. G.
Yang, S. L., Alderson, P. O., Kaisier, H., and Wagner, H. N. ^{67}Ga-citrate imaging in children with neoplastic disease, 691*
Yang, S. L. see Klingensmith, W. C.
Yang, S. S. L., Nickoloff, E. L., McIntyre, P. A., Maddrey, W. C., Mikesell, H. H., Scheffel, U., Kasecamp, W., and MacAllister, N. P. ^{99m}Tc-HSA plasma volume measurement, 804
Yasillo, N. J. see Turner, D. A.
Yeh, E-L. see Meade, R. C.
Yee, H. see Hamilton, G. W.
Yeh, S. D. J. and Helson, L. Radionuclide localization in transplanted human tumors, 716*
Yeh, S. D. J. see Liao, S. Q.
Yeh, S. H., Liu, R. S., and Liu, O. K. $^{99m}TcO_4^-$ sequential imaging in pericardial effusions, 744*
Yipintsoi, T. see Leppo, J.
Yonekura, Y., Ishii, Y., Minato, K., Kuwahara, M., and Torizuka, K. Quantitative analysis of radiocardiogram, 749*
Yonekura, Y.
see Ishii, Y.
see Suzuki, T.
Young, C. see Simmons, G. H.
Young, R. L., Dorfman, S. G., and Von Hofe, S. E. Hypothyroidism within one year after ^{131}I therapy for goiter, 1273
Young, R. L. see Von Hofe, S. E.
Yuille, D. L. Smoothing dynamic nuclear medicine data, 836
Yuille, D. L.
see Henry, H. W.
see Kiser, S. R.

Zair, J. M. see Pai, A. L.
Zakhireh, B. see Thakur, M. L.
Zalutsky, M., Wickland, T., Nickles, J., and Harper, P. V. ^{13}N-nitrous oxide for cerebral imaging, 700*
Zanelli, G. D. see Segal, A. W.
Zaret, B. L.
see Berger, H.
see Thakur, M. L.
Zelikovski, A. see Lubin, E.
Zemenhof, R. G. see Potsaid, M. S.
Zielinski, F. see Stadalnik, R. C.
Zimmer, A. M. and Pavel, D. G. Rapid miniaturized chromatography for ^{99m}Tc-agents, 1086
Zimmer, A. M. see Pavel, D. G.
Zimmerman, C. D. see Adams, R.
Zimmerman, R. see Kuhl, D. E.
Zollinger, L. A. see Witherspoon, L. R.

1978 SUBJECT INDEX

Asterisk indicates abstract

Abdomen
see also specific organ
abscess, autologous, Ga-67 leukocyte uptake, in rabbits, 229*
abscess, Ga-67 citrate imaging, ultrasound, 861
abscess, gas containing, ultrasound, 1099*
ascitic fluid volume, I-125 HSA, Tc-99m HSA, -phytate colloids, in mice, 1138
disease diagnosis, computed tomography, ultrasound, 338*
duplication cyst, $^{99m}TcO_4^-$ scanning, 659*
ectopic gastric mucosa, $^{99m}TcO_4^-$ studies, in children, 691*
emission computed tomography, Tc-99m, 683*
Ga-67 citrate imaging, bowel activity, 69, 733*, 1214
Ga-67 citrate scan, photon-deficient lesion, 118
Ga-67 citrate scan, seven day, 733*
Ga-67 citrate uptake by peritoneum, in pancreatitis, 1266
infection evaluation, Ga-67 citrate scanning, computerized axial tomography, 262
intracavitory P-32 chromic phosphate therapy, 693*
malignant ascites, ultrasound, 231*
mass, effects on inferior vena cava, ultrasound, 1192*
mass localization, ultrasound, 125*
mesothelioma staging, Ga-67 citrate, 692*
necrotizing enterocolitis in newborns, Tc-99m diphosphonate imaging, 691*

trauma, Tc-99m S colloid imaging, 686*
ultrasound guidance of fluid-containing mass drainage, 870*
Abscess
abdomen, Ga-67 citrate imaging, $^{99m}TcO_4^-$ bowel location, 69
abdomen, Ga-67 citrate imaging, ultrasound, 861
abdomen, Ga-67 citrate scanning, computerized axial tomography, 262
abdomen, gas containing, 1099*
drainage, ultrasound guidance, 870*
Ga-67 citrate distribution, effect of Desferol, in rabbits, 732*
Ga-67 citrate scanning, 69, 262, 734*, 861
Ga-67 citrate tomography, 1074
imaging, double-tracer subtraction, Ga-67, Tc-99m, 1297
In-111-oxine-leukocyte imaging, 557, 672*, 742*
liver, ultrasonography, 125*
subphrenic, simulation by gastric distention, 438
uptake, autologous Ga-67 leukocytes, in rabbits, 229*
Adrenal glands
comparison of iodocholesterol and iodomethylnorcholesterol, 333, 334, 677*
cyst, [^{131}I]-iodomethylnorcholesterol imaging, ultrasound, 1092
F-18-dihydrotestosterone analog, preparation, distribution, in rats, 702*
I-125-enzyme inhibitor uptake, in dogs, 677*
[^{125}I]-iodomethylnorcholestenol, -iodocholesterol, distribution, in dogs, 660*
[^{131}I]-iodomethylnorcholesterol, radiation dosimetry, 682*
imaging, dexamethasone suppression, in normals, [^{131}I]-iodomethylnorcholesterol, 677*
imaging, normal asymmetry, [^{131}I]-iodomethylnorcholesterol, 149
imaging, radiolabeled enzyme inhibitors, 200
myelolipoma, ultrasound, CAT, 981*
nonfunctioning adenoma uptake of [^{131}I]-iodocholesterol, 458
subcellular distribution of [^{131}I]-iodocholesterol, in rats, 458
ultrasound, neoplasm, 1192*
Adverse reactions
bovine TSH, 284, 1183
SNM Drug Problem reports, 116
Aerosols
compared to Kr-81m, Xe-133 for inhalation lung studies, 676*
deposition, carrier gas effects, 676*
dry, $^{99m}TcO_4^-$ system, compared to nebulizer, 1088
imaging in chronic obstructive pulmonary disease, 675*
$^{99m}TcO_4^-$, Tc-99m DTPA, pulmonary ischemic lesion imaging, 567
Aerosol
Tc-99m S colloid, evaluation of bronchial mycolytic agents, 445*
Tc-99m sebacate, preparation, lung imaging, in dogs, 675*
Alcoholism
cirrhotic liver, ethanol effect on C-13 galactose oxidation, 679*
liver imaging patterns, Tc-99m S colloid, 154
Algorithm *see Computer; Data processing*
Allergy
adverse reactions to radiopharmaceuticals, 116
ragweed antigen E radioimmunoassay, 446*
reaction to bovine TSH, 284
Alpha-1-fetoprotein
liver tumor screening, 1096*
Amino acids
see also Carbon-11
aliphatic, C-14, I-125, preparation, distribution, in rats, 393
Angiography, radionuclide *see specific organ*
Angiotensin I
radioimmunoassay, 747*
Animals
see also Model
species differences, heart uptake of N-13 asparagine, 701*
Antibody
see also Radioimmunoassay
-antigen binding, scintillation proximity assay, 681*
-antitumor-I-131, preparation, kidney tumor scanning, 427
I-131, occult infection imaging, in rabbits, 687*
Argon-37
in vivo Ca measurement, physiologic effects, 54
Artifacts
scintillation camera, high photon fluence, 407
stomach uptake, bone scans, Tc-99m diphosphonates, 974
Autoradiography
bone, Tc-95m, Tc-96 pyrophosphate, in rabbits, 895
Bacteria
see also Infection
Lactobacillus casei, radiometric assay of folates in plasma and erythrocytes, 906
myco-, fatty acid metabolism radioassay, 696*
radiometric assay, replication time in culture, C-14 glucose metabolism, 619
Staphylococcus aureus uptake of Ga-67, 44
Bladder
function studies, I-131 hippurate, 720*
quantitative emission computed tomography, 682*
tumor, Ga-67 citrate scanning, 470
ultrasound, symptomatic pelvic mass, 231*
ultrasound, water enema, 1192*
Bleomycin
see also Indium-111; Iodine-123
I-, distribution normality, liver, lung, tumor, in mice, 688*
serum pharmacokinetics in renal disease, radioimmunoassay, 337*
Blood
see also specific organ, blood flow; Thrombus; Vascular system
anemia, effect on Ga-67 citrate distribution, in rats, 715*
anemia, pernicious, serum folate effect on Vitamin B_{12} excretion, 1281*
autoimmune haemolytic anemia, spleen-to-liver Cr-51 RBC ratio, 124*
clearance rates, I-125, Tc-99m HSA, in dogs, 1142
clot, in syringe, I-125 fibrinogen, 563
clot *see also Thrombus*
^{11}CO inhalation imaging, vascular system, 709*
Ga-67 transferrin binding kinetics, 1245
leukocytes *see Indium-111, leukocytes; Leukocytes*
lymphocytes *see Lymphocytes*
neutrophils *see Neutrophils*
plasma protein, I-125 cold insoluble globulin, preparation, damaged tissue uptake, in rats, 732*
plasma volume, Tc-99m HSA, 804, 858
platelets *see Indium-111, Platelets; Platelets*
Pt-195m-Cis-platin binding, 732*
sickle cell anemia, Tl-201 imaging, 708*
sickle cell disease, bone imaging, in children, 698*
Bone
anatomy, book review, 1095
autoradiography, Tc-95m, Tc-96 pyrophosphate, in rabbits, 895
blood flow, Tc-99m diphosphonate uptake, in dogs, 705*
Crohn's disease, quantitative sacroiliac uptake, Tc-99m pyrophosphate, 1280*
density measurement, Compton scatter, Cs-137 source, 573*
F-18 kinetics, 5 compartmental model, 688*, 1301

femoral head, quantitative uptake of Tc-99m phosphates, Perthes' disease, in children, 229*, 884
hypercalcemia, parathyroid hormone, calcitonin, 25-hydroxy-vitamin D levels, 1225
metabolic diseases, Tc-99m phosphate quantification, 330
metabolic disease, whole body retention of Tc-99m diphosphonate, 271, 1273
metastases from prostate carcinoma, P-32 diphosphonate therapy, 98
Paget's disease of skull, brain perfusion study, 197
Tc-99m agents, structural requirements, 695*
Tc-99m carbamyl phosphate analogs, preparation, distribution, 530
Tc-99m disphosphonate analogs, preparation, distribution, in animals, 695*
Tc-99m diphosphonate, -methylene diphosphonate binding, 740*
Tc-99m monophosphate, preparation, distribution, in animals, 1027
Tc-99m polymethylene diphosphonates, preparation, distribution, in animals, 1151
tomography, F-18, skull, in dogs, 707*
ultrasound, spine and pelvis tumors, 1282*

Bone imaging
dental diagnoses, Tc-99m diphosphonate, 845
fibrous dysplasia of skull, Tc-99m diphosphonate, 979*
fracture healing analysis, 1356
fracture healing, Tc-99m methylene diphosphonate, in animals, 1320
Gaucher's disease, Tc-99m methylene diphosphonate, 1333
inflammation, double-tracer subtraction, Ga-67, Tc-99m, 1297
magnification techniques, 684*
metabolic disease, Tc-99m phosphates, 330
nuclear medicine contribution, 579
osteomalacia, Tc-99m diphosphonate, 245
osteomyelitis diagnosis, Tc-99m pyrophosphate, 696*
osteomyelitis, In-111-oxine-leukocytes, 742*
osteomyelitis staging, Ga-67 citrate, Tc-99m pyrophosphate, 696*
osteomyelitis, Tc-99m diphosphonate, in children, 706*
Paget's disease, E.H.D.P. and calcitronin therapy, 706*
pediatrics, 324
quantitative, arthritis, Tc-99m pyrophosphate, 705*
quantitative, mandibular graft, Tc-99m diphosphate, in dogs, 706*
renal osteodystrophy, Tc-99m diphosphonate, 1289
sickle cell disease, Tc-99m pyrophosphate, in children, 698*

Bone scanning
breast cancer staging, Tc-99m phosphates, 658*, 979*, 1098*
brown tumors in renal osteodystrophy, 1146
chemodectoma, family screening, Tc-99m diphosphonate, 659*
comparison of Tc-99m diphosphonate and -pyrophosphate, 161
disc space infection, Tc-99m diphosphonate, Ga-67, 384
effect of Sn in Tc-99m pyrophosphate, 565
extremities, tumor, 697*
joint, prosthetic implant, Tc-99m pyrophosphate, 697*
knees, osteonecrosis, Sr-85, Tc-99m diphosphonate, 445*
lung cancer staging, Tc-99m polyphosphate, -pyrophosphate, 980*
mesothelioma staging, Ga-67 citrate, 692*
neonatal subcutaneous fat necrosis, Tc-99m pyrophosphate, 861
osseous sarcoidosis, Tc-pyrophosphate, 869*
osteomyelitis diagnosis, Tc-99m pyrophosphate, 696*
pyogenic sacroiliitis, Tc-99m polyphosphate, -pyrophosphate, in children, 980*
renal osteopathy, Tc-99m diphosphonate, 1372*
scurvy, Tc-99m diphosphonate, in children, 916
spleen uptake of Tc-99m methylene diphosphonate, thalassemia major, 976
stomach uptake artifact, Tc-99m diphosphonates, 974

Bone marrow
absorbed radiation dose, I-131 therapy, 337*
imaging, periatric oncology, Tc-99m S colloid, 691*
In and Fe for tracing erythroid precursors, in animals, 496
Tc-99m S colloid uptake in glycogen storage disease, 354
Tl-201 uptake in sickle cell disease, 708*
vertebral, uptake of Tc-99m S colloid, in alcoholism, 154

Book reviews
Annual Report 1976: Programme Radiation Protection, 571
Atlas of Cerebrovascular Disease, 1370
Basics of Radiopharmacy, 1277
Berkner-Radiologic Chart of the Human Skeleton, 1095
Biological Implications of Metals in the Environment, 571
Breast Carcinoma—The Radiologist's Expanded Role, 570
Cardiac Catheterization and Angiocardiography, 1189
Cerebral Radionuclide Angiography, 335
Clinical Lymphography, 1095
Clinical Oncology, 978
Clinical Radiobiology, 335
CRC Atlas of Scintimaging for Clinical Nuclear Medicine, 655
Cross-sectional Anatomy, 866
Diagnosis and Treatment of Incorporated Radionuclides, 865
Diagnostic Ultrasound in Clinical Obstetrics and Gynecology, 1369*
Fundamental Aspects of Medical Thermography, 122
Gallium-67 Imaging, 1189
Ichiban, 865
Isotope Effects on Enzyme-catalyzed Reactions, 656
Liver Scans, Clearances and Perfusions—The Development of Nuclear Hepatology, 978
Modification of Radiosensitivity of Biological Systems, 121
Nuclear Medicine: Clinical and Technological Bases, 443
Nuclear Medicine Endocrinology, 1189
Nuclear Medicine: Focus on Clinical Diagnosis, 335
Nuclear Opthalmology—Dynamic Function Studies in Intraocular Disease, 227
Origins of Human Cancer, 1278
Physical Techniques in Medicine, 443
Radiation Protection for Medical and Allied Health Personnel, NCRP Report #48, 227
Radioimmunoassay: Methodology and Applications in Physiology and in Clinical Studies, 227
Regional Differences in the Lungs, 443
Structural Shielding Design and Evaluation for Medical Use of X-rays and Gamma Rays of Energies up to 10 MEV, 228
The Chemistry of Radiopharmaceuticals, 1277
The Fundamentals of X-ray and Radium Physics, 570
The Physical Principles of Diagnostic Radiology, 655
The Year Book of Nuclear Medicine, 1369
Urological Radiology of the Adult Male Lower Urinary Tract, 1095
Year Book of Nuclear Medicine, 121

Bowel *see Gastrointestinal tract*

Bragg diffraction imaging, 869*

Brain
blood volume in trauma, Tc-99m RBC tomography, 699*
C-11 deoxyglucose for regional glucose metabolism, 676*
C-11 phenytoin, preparation, distribution, in monkeys, 936
disease, creatinine kinase BB isoenzyme radioimmunoassay, 1280*

F-18 antipyrine, preparation, distribution, in mice, 688*, 1346
[^{18}F]-fluorodeoxyglucose, distribution, metabolic trapping, in mice, 1154
[^{18}F]-fluorodeoxyglucose preparation, 701*
I-123, I-131 catecholamine congener, preparation, distribution, in animals, 71
oxygen distribution, regional, continuous, $^{15}O_2$, $C^{15}O$, $C^{15}O_2$ inhalation, model, 48
oxygen metabolism, $C^{15}O_2$, $^{15}O_2$ inhalation, 700*
regional cerebral blood volume, computer subtraction of CAT scans, 337*
scan, ventriculitis, Tc-99m DTPA, in infant, 1233
scanning, comparison of $^{99m}TcO_4^-$ and -citrate, 572*
Tl-201 uptake of post-stress, in rats, 172
tumor uptake of [^{18}F]-fluorouridylate, in mice, 702*
Brain, blood flow
book review, 335, 1370
compared to imaging, CVA and arteriovenous malformations, $^{99m}TcO_4^-$, 1097*
congenital vascular malformation detection, Tc-99m DTPA, 235
data smoothing, 3D digital filter algorithms, 836
defect masked by Paget's disease of skull, 197
early imaging, Tc-99m glucoheptonate, 673*
intracranial neoplasms, $^{99m}TcO_4^-$, 673*
^{13}N-N_2, -nitrous oxide, C-11 acetylene, ^{15}O-H_2O, scintillation camera, 700*
radiopharmaceutical need, 1182
regional, blood volume, Xe-133, Tc-99m, 230*
regional, $C^{15}O_2$, $^{15}O_2$ inhalation, imaging, 700*
regional, Xe-133, background subtraction, spectrum technique, 338*
state of the art, 579
transverse section imaging, ^{11}CO inhalation, 709*
tumor, $^{99m}TcO_4^-$, -RBC, 980*
velocity imaging, 739*
Brain imaging
compared to emission and transmission tomography, 700*
compared to $^{99m}TcO_4^-$ angiography, 1097*
comparison of $^{99m}TcO_4^-$, and -citrate, 572*
comparison of $^{99m}TcO_4^-$, -DTPA, 561, 673*, 1269
comparison of $^{99m}TcO_4^-$, -glucoheptonate, 673*
demyelinating disease, $^{99m}TcO_4^-$, 572
dialysis dementia, 1192*
drug effects on radiopharmaceuticals, 743*
early, Tc-99m glucoheptonate, 673*
fibrous dysplasia of skull, $^{99m}TcO_4^-$, 979*
in vivo labeled Tc-99m RBC, in hyperthyroidism, 332, 333
intracranial tumor, with computerized transaxial tomography, 476, 1269
lung cancer staging, $^{99m}TcO_4^-$, 980*
magnification techniques, 684*
meningioma, focal uptake of Tc-99m diphosphonate, 290
[^{13}N]-nitrous oxide washout, positron camera, 683*
neuroblastoma, G-67 citrate, in children, 692*
nuclear magnetic resonance, in rat tissue, 338*
quantitative, $^{15}O_2$, positron camera, 683*
receiver operating characteristic curve analysis, 213
transverse section, $C^{15}O_2$, $^{15}O_2$ inhalation, 700*
tumor, radiopharmaceutical choice, in animals, 1087, 1088
tumor, steroid suppression of Ga-67 citrate uptake, 480
tumor, $^{99m}TcO_4^-$, Tc-99m RBC, 980*
Brain, tomography
computerized axial, fibrous dysplasia of skull, 979*
computerized axial, normal, book review, 866
emission computed, clinical value, 684*
emission computed, [^{18}F]-fluorodeoxyglucose, 699*
emission computed, Tc-99m, 683*
emission computed, Tc-99m RBC blood volume, in trauma, 699*
emission computed, transmission and imaging comparison, 700*
positron computed, Ga-68 EDTA, F-18 deoxyglucose, $^{13}NH_3$, ^{11}CO, 635
positron, [^{13}N]-nitrous oxide, 700*
positron, Kr-77, in stroke, 701*
receiver operating characteristic curve analysis, 213
regional cerebral blood volume, computer subtraction of CAT scans, 337*
regional metabolism of F-18 deoxyglucose, 682*
Breath test
bile acid, C-14 cholylglycine, 1096*
Breast
cancer, bone scanning, 979*, 1098*
cancer, metastatic, Tc-99m S colloid liver imaging, 980*
cancer staging, scanning with Tc-99m phosphates, 658*
carcinoma, book review, 570
Ga-67 citrate uptake in gynecomastia, 560
radiation dose to nursing infant, Tc-99m, 913
Bromine-77
-fatty acids for heart, preparation, distribution, in animals, 298
-fibrinogen, enzymatic synthesis, 702*
protein labeling, enzymatic, 702*
Cadmium
content of liver and kidney, neutron irradiation measurement, 573*
Calcium
in vivo measurement, Ar-37 method, effects of physiology, 54
regulating hormone levels in hypercalcemia, 1225
total body, neutron activation analysis, 1096*
Calculator
pocket, radioactive decay calculation, 1270
Camera
germanium, myocardial tomography, 730*
multiwire proportional, distribution of Tc-99m agents, 981*
multiwire proportional, longitudinal tomography, 707*
rotating laminar, 707*
Camera, positron
see also *Tomography, radionuclide*
brain studies, $C^{15}O_2$, $^{15}O_2$ inhalation, 700*
image reconstruction, orthogonal view, 746*
multiwire proportional, longitudinal tomography, 707*
[^{13}N]-nitrous oxide brain tomography, 700*
two camera system, quantitative uptake measurements, 683*
Camera, scintillation
artifacts at high photon fluence, 407, 545
cardiac module, equilibrium cardioangiography, 670*
cardiac shield studies, 750*
collimator, dual angle, heart studies, 730*
collimator, single-photon computed tomography, 322
collimator, Tl-201 myocardial imaging, 1067
collimator, 7-pinhole, heart tomography, 730*
-computer, differential renal function studies, Tc-99m penicillamine, 178
-computer, low data loss acquisition, 1256
contribution functions effect on performance, 825
crystal thickness effects, 712*
deadtime, nuclear cardiography, Tc-99m, 538
emission tomography, 648
field uniformity corrections, 684*, 712*, 746*
field uniformity, photon energy effect, 553
I-125 imaging, 713*, 1259
image rotator, 574*
large field, resolution, Tl-201 heart imaging, 731*
large field, transmission tomography of chest, Hg-203 source, 94
linearity, 746*, 825
liver image motion correction device, 142

lung metabolism monitor, C-11 amines, 445*
magnification imaging techniques, 684*
myocardial perfusion tomography, multiple pinhole plate, 683*
myocardial studies, first-pass, 704*
one dimensional, 730*
performance, field procedure, 954
performance, high count rate, 407, 545
portable, I-125 contamination monitor, 431
quantitative assessment of ventilation-perfusion mismatch, 607
quantitative bone graft imaging, in dogs, 706*
resolution, 712*, 731*, 825, 942, 954
sensitivity, 712*, 942, 954
smoothing, 3D digital filter algorithm, 836
stereoscopic imaging, 708*
thyroid uptake, I-123, 684*
transmission studies, I in thyroid, 707*
tumor size effects, Tc-99m and Ga-67, phantom, 692*
wide field, performance evaluation, Tc-99m, 942

Carbon-11
acetylene, cerebral blood flow, 700*
-agents, radiotracer classification, 1179
^{11}CO, brain and heart tomography, 635
^{11}CO inhalation, heart blood volume during exercise, 711*
^{11}CO, transverse section imaging of vascular system, 709*
deoxyglucose for brain glucose metabolism, preparation, 676*
-fatty acids for heart imaging, 969
-octylamine, -hydroxytryptamine(ethylamine), lung metabolism imaging, 445*
-palmitic acid, for heart, preparation, distribution, in animals, 298
-palmitic acid, myocardial metabolic rate, tomography, 677*
-phenytoin for brain, -p-hydroxyphenyl-phenylhydantoin for hepatobiliary, preparation, distribution, in monkeys, 936
-pyruvic acid, -lactic acid, -alanine, preparation, distribution, in animals, 701*
-valine, for pancreas, preparation, distribution, imaging, in animals, 77
-valine, -tryptophan, pancreas scanning, tomography, 686*

Carbon-13
-galactose, liver oxidation in cirrhosis, 679*

Carbon-14
-agents, ocular melanoma uptake, in hamsters, 446*
-aliphatic amino acid analogs, preparation, distribution, in rats, 393
-cholylglycine, bile acid breath test, 1096*
-doxorubicin, -duanorubicin, for cardiac blood flow, distribution, in mice, 84
-fatty acid, -abnormal lipid, myocardial infarct uptake, in dogs, 276
-formate, mycobacterial metabolism radioassay, 696*
-gluconate, radiometric microbiologic assay of folates, 906
-glucose, lymphocyte metabolism, liquid scintillation vial, 61
-glucose, radiometric assay of bacteria replication time, 619
-glucose, sperm viability radioassay, 722*
-inulin, polymorphonuclear leukocyte uptake of Ga-67, 36
-inulin, Staphylococcus aureus uptake of Ga-67, 44
-octanoate oxidation in cirrhosis, breath test, 689*
-ornithine, tumor metabolism assay, in rats, 731*
-trytophan, L, DL, for pancreas, distribution, in rats, 689*

Carcinoembryonic antigen
I-131 antibody, tumor imaging, 693*, 1279
in pancreatic juice, disease states, radioimmunoassay, 124*
radioimmunoassay in GI cancer, 718*

Cell culture
EMT-6 sarcoma, Ga-67, I-125 transferrin uptake, 715*
human embryonic lung fibroblasts, radiometric assay of herpes simplex, 185
kidney, human T-1, ultrasound effects, 681*
tumor, Ga-67 citrate uptake, 681*
virally transformed, cyclic AMP radioimmunoassay, 719*
WI-38, effect of cytomegalovirus infection on H-3 thymidine metabolism, 191

Cerebral spinal fluid
see also Cisternography
creatinine kinase BB isoenzyme radioimmunoassay, 1280*

Cerium-141
-microspheres, myocardial blood flow, compared to Rb-84, in dogs, 1020

Cesium-137
source, bone density, Compton scatter measurements, 573*

Cesium-139
source, transmission studies for I in thyroid, 707*

Chemotherapy
see also Drug effects
adriamycin, heart imaging, 564, 704*, 716*
C-14 doxorubicin, -duanorubicin, for cardiac blood flow, distribution, in mice, 84
effects on radiopharmaceutical studies, 743*
H-3 adriamycin, ia vs iv injection, tumor uptake, distribution, in rats, 716*
Pt-195m Cis-platin, blood component binding, 732*
radioimmunoassay, methotrexate, citrovorum factor, neocarcinostatin, actinomycin-D, in serum, 1096*

Chest
see also specific organs
intracavitory P-32 chromic phosphate therapy, 693*
transmission tomography, Hg-203, large field scintillation camera, 94
ultrasound, radiographic opacities, 1374*

Chlorine
total body, neutron activation analysis, 1096*

Chlorine-34m
-stearic acid for heart, preparation, distribution, in animals, 298

Cholesterol
see Iodine-131, cholesterol; Tellurium-123m

Chromatography
ascending, Tc-99m phytate, 422
column, Ga-67 binding, lactoferrin, transferrin, 732*
column, Tc-99m proteins, 694*
column, Tc-99m pyrophosphate, 1270
column, Tc-99m Sn in Tc-99m HSA preparations, 387
gas, thin-layer, [^{18}F]-deoxyfluoroglucose in urine, metabolism studies, 1154
gel, paper, Tc-99m pyridoxylidenaminates, 397
gel-plate, paper, Tc-99m carbamyl phosphate analogs, 530
gel, thin-layer, Tc-99m cysteine and -analogs, 816
I-125 adrenoceptor derivatives, 918
liquid, C-11, Br-77, I-123, C-11 fatty acids, 298
paper, C-14 aliphatic amino acid analogs, 393
paper, column, C-11 lactate, 701*
paper, radioiodinated rose bengal, 525
paper, Tc-99m iminodiacetates, 694*
paper, Tc-99m phosphorous compounds, 534
rapid, miniaturized Tc-99m radiopharmaceuticals, 1086
Tc-99m steroidal iminodiacetic acid analogs, 687*
thin-layer, C-14 oleic acid-albumin, 276
thin-layer, [^{125}I]-iodocholesterol, -iodomethylnorcholesterol, 660*
thin-layer, Tc-99m glucoheptonate, 520, 1271
thin-layer, Tc-99m HSA, 796, 804

thin-layer, $^{99m}TcO_4^-$ and plasma in hyperaluminemia, 381
thin-layer, Tc-99m pyridoxylidenevaline, -pyridoxylideneisoleucine, 660*
thin-layer, Tc-99m radiopharmaceuticals, 742*
Chromium-51
-microspheres, myocardial blood flow, compared to Rb-84, in dogs, 1020
-platelet survival, cardiac disease prediction, 671*
-RBC, spleen-to-liver ratio, autoimmune haemolytic anemia, 124*
Cisternography
dementia, with computerized axial tomography, 230*
dialysis dementia, I-131 HSA, 1192*
effect of Diamox therapy, 501
In-111 DTPA clearance, 868*
normal pressure hydrocephalus, with computerized axial tomography, 230*
state of the art, 579
Yb-169 DTPA, operability in normal-pressure hydrocephalus, with CAT, 1268
Clinical evaluation
abdominal imaging, ectopic gastric mucosa, $^{99m}TcO_4^-$, 120 children, 691*
anti-hepatitis A radioassay, 1382 cases, 747*
bone disease, metabolic, whole-body Tc-99m diphosphonate retention, 49 cases, 270
bone marrow imaging in oncology, Tc-99m S colloid, in 53 children, 692*
brain imaging, comparison of $^{99m}TcO_4^-$, Tc-99m DTPA, -glucoheptonate, 964 cases, 673*
brain imaging, early, Tc-99m glucoheptonate, 859 cases, 673*
brain perfusion, intracranial neoplasms, $^{99m}TcO_4^-$, 210 cases, 673*
brain perfusion, O metabolism, 60 cases, 700*
brain tomography, emission and transmission, 101 cases, 700*
brain tomography, emission computed, 200 cases, 684*
brain tomography, Kr-77, in stroke, 80 cases, 701*
breast cancer staging, scanning with Tc-99m phosphates, 192 cases, 658*; 104 cases, 979*; 100 cases, 1098*
CEA radioimmunoassay, in GI cancer, 77 cases, 718*
Ga-67 citrate scanning, abscess, inflammation, 300 cases, 734*
Ga-67 citrate scanning, inflammation, literature review, 910 cases, 734*
Ga-67 citrate scanning, lung infection, microbiologic correlation, 63 cases, 445*
Ga-67 citrate scanning, 7 days delayed, 45 cases, 733*
Ga-67 citrate, uptake, scanning, bronchial cancer, 142 cases, 1191*
gallbladder, comparison of computerized tomography, ultrasound and Tc-99m IDA imaging, 80 cases, 738*
gallbladder imaging, Tc-99m diethyl-IDA, 82 cases, 783
gallbladder, jaundice differentiation, Tc-99m pyridoxylidene glutamate studies, 90 cases, 24
gallbladder ultrasonography, 208 cases, 125*, 101 cases, 1099*
gastric emptying, dual head scanner, Tc-99m colloid, In-113m DTPA, 70 cases, 256
GI tract, Meckel's diverticulum, ulcers, $^{99m}TcO_4^-$ imaging, 83 children, 691*
guidelines, 1359
heart, blood flow, comparison of in vivo labeled Tc-99m RBC and Tc-99m HSA, 100 cases, 796
heart, cardiac shield, Tc-99m RBC imaging, 200 cases, 750*
heart, dual probe, first-pass LVEF, 92 cases, 731*
heart, emission tomography, scintillation camera, Tl-201, 42 cases, 648
heart, first pass LVEF, wall motion, exercise, 51 cases, 710*
heart imaging, Tl-201, right ventricular overloading, 1197
heart infarct, acute, Tc-99m pyrophosphate, Tl-201 imaging, 80 cases, 1097*
heart infarct, old, Tc-99m pyrophosphate imaging, 55 cases, 1121
heart infarct, Tc-99m pyrophosphate imaging, 100 cases, 750*
heart, left ventricular function, Tc-99m HSA, 104 cases, 135
heart, multiple gated LVEF, regional wall motion, Tc-99m RBC, 70 cases, 669*
heart, perfusion imaging, computer interpretation, Tl-201, 51 cases, 748*
heart, perfusion imaging in chest pain, Tl-201, 75 cases, 249
heart, pre- and post-coronary artery bypass surgery, Tc-99m pyrophosphate imaging, 92 cases, 1116
heart, post-coronary artery bypass, surgery, Tc-99m pyrophosphate imaging, 214 cases, 735*
heart, regional ejection fraction, wall motion, rest and exercise, 129 cases, 711*
heart, Tc-99m pyrophosphate imaging, 52 cases, 724*
heart, Tl-201 imaging, cardiomyopathies, 57 cases, 704*
heart, Tl-201 imaging, observer variability, 100 cases, 359
heart, Tl-201 stress imaging, 82 cases, 773; 65 cases, 867*
heart, Tl-201 stress, In-111, Tc-99m MAA rest, imaging, 56 cases, 751*
inflammation, Ga-67 citrate imaging, double-tracer subtraction technique, 95 cases, 1297
kidney, computer-assisted comprehensive function studies, 1500 cases, 720*
kidney, GFR, intrarenal transit times, Tc-99m DTPA, in 101 children, 699*
kidney imaging, Tc-99m glucoheptonate, 51 children, 699*
kidney imaging, Tc-99m penicillamine, 123*
kidney studies, Tc-99m DTPA, I-131 hippurate, 253 children, 698*
kidney transplant, dynamic Tc-99m DTPA imaging, 152 cases, 994
kidney ultrasonography compared to urography, 260 children, 574*
liver, computerized axial tomography and nuclear imaging, 83 cases, 868*
liver imaging, alcoholism, Tc-99m S colloid, 2406 cases, 154
liver imaging and computed axial tomography, in metastatic disease, 53 cases, 1281*
liver imaging, metastatic breast cancer, Tc-99m S colloid, 234 cases, 980*
liver imaging, motion correction, Tc-99m S colloid, 1100 cases, 142, 1364
liver tumor screening, alpha-1-fetoprotein, Ga-67 citrate, Tc-99m S colloid imaging, 80 cases, 1096*
lung cancer staging, liver-spleen, brain, bone scanning, 52 cases, 980*
lung, inhalation studies, comparison of aerosols, Xe-133, Kr-81m, 200 cases, 676*
lung, pulmonary embolism diagnosis, Xe-133 in saline, imaging, 548 cases, 723*
lung ventilation, comparison of Xe-127, Kr-81m, 150 cases, 729*
lung ventilation, Kr-81m, 156 cases, 728*
lung ventilation, perfusion, order of studies, 1077 cases, 1085
lung ventilation, perfusion, pulmonary embolism, Tc-99m DTPA aerosol, Tc-99m MAA, 311 cases, 676*
lung ventilation, perfusion, pulmonary embolism, Xe-133, Tc-99m microspheres, 85 cases, 723*
lymphoma, Ga-67 citrate scanning, lymphangiography, 53 cases, 573*; 174 cases, 875; 690 cases, 1013, 1082
neoplastic disease, Ga-67 studies, 53 children, 691*

P-32 chromic phosphate, intracavitory therapy, 245 cases, 693*
pancreas cancer, ultrasound, computerized axial tomography, nuclear imaging, 46 cases, 869*
peripheral ulcer perfusion study, Tc-99m microspheres, 100 cases, 750*
radioimmunoassay of serum prostatic acid phosphatase in prostatic cancer, 113 cases, 336*
radiometric microbiologic assay, folates in plasma and erythrocytes, 83 cases, 906
serum myoglobin radioimmunoassay, 113 cases, 696*
spleen uptake of Tc-99m S colloid in malignant melanoma staging, 147 casse, 693*
testes imaging, torsion and appendage differentiation, 149 children, 719*
thyroid cancer, thyroglobulin radioimmunoassay, 63 cases, 678*
thyroid disease, post-irradiation, 50 cases, 714*; 319 cases, 714*
thyroid hormone values, effect of age, 209 normals, 703*
thyroid, I-131 low dose therapy, 487 cases, 713*
thyroid, I-131 therapy, 130 cases, 713*
thyroid, I-131 therapy for cancer post-thyroidectomy, 46 cases, 714*
thyroid, I-131 therapy for hyperthyroidism, 63 children, 714*
thyroid, I-131 therapy, incidence of hypothyroidism within one year, 54 cases, 180, 1272, 1273
thyroid, I-131 therapy, T_3, T_4, TSH, fluorescence scanning follow-up, 60 cases, 742*
thyroid imaging, oblique view, $^{99m}TcO_4^-$, 84 cases, 742*
thyroid imaging, Tc-99m diphosphonate, ^{123}I, nodule differentiation, 49 cases, 741*
thyroid scanning, I-123, $^{99m}TcO_4^-$, nodular disorders, 83 cases, 659*
thyroid scanning, I-131, serum thyroglobulin radioimmunoassay, in cancer, 100 cases, 678*
thyroid scanning, I-131, $^{99m}TcO_4^-$, malignancy prediction, 67 cases, 868*
thyroid studies in adults after childhood head and neck irradiation, 112 cases, 741*
tomographic scanner, Ga-67 citrate, 51 cases, 1074
tumor, intracranial, computerized transaxial tomography, $^{99m}TcO_4^-$ imaging, 215 cases, 476
tumor scanning, genito-urinary tract, Ga-67 citrate, 127 cases, 470
tumor scanning, In-111 Bleomycin, 66 cases, 124*
ultrasound, gynecologic pelvic masses, 251 cases, 231*
venography, $^{99m}TcO_4^-$, 242 cases, 1001
Vitamin B_{12} excretion, serum folate effect, 110 cases, 1281*

Clot *see Blood; Thrombus*

Cobalt-55
Bleomycin, human tumor uptake, in mice, 716*

Cobalt-57
-chloride, -Bleomycin, human tumor uptake, in mice, 716*
-Vitamin B_{12} absorption after pancreatectomy, in rats, 336*
-Vitamin B_{12}, drug defects reported, 116
-Vitamin B_{12}-intrinsic factor, serum folate effect on B_{12} excretion, 1281*

Cobalt-58
-Vitamin B_{12}, drug defects reported, 116
-Vitamin B_{12}, urinary excretion, serum folate effect, 1281*

Coincidence counting
Hg-197, 1183, 1185

Collimator
bilateral, scintillation camera, first transit heart studies, 670*
characteristics, book review, 655
coded aperture, myocardial imaging, in dogs, 730*
dual angle, scintillation camera heart studies, 730*
focused, uptake probe, 659*
I-123 dual window thyroid scanning, 713*
1D parallel plate, rotating laminar camera, 707*
one dimensional scintillation camera, 730*, 1131
scintillation camera, artifacts at high photon fluence, 407
scintillation camera, high sensitivity, myocardial LVEF, wall motion, 726*
scintillation camera, I-123 thyroid uptake, 684*
scintillation camera, magnification imaging technique, 684*
scintillation camera, single photon computed tomography, 322
scintillation camera, Tl-201 myocardial imaging, 1067
seven-pinhole, scintillation camera emission tomography, 648, 730*
simultaneous fluorescent and $^{99m}TcO_4^-$ thyroid scanning, 464
stereoscopic imaging, 708*

Computer
see also Data processing
attenuation correction, computed emission tomography, 745*
-camera, field nonuniformity correction algorithm, 712*
-camera, left ventricular time-activity curves, 670*
-camera, low data loss acquisition, 1256
-camera, myocardial perfusion tomography, 683*
-camera, quantitative ventilation-perfusion mismatch assessment, 607
cardiac motion study, EKG gate, 320
digital image superposition algorithm, 316
display, heart studies, 210
double-tracer subtraction, inflammation imaging, 1297
driven photoscanner, 869*
dual probe multiplane tomographic scanner system, 708*
edge recognition, left ventricular function, 710*
emission tomography, axial, back projection algorithm, 660*
emission tomography, quantitative potentials, 309
emission tomography, scintillation camera, 7 pinhole collimator, 648
F-18 kinetics, 5 compartmental model, 688*, 1301
GAMMA-11, composite video output system, 952
image, cassette videotape recording, 852
image reconstruction, rotating laminar camera, 707*
in medicine, book review, 443
kidney model, anatomic-physiological, 739*
kidney transplant, blood flow algorithm, 739*
liver mass estimation, lateral Tc-99m S colloid image, algorithm, 737*
lung ventilation spirometric gate, 740*
myocardial blood flow, quantitative, Tc-99m, in dogs, 364
myocardial image enhancement, Tl-201, 1175
myocardial perfusion image analysis, Tl-201, 744*, 748*
myocardial pulsatile model, 670*
myocardial segmental wall motion, quantitative analysis program, 726*
observer performance images, generating and storing, 746*
patient record system, 749*
positron tomographic imaging system, 635
radioassay, curve fitting program, 748*
region of interest accuracy, LVEF, 669*
region of interest, definition, 959
subtraction, bone binding of Tc-99m diphosphonates, 740*
subtraction of CAT scans, regional cerebral blood volumes, 337*
target design, LAMPF, 687*
16 color isocount display, 711*

Congenital disease
aneurysmal dilatation of left auricle, $^{99m}TcO_4^-$ angiography, 507

Correlation coefficient
misuse, 973
Creatinine phosphokinase
infarct size assessment, 680*
MB, radioimmunoassay, acute myocardial infarction detection, 658*
Crystal
thickness effect on resolution and sensitivity, scintillation camera, 712*
Cyclotron
[^{18}F]-fluorodeoxyglucose preparation, 701*
W-178 production, 510
Data processing
analog-circuit liver image motion correction, 1059
attenuation correction, computed emission tomography, 745*
cardiac kymography, 749*
compartmental model, thyroid trap, 789
computer-camera system, low data loss acquisition, algorithm, 1256
curvilinear count profile program, 749*
dynamic kidney transplant imaging, Tc-99m DTPA, 994
emission tomography, simultaneous multiple angle reconstruction technique, 745*
left-to-right shunt quantitation, 740*, 745*
liver image motion correction, 142, 1364
mathematical model, quantitative regional lung ventilation, Kr-81m, 231*
positron camera, orthogonal view image reconstruction, 746*
pulmonary and cardiac chamber transit time measurements, 740*
quantitative evaluation of Tl-201 rest and stress heart studies, 1175
radiocardiogram analysis, digital simulation, 749*
region of interest definition, double-cursor method, 959
regional cerebral blood flow and volume, Xe-133, Tc-99m, 230*
scintillation camera, uniformity, linearity correction, 746*
SMART, myocardial perfusion tomography, 683*
smoothing and edge preserving, median window filter, 749*
smoothing, 3D digital filter algorithm, 836
tomographic scanner, digitizing images, 746*
two-dimensional reconstruction algorithm, 230*
velocity imaging, heart, liver, brain, 739*
Deadtime
see Camera, scintillation
Detector
coded aperture, myocardial imaging, in dogs, 730*
germanium array, myocardial tomography, 730*
median window filter, 749*
multiple pinhole plate, scintillation camera, myocardial perfusion tomography, 683*
multiwire proportional chamber, positron camera, 707*
NaI(Tl) bar, one dimensional scintillation camera, 730*
time-coded-aperture, thyroid imaging, $^{99m}TcO_4^-$, 741*
Digoxin
radioimmunoassay, 747*
Diiodothyronine *see* T_2
Diphosphonate
see also Technetium-99m, diphosphonate; Technetium-99m, methylene diphosphonate
therapy, Paget's disease, 706*
Display
cardiac kymography, 749*
cassette videotape image recording, 852
composite video output signal, GAMMA-11 computer, 952
digital image superposition algorithm, 316
gray-scale, minimum detectable differences, 87
quantitative Tl-201 heart studies, 1175
rotating laminar radionuclide camera, 707*
scintillation camera image rotation, 574*
stereoscopic imaging, 708*
velocity imaging, heart, liver, brain, 739*
videotape, off-line, computer-assisted heart studies, 210
16 color isocount, heart studies, 711*
Distribution studies
see also specific organ; specific radiopharmaceutical
organ depth, gamma spectra analysis, 230*
Dose
calibrator, P-32 assay, 1365
radiation *see Radiation dosimetry; Radiation safety*
Drug effects
cardiac drugs, effects on Tl-201 distribution, in dogs, 10
cardiac output distribution studies, Tl-201, 973
Diamox therapy, effect on cisternography, 501
diuretic, effect on whole-body K, 721*
heart imaging, pharmacologic vasodilatation, Tl-201, 743*
hyperaluminemia effect on $^{99m}TcO_4^-$ distribution, 381
nitroglycerin, first-pass cardiac studies, 705*
phenobarbitol, liver uptake of Ga-67 citrate, in mice, 1089
radioimmunoassay of morphine in hair, 696*
radiopharmaceutical studies, 743*
steroid suppression of brain tumor uptake of Ga-67 citrate, 480
Dysprosium-165
-ferric hydroxide macroaggregates for synovectomy, preparation, distribution, in rabbits, 303
Electrolysis
Tc-99m glucoheptonate production, 520
Enzyme
Br-77 protein labeling, 702*
effect on polymorphonuclear leukocyte uptake of Ga-67, 36
immunoassay, compared to radioimmunoassay, 229*
inhibitors, H-3, I-125, I-131, preparation, distribution, adrenal imaging, 200
inhibitors, I-125, enantiometric purification, adrenal uptake, in dogs, 677*
inihibitors, radiotracer classification, 1179
lactoperoxidase, I-125 insulin preparation, 900
M-B isoenzyme activity in hypothyroidism, 678*
methods applied to radiopharmaceutical design, 969
myophosphorylase deficiency, Tc-99m pyrophosphate muscle labeling, 295
radioimmunoassay, dopamine, 1217
reactions, isotope effects, book review, 656
serum prostatic acid phosphotase in prostatic cancer, radioimmunoassay, 336*
synthesis of C-11 pyruvic acid, -lactic acid, -alanine, 701*
Erbium-165
nuclear parameters, 124*
Estrogen
receptor binding, 671*
Extremities
see also Joint
amputation level determination, Tc-99m pyrophosphate imaging, 707*
calf muscle uptake of Ga-67 citrate, Duchenne muscular dystrophy, 698*
femoral head, quantitative uptake, Tc-99m phosphates, Perthes' disease, in children, 884
imaging by nuclear magnetic resonance, in rats, 338*
legs, blood flow, Tl-201, 708*
legs, saphenous vein varicosity, Tc-99m RBC imaging, 1090
legs, $^{99m}TcO_4^-$ venography, 1001, 1007
legs. Tl-201 uptake, vascular disease, 708*, 709*
lesions, bone and Ga-67 citrate scanning, 697*
peripheral aneurysms, ultrasound, 124*, 870*
skin perfusion measurement, Xe-133, 709*

surgery, pulmonary embolism diagnosis, 723*
ulcer perfusion, Tc-99m microspheres, 750*
Eye
dacryocystography, 579
magnification imaging techniques, 684*
melanoma, metal isotopes uptake, in hamsters, 446*
normal, computerized axial tomography, book review, 866
studies, Xe-133, P-32, I-125 HSA, book review, 227
tear fluid lactoferrin binding of Ga-67, 732*
Face
transverse section imaging, ^{11}CO inhalation, 709*
Fat
Fe-59 pyridinecarboxylaldehyde thiosemicarbazones, distribution, in rats, 731*
Fatty acids
see also Technetium-99m; Tellerium-123m
C-11, Cl-34m, Br-77, I-123, for heart, preparation, distribution, in animals, 298
uptake by myocardial infarct, in dogs, 276
Ferritin
serum, radioimmunoassay, 718*
Fetus
placenta uptake of Ga-67 citrate, 504
thyroid studies of mother, in vivo, 107
T_2 in amniotic fluid, radioimmunoassay, 124*, 336*
ultrasound, book review, 1369
ultrasound, hydranencephaly diagnosis, 661*
urinary tract obstruction, ultrasound, 574*
Fibrinogen
see also Bromine-77; Iodine-125; Iodine-131
I-, distribution normality, liver, lung, tumor in mice, 688*
Fibrinopeptide
radioimmunoassay, in cancer, 695*
Field uniformity
see Camera, scintillation
Film
selection, gray-scale difference detection, 87
paper assay, unbound Tc-99m in Tc-99m MAA, 1043
Fluorescence scanning
radiopaque material in maxillary sinus, 1337
thyroid, comparison of instrumentation, 707*
thyroid, I-131 therapy follow-up, 742*
thyroid, simultaneous with Tc-99m emission scanning, 464
Fluorine-18
-antipyrine, for brain, preparation, distribution, in mice, 688*
-dihydrotestosterone analog, preparation, distribution, in rats, 702*
-fatty acids for heart imaging, 969
-fluoroantipyrine, preparation, distribution, in mice, 1346
-fluordeoxyglucose, myocardial metabolism, 1311
-fluorouridylate, RNA synthesis, tumor uptake, in mice, 702*
kinetics, 5 compartmental model, 688*, 1301
myocardial lesion uptake, early, in rats, 717*
Fluorine-18, deoxyglucose
brain tomography, 699*
computerized positron tomography, 635
cyclotron production, 701*
distribution, metabolic trapping, in animals, 1154, 1179
myocardial metabolic rate, tomography, 677*
preparation, distribution, in animals, 1339
regional cerebral metabolism, emission computed tomography, 682*
Folates
radiometric microbiologic assay, 906
serum, radioimmunoassay, 746*
FWHM
crystal thickness effects, 712*
measurement, field technique, 954
wide field scintillation cameras, 942
Gadolinium-153
-ferric hydroxide macroaggregates for synovectomy, preparation, distribution, in rabbits, 303
Gallbladder
bile acid breath test, C-14 cholylglycine, 1096*
bile acid radioimmunoassay, 573*
C-11-p-hydroxyphenyl-5-phenylhydantoin, preparation, distribution, in monkeys, 936
clearance of Tc-99m-cysteine and -analogs, in rats, 816
enterogastric reflux quantitation, 739*
I-125 rose bengal preparation, distribution, in animals, 525
Tc-99m agents, naphthalene and aromatic ring, preparation, distribution, in animals, 694*
Tc-99m pyridoxylideneaminates, preparation, distribution, 397, 687*, 1036
Tc-99m pyridoxylidene glutamate, -Schiff's bases, preparation, distribution, in animals, 1036
Tc-99m pyridoxylidenevaline, -pyridoxylideneisoleucine, preparation, distribution, 660*
Tc-99m steroids, preparation, distribution, in animals, 687*
Gallbladder imaging
compared to ultrasound, computerized tomography, 738*
jaundice, 24, 452
Tc-99m diethyl-IDA, 452, 737*, 738*, 783
Tc-99m HIDA, anastomoses, 572*
Tc-99m pyridoxylideneaminates, 397
Tc-99m pyridoxylideneglutamate, 24, 737*
Gallbladder, ultrasound
additional sign evaluation, 1098*
bile duct, 869*, 1099*
compared to cholecystography, 125*
compared to Tc-99m IDA imaging, CAT, 738*
differential diagnosis of acute cholecystitis, 447*
gallstone interference, 660*
left lateral decubitus position, 338*
malignant disease, 661*
radiographically nonvisualized, 660*
Gallium
-chloride, compared to In biokinetics, in mice, 733*
Gallium-67
carrier free, transferrin binding kinetics, 1245
imaging, book review, 1189
lactoferrin binding, tear fluid, 732*
-leukocytes, autologous, abscess uptake, in rabbits, 229*
-neutrophil binding component, lactoferrin, 732*
-oxine-Bleomycin, -trasylol, -streptokinase, -plasminogen, sarcoma uptake, in mice, 716*
-transferrin, EMT-6 sarcoma uptake, in culture and mice, 715*
Gallium-67, citrate
abscess scanning, 734*, 861
abscess uptake, Desferol effect, in rabbits, 732*
abdominal infection scanning, with computerized axial tomography, 262
abdominal lesions, photon-deficient, 118
adverse reactions reported, 116
anemia effect on distribution, in rats, 715*
bone scanning, osteomyelitis, 696*
bowel activity, 69, 733*
brain tumor scanning, 480, 692*
cooperative study group, 470, 1013, 1083
disc-space infection, diagnosis, with Tc-99m diphosphonate scan, 384
distribution normality, liver, lung, tumor, in mice, 688*
fecal, source, in rats, 1214
genito-urinary tract tumor, 470
human tumor uptake, in mice, 716*
infection uptake, nonpolymorphonuclear, 292
inflammation scanning, literature review, 734*
inflammatory disease, double tracer subtraction imaging, 1297

inflammatory disease scanning, colon, 733*
inflammatory lesion uptake, effect of polymorphonuclear leukocytes and bacteria, 492
joint scanning, infection, prosthetic implants, 697*
liver imaging, accessory lobe, 1235
liver imaging, ultrasound guidance, 690*
liver scan, abnormality criteria, 693*
liver tumor scanning, 658*, 1096*
liver uptake, phenobarbitol effect, in mice, 1089
lung imaging in infection, 445*, 729*
lung, primary carcinoma imaging, 28, 1188
lymphoma imaging, 573*, 875, 1013, 1082
mesothelioma evaluation, 692*, 808
metastatic lung cancer scanning, mediasteinoscopy, 1190*
muscular dystrophy, Duchenne calf muscle uptake, in children, 698*
ocular melanoma uptake, in hamsters, 446*
peritoneal uptake, pancreas disease, 1266
placenta localization, 504
polymorphonuclear leukocyte uptake, 36, 492
renal emphysema, dual imaging with Tc-99m DMSA, 67
sarcoma uptake, in mice, 716*
seven day delayed scan, 733*
Staphylococcus aureus uptake, 44
state of the art, 470, 579, 1013, 1083
testes imaging, 720*
tomographic scanning, 1074
tuberculosis, extrapulmonary scanning, 734*
tumor cell uptake, culture, 681*
tumor scanning, extremities, 697*
tumor scanning, in children, 691*, 692*
tumor size effects, compared to Tc-99m, scintillation camera, phantom, 692*
tumor uptake, compared to Tl-201, in rabbits, 868*
tumor uptake, dog model, 715*
tumor uptake, distribution, transferrin effect, in mice, 930
tumor uptake, post-irradiation, in animals, 204
tumor uptake, scanning, bronchial cancer, 1191*
uptake in gynecomastia, 560

Gallium-68
-antibody chelate, immunoradiometric assay, 748*
-EDTA, computerized positron tomography, brain, 635
(Ge-68)-(Ga-68) generator, 925
transmission, heart study gate, 711*

Gastrointestinal tract
Barrett's esophagus imaging, $^{99m}TcO_4^-$, 1306
bowel activity in Ga-67 citrate studies, 69, 733*
bowel, source of Ga-67, in rats, 1214
cancer, CEA radioimmunoassay, 718*
colon, inflammation, Ga-67 citrate scanning, 733*
ectopic gastric mucosa, $^{99m}TcO_4^-$ studies, in children, 691*
enterogastric reflux quantitation, 739*
esophageal motility, Tc-99m S colloid marshmallow swallow, 738*
fat absorption, I-131 triolein, Se-75 triether, in rats, 446*
Fe-59 pyridinecarboxaldehyde thiosemicarbazones, distribution, in rats, 731*
gastric and gallbladder emptying, dual Tc-99m iminodiacetic acid, In-111 DTPA, 738*, 739*
gastric emptying, dual-head scanner, Tc-99m colloid, In-113m DTPA, 256
gastric emptying, dual-head scanner, Tc-99m colloid, In-113m DTPA, 256
gastric emptying, I-125, I-131 fiber marker, in dogs, 738*
gastric emptying, in diabetes, Tc-99m DTPA, 686*
gastric emptying, Tc-99m S colloid, scintillation camera, 734*
gastric lesions, ultrasound, 1282*
gastroesophageal reflux quantitation, Tc-99m S colloid, 1280*
gastroesophageal reflux, therapy effects, Sr-87m alginic acid, Tc-99m S colloid, 686*
hormones, radioimmunoassay, 1280*
Meckel's diverticulum, ulcers, $^{99m}TcO_4^-$ imaging, in children, 691*, 1087
retained gastric antrum, $^{99m}TcO_4^-$ imaging, gastrin tests, 377
stomach content, bone scans, Tc-99m diphosphonates, 974
subphrenic abscess simulation on lung study, 438
Tc-99m secretion, drug effects, 743*
$^{99m}TcO_4^-$ imaging, motion artifact, 1087
$^{99m}TcO_4^-$ transport, in mice, 736*
Tc-99m pyridoxylideneglutamate, jaundice differentiation, 24
trauma, Tc-99m S colloid imaging, in animals, 686*
Vitamin B_{12} absorption after pancreatectomy, in rats, 336*
Zenker's diverticulum, $^{99m}TcO_4^-$ thyroid imaging, 1231

Gate
EKG, inexpensive, 320, 1186, 1265
heart, evaluation, 565
heart, multiple, 669*
heart, positron transmission, 711*
heart, R-wave, 669*
liver imaging, 563, 564
technique evaluation, 565

Generators
characteristics, book review, 655
(Fe-52)-(Mn-52m), 689*
(Ge-68)-(Ga-68), 925
(Rb-81)-(Kr-81m), 702*
(Sr-82)-(Rb-82), effects of carrier Sr levels, 1250
$^{99m}TcO_4^-$, effect of Al in eluate on thyroid scans, 573*
(W-178)-(Ta-178), 514

Germanium-68
Ga-68 generator, 925

Glucose *see Carbon-11; Fluorine-18*

Gold-198
coincidence assay, 1185
liver imaging, metastatic disease, 1281*
liver studies, book review, 978
lymph node imaging, 445*
synovectomy, in rabbits, 303

Granulocyte *see Leukocyte*

Gray-scale
minimum detectable differences, 87

Health physics *see Radiation safety*

Heart
blood clearance rates, I-125, Tc-99m HSA, in dogs, 1142
blod flow; *see Heart, blood flow; Heart, LVEF*
C-11, Cl-134m, Br-77, I-123 fatty acids, preparations, distribution, in animals, 298
C-11 pyruvic acid, -lactic acid, -alanine, preparation, distribution, in animals, 701*
C-14 doxorubicin, -duanorubicin, distribution, in mice, 84
camera-computer studies, low data loss acquisition, 1256
catheterization nad angiocardiography, book review, 1189
coronary disease, myoglobin radioimmunoassay, 1279*
disease diagnosis, book review, 443
disease management, nuclear medicine's contribution, 579
disease prediction, Cr-51 platelet survival, 671*
estrogen derivatives, binding to receptor, 671*
estrogen derivatives, binding to receptor, 671*
[^{18}F]-fluorodeoxyglucose distribution, metabolic trapping, in animals, 1154
[^{18}F]-fluorodeoxyglucose metabolism, 1311
[^{18}F]-fluorodeoxyglucose preparation, distribution, in animals, 1339
Ga-67 citrate uptake, effect of Desferol, in rabbits, 732*
I-125-β adrenoceptor derivatives, preparation, distribution, in rats, 918, 969
I-125 cold insoluble globulin, uptake by damaged tissue, in rats, 732*

[^{131}I]-iodomethyl trimethylammonium, preparation, distribution, in mice, 717*
imaging *see Heart imaging*
infarct *see Heart, infarct*
left ventricular ejection fraction *see Heart, LVEF*
lesion uptake, early, Tc-99m agents, F-18, in rats, 717*
Mn-52m generator production, 689*
model, kinetic, Tl-201 redistribution, 680*
N-13 asparagine uptake, species differences, 701*
necrosis, rat model, Tc-99m pyrophosphate uptake, 948
phantom, 726*
Se-75 hypotaurine, preparation, distribution, in animals, 718*
studies, receiver operating characteristic curve analysis, 213
Tc-99m fatty acid analogs, preparation, 717*
Tc-99m heparin, damaged tissue uptake, in dogs, 718*
Tc-99m monophosphate, preparation, distribution, in animals, 1027
Tl-123m methylhexadecanoic acid, preparation, 718*
Tl-201 clearance, effect of ischemia, in dogs, 679*
Tl-201 distribution, effect of ionophores, in rats, 687*
Tl-201 kinetics following stress, in rats, 172
Tl-201 redistribution, ischemia, in dogs, 725*
Tl-201 redistribution, severe coronary stenosis, in dogs, 680*
Tl-201 uptake, ventricular pressure estimation, 725*
tomography *see Heart, tomography*
toxicity of microspheres, in animals, 1204, 1209
ultrasound, real-time, 2D, 1279*
videotape viewing, computer-assisted studies, 210
wall motion *see Heart, wall motion*

Heart, blood flow
analysis, digital simulation, Tc-99m HSA, 749*
atrial septal defect surgery, serial studies, 750*
chamber and pulmonary transit time measurements, 740*
congenital aneurysmal dilatation of left auricle, $^{99m}TcO_4^-$ angiography, 507
coronary-aortic artery implantation, post-surgical Tl-201 stress studies, 1032
coronary artery bypass, In-111 platelet uptake, in dogs, 1097*
coronary artery bypass, pre- and post-surgical Tc-99m pyrophosphate imaging, 735*, 1116
coronary artery bypass, post-surgical left ventricular function, in vitro tagged RBC's, 735*
coronary artery bypass, post-surgical Tl-201 imaging, 735*, 765
coronary artery occlusion, Tc-99m pyrophosphate uptake mechanism, in dogs, 123*
coronary disease, blood volume, exercise effects, ^{11}CO inhalation, 711*
coronary disease, LVEF, wall motion, exercise, 711*
coronary disease, Tc-99m HSA equilibrium LVEF, 710*
coronary disease, Tl-201 redistribution at rest, 680*
coronary disease, Tl-201 stress imaging, 680*, 725*, 773, 867*, 1182
ejection fraction; *see also Heart, LVEF*
ejection fraction, adriamycin therapy, 671*
end diastolic volume determination, first pass $^{99m}TcO_4^-$, 726*
left-to-right shunt quantitation, 697*, 740*, 745*
left ventricular function, normal and disease states, 135
left ventricular performance, athletes and non-athletes, Tc-99m HSA, 736*
left ventricular time-activity, Tc-99m HSA, in normals, 670*
left ventricular systolic ejection rate, 726*
left ventricular volume exercise, angina pectoris, Tc-99m HSA equilibrium, 711*
mitral valve prolapse, Tl-201 studies, 736*
nitroglycerin effects, 705*, 735*
output distribution, regional, Tl-201, 708*, 973
output, thermodilution, In-113m siderophiline study, 1372*
pulmonary distribution, arterial pressure estimation, Xe-133 in saline, 727*
pulsatile radiocardiographic model, 670*
quantitative, ^{13}N-NH_3, positron camera, 683*
quantitative, right anterior oblique view, first-pass $^{99m}TcO_4^-$, 1191*
quantitative $^{99m}TcO_4^-$ angiocardiography, atrial-septal defects, in dogs, 364
rates, Rb-84, Ce-141 and Cr-51 microspheres, in dogs, 1020
region of interest definition, computer, 959
right ventricular ejection fraction, post-surgery for pulmonary hypertension, 736*
mitral valve prolapse, Rb-81m, Tl-201 stress test, 736*, 1097
transverse section imaging, ^{11}CO inhalation, 709*
velocity imaging, 739*

Heart imaging
adriamycin therapy effects, Tc-99m phosphates, 564, 704*, 716*
angina pectoris, normal coronary arteries, Xe-133, 337*
angina, reproducible variant, Tl-201, 337*
background, Tl-201, 332
bacterial endocarditis, In-111-platelets, in rabbits, 744*
blood pool, comparison of in vivo labeled Tc-99m RBC and Tc-99m HSA, 796
Cardiac shield, 750*
clinico-pathologic correlation, Tc-99m pyrophosphate, 724*
collimator, bilateral, 670*
collimator, choice, 726*, 730*
collimator, Tl-201, 1067
comparison of in vitro and in vivo labeled Tc-99m RBC, 129
computer quantitation, Tl-201 rest and stress, 744*, 748*, 749*, 1175
computer record keeping, 749*
correlation coefficient use, 973
digital image superposition algorithm, 316
display, cinematic, 679*
display film, Tl-201, 1274
gated vs ungated, Tl-201, 725*
gates *see Gates*
kymography, Tc-99m HSA, Tl-201, 730*, 1131
large field of view scintillation camera, Tl-201, 731*
observer performance, rest and stress studies, 880
observer performance, Tl-201, 359, 679*, 1366
one-dimensional imaging device, 730*, 1131
pericardial effusion differentiation, $^{99m}TcO_4^-$, 744*
post-cardiopulmonary resuscitation, Tc-99m pyrophosphates, 704*
probe, 703*, 704*, 731*
radiation therapy effects, Tc-99m pyrophosphate, 564
radiopharmaceutical development, 969
record keeping system, computerized, 749*
Renografin induced hyperemia, Xe-133 in saline, 726*
right ventricular overloading, Tl-201, 1197
scatter effect, Tl-201, 861
scintillation camera deadtime, Tc-99m, 538
screening test, Tl-201 stress, 249, 1274
smoothing, edge preserving, median window filter, 749*
stress, Tl-201, accuracy, 1371*
Tc-99m heparin, ischemia, in dogs, 810
Tl-201 clearance, ischemia, propanolol effect, 679*, 751*
Tl-201 compared to ^{99m}Tc-microspheres, 724*
Tl-201 distribution, effect of cardiac drugs, in dogs, 10
Tl-201, during pharmacologic vasodilatation, 743*
Tl-201, rest and stress, 680*, 704*, 724*, 751*, 867*, 1175
Tl-201 stress, compared to stress EKG, 725*, 773, 867*, 1366

Heart, infarct
acute, creatinine kinase MB radioimmunoassay detection, 658*
acute, myoglobin radioimmunoassay, 696*
acute, Tc-99m polyphosphate imaging, 123*
acute, Tc-99m pyrophosphate imaging, 123*, 867*, 1097*
acute, Tl-201 imaging, 680*, 1097*
diagnosis, M-B isoenzyme levels in hypothyroidism, 678*
diagnosis, Tc-99m pyrophosphate studies, 724*, 750
doughnut pattern, Tc-99m pyrophosphate image, 724*
growth, Tc-99m glucoheptonate measurement, in dogs, 748*
In-111 leukocytes, in dogs, 744*
right ventricular ejection fraction, Tc-99m pyrophosphate angiography, 1371*
sequential studies, Tc-99m pyrophosphate, 1111, 1121
sizing, experimental, 1264
Tc-99m glucoheptonate uptake, propanolol effect, 748*
Tc-99m gluconate uptake, histology, in dogs, 1371*
Tc-99m imidodiphosphonate imaging, 1190*
Tl-201 imaging, correlated with ECG, angiography, surgery, 725*
uptake of fatty acid and abnormal lipid, C-14, H-3, I-125, in dogs, 276
Sn-113 chelates, in rabbits, 717*
Heart, LVEF
athletes and non-athletes, 736*
bilateral collimator, 670*
equilibrium angiography, 670*, 710*
first pass advantages, 704*
first pass, exercise, coronary disease, 710*
first pass Tc-99m DTPA, 17
gated image count rate, 880
normal and disease states, 135
probe, dual, first pass, 731*
probe, single, first pass, 704*
regional, rest and exercise, 710*, 711*
regions of interest, 669*
self-absorption effects, 726*
stress, coronary artery bypass, Tc-99m HSA, 1191*
Tc-99m RBC, 669*, 680*
Tc-99m S colloid, probe, 703*
variability, sequential radionuclide angiography, 1371*
Heart, tomography
coded aperture, myocardial infarct, in dogs, 730*
computed emission, quantitative potentials, 309
computed, Tc-99m phosphates, 683*
computed, Tc-99m pyrophosphate, infarct, in dogs, 684*
computerized, ^{11}CO, 635
Heart, tomography
computerized, ^{13}N-NH_3, regional perfusion, in dogs, 743*
emission, simultaneous multiple angle reconstruction technique, 745*
germanium array, Tl-201, Tc-99m pyrophosphate, infarct, 730*
metabolism rate of F-18 deoxyglucose and C-11 palmitic acid, 677*
scintillation camera, Tl-201, 648
stationary system multiple pinhole plate, Tl-201, 683*
Tl-201, computerized interpretation of images, 748*
Tl-201, seven pinhole collimator, scintillation camera, 730*
Heart, wall motion
coronary disease, rest and exercise, 711*
first-pass, 17, 710*
perioperative infarct induced, 724*
quantitative analysis, computer program, 726*
regional, coronary disease, exercise, 710*
regional, Tc-99m RBC, 669*, 680*
self absorption effects, 726*
Tc-99m HSA kymography, 749*
Tl-201, Tc-99m HSA imaging, 1103, 1131
Heparin *see Technetium-99m*
Heptadecanoic acid
Br-77, I-123, for heart, preparation, distribution, in animals, 298
History
the symbol of SNM, 606, 1359
William Prout and the boa constrictor, 581, 1359
Hormones
see also Thyroid Stimulating Hormone; Thyroxine; T_3
endocrinology, book review, 1189
estrogen derivatives, receptor binding, 671*
free thyroid, radioimmunoassay, in thyroid disease, 336*
Ga-67 citrate uptake in gynecomastia, 560
gastrin test, $^{99m}TcO_4^-$ GI imaging, retained, gastric antrum, 377
growth, effect on pancreas uptake of [^{75}Se]-selenomethionine, 678*
human growth, immunoradiometric assay and radioimmunoassay, 747*
parathyroid, calcitonin, 25-hydroxy-vitamin D levels in hypercalcemia, 1225, 1261
parathyroid, radioimmunoassay, 1190*
parathyroid, tumor source, 1190*
serum luteinizing, radioimmunoassay and radioreceptor assay, 1373*
thyroid, effect of age on levels, 703*
Hydrogen-3
-abnormal lipid, myocardial infarct uptake, in dogs, 276
-adriamycin, iv *vs* ia injection, tumor uptake, in rats, 716*
-enzyme inhibitors for adrenals, preparation, distribution, imaging, 200
-folic acid, radioimmunoassay, 746*
-o-methyldopamine, enzyme radioimmunoassay, 1217
-thymidine, embryonic lung fibroblast incorporation, herpes simplex virus effect, 185
-thymidine, WI-38 cell cell culture metabolism, effect of cytomegalovirus, 191
Immunology
see also Radioimmunoassay
delayed type hypersensitivity assay, I-125 deoxyuridine, in mice, 722*
carboxyl-terminal fragments of human parathyroid hormones, 1190*
Immunoradiometric assay *see Radioassay*
Indium
-chloride, compared to Ga, in mice, 733*
Indium-111
-antimony chelate, immunoradiometric assay, 748*
-Bleomycin, ocular melanoma uptake, in hamsters, 446*
-Bleomycin, whole-body tumor scanning, 124*
bone marrow uptake mechanism, in animals, 496
-chloride, drug defects reported, 116
-chloride, lung uptake, 1265
-chloride, ocular melanoma uptake, in hamsters, 446*
-chloride, sarcoma uptake, in mice, 716*
-DTPA, adverse reactions reported, 116
-DTPA, cisternography, effect of Diamox therapy, 501
-DTPA, clearance from CSF, 868*
-DTPA, gastric and gallbladder emptying, dual isotope technique, 738*, 739*
-hydroxyquinoline, membrane bilayer interaction, 1162
-lymphocytes, kinetics, Hodgkin's disease, 557
-MAA, heart rest imaging compared to Tl-201 stress, 751*
-microspheres, rapid preparation, distribution, in animals, 1055
-oxine-Bleomycin, -trasylol, -streptokinase, -plasminogen, sarcoma uptake, in mice, 716*
-oxine, cell labeling, 483, 557, 673*, 688*, 1238
-oxine-lymphocytes, kinetics, normal and in Hodgkin's disease, 658*
-oxine-neutrophils, in vitro evaluation, 672*
transferrin labeling, perturbed angular correlation studies, 1171

Indium-111, leukocytes
abscess localization, 557, 672*
-oxine-, imaging in granulocytic disease, 672*
-oxine-, inflammation imaging, 672*, 742*
-oxine labeling, 557, 673*
-oxine-, labeling effects on cell function, 1238
-oxine-, radioassay, granulocyte chemotaxis, 722*
myocardial infarct imaging, in dogs, 744*
Indium-111, platelets
bacterial endocarditis imaging, in rabbits, 744*
-oxine-, autologous, preparation, thrombi location, 626
-oxine labeling, 483, 557, 626, 671*, 688*
-oxine-, preparation, distribution, in rabbits, 483
-oxine-, vascular lesion imaging, in rabbits, 488
preparation, deep vein thrombosis detection, in dogs, 891
uptake by coronary artery bypass grafts, in dogs, 1097*
Indium-133m
-antibody chelate, immunoradiometric assay, 748*
-chloride, blood loss during surgery, 438
-DTPA, gastric emptying, with Tc-99m colloid, 256
-microspheres, rapid preparation, distribution, in animals, 1055
-siderophiline, cardiac output, 1372*
Infection
abdominal, Ga-67 citrate scanning, computerized axial tomography, 262
Aspergillus serratia, In-111-oxine-leukocyte imaging, 672*
bacterial endocarditis, In-111-platelet imaging, in rabbits, 744*
bone imaging in children, 324, 980*
cytomegalovirus, effect on WI-38 cell cultures, H-3-thymidine metabolism, 191
disc-space, diagnosis with Ga-67 and Tc-99m diphosphonate scanning, 384
Ga-67 citrate imaging, double tracer subtraction, 1297
Ga-67 citrate lung scanning, microbiologic correlation, 445*
Ga-67 citrate scanning, clinical, 384, 445*, 693*, 697*, 733*, 734*
Ga-67 citrate uptake, effect of polymorphonuclear leukocytes and bacteria, 492
Ga-67 citrate uptake, nonpolymorphonuclear, 292
Ga-67 citrate, polymorphonuclear leukocyte uptake, 36
herpes simplex virus, radiometric detection, 185
hip replacements, Tc-99m diphosphonate scanning, 572*
I-131 antibody imaging, in rabbits, 687*
In-111-oxine-leukocyte imaging, 672*, 742*
joint, prosthetic implant, Ga-67 citrate imaging, 697*
neck masses, ultrasound, 231*
peritoneal uptake of Ga-67 citrate in pancreatitis, 1266
pyrogenic sacroilitis, bone scanning, in children, 980*
sepsis following splenectomy, in children, 113
Staphylococcus aureus uptake of Ga-67, 44
tuberculosis, extrapulmonary, Ga-67 citrate scanning, 734*
ventriculitis diagnosis, Tc-99m DTPA brain scan, in infant, 1233
viral, cell culture, cyclic AMP radioimmunoassay, 719*
viral, delayed type hypersensitivity radioassay, in mice, 722*
Inflammation
model, table tennis ball, in animals, 687*
osteomyelitis, Tc-99m diphosphonate imaging, in children, 706*
Tc-99m-leukocyte, -platelet uptake, in rats, 672*
Injection
intravenous vs intra-arterial, H-3 adriamycin, in tumor-bearing rats, 716*
procedural quality control, I-125 fibrinogen, 563
In memoriam
Herrman L. Blumgart, 569
Instrumentation
see also; specific instrument; Data processing; Display
book review, 655
future, 599
Insulin
I-125, preparation, 900
International Committee for Radionuclide Metrology, 1264
Iodine-123
-Bleomycin, tumor imaging, 693*
-catecholamine congener for brain and lung, preparation, distribution, in animals, 71
-dimethylaminopropylaminoiodoquinoline for melanoma, preparation, 979*
-fatty acids for heart imaging, 969
-fatty acids for heart, preparation, distribution, in animals, 298
-hepatic binding protein ligands, distribution, in rabbits, 685*
-hippurate, biokinetics, comparison of preparations, in animals, 720*
I-124 contamination, 659*
thyroid imaging, nodule differentiation, with Tc-99m diphosphonate, 741*
thyroid scanning, compared to $^{99m}TcO_4^-$, 659*
thyroid scanning, dual window, 713*
thyroid studies, task force report, 107
thyroid uptake, changing values, 867*
thyroid uptake, early, in hyperthyroid children, 985
thyroid uptake, scintillation camera, 684*
Iodine-124
contamination of I-123, 659*
Iodine-125
abnormal lipid, myocardial infarct uptake, in dogs, 176
-anti-hepatitis A antigen, radioassay, 747*
-anti-T_4, free thyroxine radioimmunoassay, 703*
-adrenoceptor derivatives for heart, preparation, distribution, in rats, 918, 969
coincidence assay, 1185
-cold insoluble globulin, damaged tissue uptake, in rats, 732*
contamination monitor, scintillation camera, 431
-deoxyuridine, delayed type hypersensitivity assay, in mice, 722*
-digoxin, radioimmunoassay, 747*
-enzyme inhibitors, enantiometric purification, adrenal uptake, in dogs, 677*
-enzyme inhibitors, preparation, distribution, adrenal imaging, 200
-fiber marker, gastric emptying, in dogs, 738*
-fibrinogen, clotting in syringe, 563
-fibrinogen, mechanism of thrombus uptake, in dogs, 573*
-fibrinogen, preparation, deep vein thrombosis detection, in dogs, 891
-fibrinogen, thrombosis imaging, scintillation camera, 1259
-hippuran, chemical form of excretion products, in rats, 1191*
-histamine folic acid, serum folate radioimmunoassay, 746*
-HSA, ascitic fluid volume, in mice, 1138
-HSA, blood clearance rate, compared to Tc-99m HSA, in dogs, 1142
-HSA, drug defects reported, 116
-insulin, preparation methods, 900
-iodocholesterol, -iodomethylnorcholestenol, biokinetics, in dogs, 660*
-iododeoxyuridine, herpes simplex virus effect on embryonic lung fibroblast incorporation, 185
-leucine, -valine, stability, 393
-orthoiodosophenylphosphoric acid, preparation, biokinetics, in animals, 848
ragweed antigen E radioimmunoassay, 446*
-rose bengal, production, distribution, in animals, 525

scintillation camera imaging, 713*, 1259
-secretin, radioimmunoassay, 1096*
serum prostatic acid phosphatase radioimmunoassay, 336*
thyroid scan, hyperfunctioning nodule in carcinoma, 441
-transferrin, sarcoma uptake, in culture and mice, 715*
-T_2, radioimmunoassay, 336*
-T_3 uptake, albumin microparticle method, 854

Iodine-131
adverse reactions, drug defects reported, 116
airborne concentration, 1078
-albumin, cisternography, 1192*
-albumin, plasma volume, compared to Tc-99m HSA, 804, 858
-antibody, infection imaging, in rabbits, 687*
-anticarcinoembryonic antigen, tumor imaging, 1279
-antitumor antibody, preparation, kidney tumor scanning, 427
-catecholamine congener for brain and lung, preparation, distribution, in animals, 71
-CEA antibody, carcinoma imaging, 693*
-enzyme inhibitors, preparation, distribution, adrenal imaging, 200
-fatty acids for heart imaging, 969
-fiber marker, gastric emptying, in dogs, 738*
-fibrinogen, autologous, preparation, thrombus uptake, in dogs, 370
-fibrinogen, mechanism of thrombus uptake, in dogs, 573*
-iodomethylnorcholesterol, normal adrenal asymmetry, 149
-iodomethyl trimethylammonium, preparation, distribution, in mice, 717*
-orthoiodosophenylphosphoric acid, preparation, biokinetics, in animals, 848
-MAA, blood flow to legs, 708*
-MAA, lung imaging in pulmonary sequestration, 287
-MAA, lung perfusion, pulmonary embolism, in dogs, 164
radiation dosimetry, 337*
-rose bengal, adverse reactions, drug defects reported, 116
thyroid scan, TSH stimulation, hyperfunctioning nodule in carcinoma, 441
thyroid scanning in cancer, 678*, 868*
thyroid studies, task force report, 107
thyroid therapy *see Thyroid therapy*
thyroid uptake, changing values, 867*
thyroid uptake, imaging, post-T_3 suppression test, 741*
-triolein, fat absorption, with Se-75 triether, in rats, 446*

Iodine-131, cholesterol
-iodo-, -iodomethylnor-, adrenal scanning, 333, 334
-iodo-, -iodomethylnor-, adrenal imaging in aldosteronoma, 677*
-iodo-, subcellular adrenal uptake, in rats, 458
-iodo-, uptake by nonfunctioning adrenal adenomas, 458
-iodomethylnor-, adrenal imaging, cyst, 1092
-iodomethylnor-, adverse reactions reported, 116
-iodomethylnor-, dexamethasone suppression, adrenal scans, normal, 677*
-iodomethylnor-, radiation dosimetry, 682*
-iodomethylnor-, radiotracer classification, 1179
-iodonor-, human tumor uptake, in mice, 716*

Iodine-131, Hippuran
adverse reactions reported, 116
compared to I-123 hippurate, 720*
computer assisted kidney studies, 698*, 720*
renograms, data smoothing, 836
renograms, in children, 698*
renograms, orthostatic hypertension, 343
renograms, temporary ischemia, in rabbits, 1324

Iron-52
Mn-52m generator production, 689*

Iron-59
bone marrow uptake mechanism, in animals, 496
-citrate, distribution, tumor uptake, transferrin effect, in mice, 930
-pyridinecarboxaldehyde thiosemicarbazones, distribution, in rats, 731*

Joints
arthritis, quantitative Tc-99m pyrophosphate uptake, 705*
femoral head, quantitative Tc-99m phosphate uptake, Perthes' disease, in children, 229*, 884
imaging, nuclear medicine contribution, 579
jaw, bone imaging, dental, Tc-99m diphosphonate, 845
knee, osteonecrosis, Sr-85, Tc-99m diphosphonate scanning, 445*
pyrogenic sacroiliitis, Tc-99m polyphosphate, -pyrophosphate scanning, in children, 980*
sacroiliac disease uptake, Tc-99m pyrophosphate, 119, 120, 1280*, 1373*
scanning, prosthetic implants, Tc-99m pyrophosphate, Ga-67 citrate, 697*
synovium, Dy-165 ferric hydroxide maccroaggregates, preparation, distribution, arthritic rabbits, 303
total hip replacements, Tc-99m diphosphonate scans for infection, 572*

Kidney
angiotensin I radioimmunoassay, 747*
Cd content, neutron irradiation technique, 573*
clearance, I-125, [^{131}I]-orthoiodosophenylphosphoric acid, in animals, 848
comprehensive computer assisted function studies, 720*
dialysis dementia, EEG, brain imaging, cisternography, 1192*
disease, Bleomycin serum pharmacokinetics, radioimmunoassay, 337*
diuretics, effect on whole body K, 721*
F-18 dihydrotestosterone analog, preparation, distribution, in rats, 702*
Ga-67 citrate uptake, effect of Desferol, in rabbits, 732*
GFR, intrarenal transit times, ^{99m}Tc-DTPA, in children, 699*
I-123 hippurate extraction, in animals, 720*
model, anatomic-physiological, hippuran studies, 739*
osteodystrophy, brown tumors on bone scans, 1146
osteodystrophy, pulmonary calcification, Tc-99m diphosphonate imaging, 723*
osteodystrophy, Tc-99m diphosphonate bone imaging, 1289
osteodystrophy, whole-body Tc-99m diphosphonate retention, 270, 1273
osteopathy, Tc-99m diphosphonate bone scanning, 1372*
probe studies, 221
scanning, tumor, Ga-67 citrate, 470
scanning, I-131 antitumor antibody, 427
scanning, unilateral diminished activity, Hg-197, 123
studies, state of the art, 579
Tc-99m cysteine and -analogs, preparation, biokinetics, in rats, 816
Tc-99m diphosphonate uptake in tubular necrosis, in rabbits, 720*
Tc-99m EDTA analogs, preparation, distribution, in animals, 690*
Tl-201 uptake, post-stress, in rats, 172
tomography, emission computed, quantitative, 682*
transplant, blood flow, first pass Tc-99m DTPA, quantitative, 739*
transplant, dynamic imaging, Tc-99m DTPA, 994

Kidney, blood flow
intrarenal arteriovenous fistula diagnosis, Tc-99m DTPA, 440
intrarenal transit times, Tc-99m DTPA, in children, 699*
phantom kidney, Tc-99m DTPA, 972
Tc-99m penicillamine studies, 123*
transplant, Tc-99m DTPA, 739*, 994
transverse section imaging, ^{11}CO inhalation, 709*
trauma, Tc-99m glucoheptonate, 721*

Kidney imaging
comprehensive function study, I-131 hippurate, 720*
computer assisted, Tc-99m DTPA, in children, 698*
differential function, Tc-99m DMSA, 721*
differential function, Tc-99m penicillamine, 178
dynamic, transplant evaluation, Tc-99m DTPA, 994
focal disease, double tracer subtraction, Ga-67, Tc-99m, 1297
magnification techniques, 684*
renal emphysema, dual Ga-67 citrate, Tc-99m DMSA, 67
smoothing, 3D digital filter algorithm, 836
Tc-99m-ascorbate-DTPA, in infants, 698*
Tc-99m glucoheptonate, in children, 699*
Tc-99m penicillamine, 123*
trauma, Tc-99m glucoheptonate, 721*
trauma, Tc-99m S colloid, 686*
Kidney, renogram
computer assisted, I-131 hippurate, in children, 698*
I-123 hippurate, in animals, 720*
in arteriovenous fistula, 440
model, anatomic-physiological, 739*
orthostatic hypertension detection, I-131 hippurate, 343
patient position, 343
smoothing, 3D digital filter algorithm, I-131 hippuran, 836
temporary ischemia, in rabbits, 1324
Kidney, ultrasound
angiomyolipoma, 1374*
compared to urography, in children, 574*
diagnostic pitfalls, 447*
effect on T-1 cultured human cells, 681*
horseshoe, 574*
hydronephrosis in children, 1374*
renal failure, 1281*
intrarenal anatomy, 870*
obstructed duplex kidney, 338*
pelvicalyceal echo complex, 981*
perinephric abscess drainage guidance, 870*
tumor, extension into inferior vena cava, 1373*
Kits
clinical, book review, 655
microsphere, In-111, In-113m labeling, 1055
radioimmunoassay, defective, reported, 116
Tc-99m HSA, Tc-99m Sn colloids in preparations, 387
Tc-99m pyridoxylideneaminates for gallbladder, 397, 687*
Tc-99m pyrophosphate, Sn content effects, 565
Krypton-77
brain tomography, in stroke, 701*
Krypton-81m
gas, closing phenomenon in lung, 675*
generator, 702*
lung perfusion, continuous infusion, 1126
lung ventilation, compared to aerosols, 676*
lung ventilation, compared to Xe-127, 729*
lung ventilation, compared to Xe-133, 348, 676*, 729*
lung ventilation, perfusion, pulmonary embolism diagnosis, 728*
lung ventilation, rapid, 728*
quantitative regional lung ventilation, mathematical model, 231*
regional lung ventilation, in coal worker, 728*
LAMPF
target selection and design, 687*
Legislation
state of the art, 599
Leukocytes
see also Indium-111, leukocytes
Ga-67, autologous, abscess uptake, in rabbits, 229*
polymorphonuclear, Ga-67 uptake, 36, 292, 492
Tc-99m, preparation, distribution, hematological disease, 672*
Tc-99m oxine labeling, 557
Tc-99m S labeling, platelet contamination, 1274, 1275
Line spread function
measurement, field procedure, 954
measurement technique, scintillation camera, 712*
scintillation camera, I-125, 713*
wide field scintillation cameras, 942
Lipid
abnormal, H-3, I-125, C-14, myocardial infarct uptake, in dogs, 276
membrane, effect of ionophores on Tl-201 distribution, in rats, 687*
Liposomes
In^{+3}-8-hydroxyquinoline interaction with molecular bilayer, 1162
Tc-99m, preparation, distribution, tumor uptake, in rats, 1049
Liquid scintillation
vial, radiometric assay of lymphocytic carbohydrate metabolism, 61
Liver
blood flow, book review, 978
blood flow, Tc-99m microspheres, 433
blood flow, velocity imaging, 739*
C-11-p-hydroxyphenyl-5-phenylhydantoin, preparation, distribution, in monkeys, 936
Cd content measured by neutron irradiation techniques, 573*
cirrhosis, C-14 octanoate oxidation, breath analysis, 689*
cirrhosis, effect of ethanol on C-13 galactose oxidation, 679*
clearance of Tc-99m cysteine and -derivatives, in rats, 816
continuous cell fractionation, in rats, 660*
Cr-51 RBC uptake, autoimmune haemolytic anemia, 124*
F-18 dihydrotestosterone analog, preparation, distribution, in rats, 702*
Fe-59 pyridincarboxaldehyde thiosemicarbazones, distribution, in rats, 731*
Ga-67 citrate, I-Bleomycin, I-fibrinogen distribution normality, in mice, 688*
Ga-67 citrate uptake, phenobarbitol effects, in mice, 1089
hepatitis A, antibody radioassay, 747*
I-125 rose bengal production, distribution, in animals, 525
quantitative excretory function, Tc-99m-diethyl-IDA, obstructive jaundice, 452
scanning, metastases, with ultrasound, 1192*
Tc-99m-pyridoxylidene glutamate, -Schiff's bases, preparation, distribution, in animals, 1036
Tc-99m S colloid extraction mechanism, in rats, 680*
Tc-99m steroids, preparation, distribution, in animals, 687*
tomography, computerized axial, compared to radionuclide imaging, 572*, 868*, 1281*
tomography, computerized axial, normal, book review, 866
tomography, emission and transmission, hematoma, in dogs, 737*
tomography, emission computed, quantitative, 682*
Xe-133 retention, liver biopsy correlation, 685*
Liver imaging
accessory lobe, Ga-67 citrate, Tc-99m S colloid, 1235
alcoholism, Tc-99m S colloid, 154
biopsy guidance, 737*
book review, 978
compared to CAT, 572*, 868*
compared to ultrasound, 564
focal disease, double tracer subtraction, Ga-67, Tc-99m, 1297
Ga-67 citrate, 693*
Ga-67 citrate, serum alpha-1-fetoprotein screening for tumor, 1096*
Gaucher's disease, Tc-99m S colloid, 1333

glycogen storage disease, 354
hematoma, in dogs, 737*
hepatoma in cirrhosis, Ga-67 citrate, Tc-99m S colloid, 658*
I-123, Tc-99m hepatic binding protein ligands, in animals, 685*
inhomogenous, ultrasound correlation, 690*
lung cancer staging, Tc-99m S colloid, 980*
lung uptake of Tc-99m S colloid, 685*
mass estimation, computer, Tc-99m S colloid, 737*
metastatic breast cancer, Tc-99m S colloid, 980*
metastatic disease, Au-198, Tc-99m S colloid, compared to CAT, 1281*
motion correction, 142, 1059, 1364
motion correction, electronic, 737*
motion, patient position, 563, 564
state of the art, 579
subphrenic abscess, simulation by gastric distention, 438
Tc-99m diethyl-IDA, 783
Tc-99m S colloid, lung uptake, 31
transplant, Tc-99m diethyl-iminodiacetic acid, -pyridoxylideneglutamate, 737*
trauma, non-surgical treatment evaluation, Tc-99m S colloid, 734*
trauma, Tc-99m S colloid, in animals, 686*
ultrasound guidance, 690*

Liver, ultrasound
abscess, 125*
accessory lobe, 1235
compared to imaging, 564
correlation to inhomogeneous scan, 690*
guided by Tc-99m S colloid and Ga-67 images, 690*
metastatic disease, 981*, 1192*

Lung
cancer staging, multiorgan imaging, 980*
embryonic fibroblast, radiometric detection of herpes simplex virus, 185
Ga-67 citrate, I-Bleomycin, I-fibrinogen distribution normality, in mice, 688*
I-123, I-131, catecholamine congener, preparation, distribution, in animals, 71
imaging, *see Lung imaging*
In-111, In-113m microspheres, rapid preparation, distribution, in animals, 1055
In-111 chloride uptake, 1265
microemboli after radionuclide venography, 1183
perfusion *see Lung, imaging; Lung, ventilation-perfusion*
regional differences, book review, 443
scanning, carcinoma, Ga-67 citrate, 28, 1188
scanning, infection, Ga-67 citrate, microbiologic correlation, 445*
scanning, mesothelioma, Ga-67 citrate, 692*
Tc-99m leukocyte, -platelet kinetics, 672*
Tc-99m S colloid uptake, 31, 685*
tomography, emission computed, Tc-99m, 683*
tomography, transmission, Hg-203 source, scintillation camera, 94, 727*
toxicity of microspheres, in animals, 1204, 1209
ventilation *see Lung, ventilation; Lung, ventilation-perfusion*

Lung, blood flow
pulmonary artery pressure estimation, Xe-133 in saline, 727*
pulmonary embolism, contrast angiography, in dogs, 164
pulmonary sequestration, Tc-99m albumin, 287
review, 961
serial imaging, $C^{15}O_2$ inhalation, in pulmonary embolism, 1372*
transit time measurements, 740*

Lung imaging
acute inhalation injury, Xe-133 washout, in goats, 727*
aerosols, comparison of Kr-81m, Xe-133, 676*
aerosol deposition, carrier gas effects, 676*
aerosol, dry $^{99m}TcO_4^-$ system, nebulizer, 1088
aerosol inhalation, chronic obstructive pulmonary disease, 675*
aerosol, Tc-99m sebacate, preparation, imaging, in dogs, 675*
bronchial mucolytic agent effects, Tc-99m S colloid aerosol, 445*
calcification, uremic, Tc-99m diphosphonate, 723*
cancer metastases, Ga-67 citrate, mediasteinoscopy, 1190*
chronic obstructive pulmonary disease detection, Xe-133 inhalation, 674*
^{11}C-octylamine, -hydroxytryptamine(ethylamine) metabolism, 445*
gastric distention simulating subphrenic abscess, 438
ischemic lesions, $^{99m}TcO_4^-$, Tc-99m DTPA aerosol, 567
perfusion *see also Lung, ventilation-perfusion*
perfusion, gated, cinematic, motion effects, pulmonary embolism, in dogs, 729*
perfusion, Kr-81m continuous infusion, Tc-99m MAA, 1126
pulmonary embolism, perfusion, radioaerosol inhalation, 676*
pulmonary embolism, Xe-133 in saline, 723*
pulmonary sequestration, I-131 MAA, 287
tumor, surgery candidate choice, Xe-133, 1098*
ventilation *see Lung, ventilation; Lung, ventilation-perfusion*
Xe washout function tests, small airway dysfunction, 675*
Xe-133, liver retention, 685*

Lung, ventilation
closing phenomenon, Kr-81m, Xe-133, 675*
comparison of Kr-81m and Xe-133, 348
comparison of Xe-133, Xe-127, Kr-81m, 729*
Kr-81m, normal and disease states, 728*
pulmonary embolism, $C^{15}O_2$ inhalation, 674*
pulmonary fibrosis, Xe-127 washout, 729*
quantitative regional, Kr-81m, mathematical model, 231*
radiation dosimetry, Xe-133, 574*
recycled Xe-133, 659*
residual capacity, patient position effects, Xe-133, 674*
spirometric gate, computer program, 740*

Lung, ventilation-perfusion
bronchiectasis, Xe-133, Tc-99m HSA, -microspheres, 722*
effects of breathing method, Xe-133, 1187
half life needs, pulmonary embolism, 441
mismatch, pulmonary embolism, Tc-99m MAA, Xe-133, 1331
mismatch, quantitative Xe-133 assessment, 607
N-13, vascular disease, in children, 1098*
order of studies, 1085
physiology, pathology effects, 961
post-operative, serial, pulmonary embolism, 723*
pulmonary embolism diagnosis, comparison of Xe-127, Xe-133, 675*
pulmonary embolism diagnosis, Kr-81m, 728*
pulmonary embolism, study interpretation, 863
pulmonary embolism, Tc-99m DTPA aerosol, Tc-99m MAA, 676*
pulmonary embolism, Xe-133, I-131, Tc-99m MAA, in dogs, 164
pulmonary embolism, Xe-133, Tc-99m microspheres, 723*
regional, in coal workers, Kr-81m, Tc-99m microspheres, 728*
review, 961
sarcoidosis, Xe-127 gas, Tc-99m microspheres, Ga-67 citrate, 729*

Lymph nodes
book review, *Clinical Lymphangiography*, 1095
breast cancer staging, Tc-99m phosphate scanning, 658*
imaging, Au-198, Tc-99m microcolloids, 445*
imaging, Tc-99m antimony sulfide colloids, 1362, 1363

imaging, Tc-99m Sn phytate, in animals, 422, 1362, 1363
imaging, thyroid carcinoma, Tl-201, 195
In-111 lymphocyte kinetics, 658*
neck, ultrasound, 231*
scanning and lymphangiography in lymphoma, Ga-67 citrate, 573*
Lymphocyte
carbohydrate metabolism, radiometric assay, vial, 61
function, effects of In-111 oxine labeling, 1238
Ga-67 uptake, 36
In-111, kinetics, Hodgkin's disease, 557, 658*
radiation dose from Tc-99m labeling, 223
Manganese-52m
(Fe-52)-(Mn-52m) generator production, 689*
Mediasteinum
disease, [^{75}Se]-selenomethionine imaging, 1190*
mesothelioma staging, Ga-67 citrate, 692*
metastatic lung cancer, Ga-67 citrate scanning, mediasteinoscopy, 1190*
Mercury-197
coincidence assay techniques, 1183, 1185
kidney scanning, unilateral diminished activity, 123*
Mercury-203
source, transmission tomography of chest, 94, 727*
Microspheres
see also Technetium-99m, microspheres
cardiopulmonary toxicity, in animals, 1204, 1209
Ce-141, Cr-51, myocardial blood flow, compared to Rb-84, in dogs, 1020
In-111, In-113m labeling, distribution, in animals, 1055
Model
animal, infection, table tennis balls, 687*
compartmental, biokinetics of Ga and In, in mice, 733*
compartmental, myocardial infarct growth, Tc-99m glucoheptonate, in dogs, 748*
compartmental, thyroid trap, 789
compartmental, Pt-195m-Cis-platin biokinetics, in rats, 732*
compartmental, F-18 kinetics, 688*, 1301
goat, acute inhalation injury, 727*
mathematical, quantitative regional lung ventilation, Kr-81m, 231*
mathematical, regional cerebral O distribution, continuous $^{15}O_2$, $C^{15}O$, $C^{15}O_2$ inhalation, 48
mouse, ascitic fluid volume, I-125 HSA, Tc-99m HSA, -S colloid, -phytate colloid, 1138
pulsatile, radiocardiographic, 670*
radiation dosimetry, lung ventilation, 574*
rat, myocardial necrosis, 948
renal, anatomic-physiological, 739*
tumor, canine TVT, 715*
tumor, human, in bald mice, 716*
Molybdenum-99
nuclear decay data, 1365
Morphine
radioimmunoassay, in hair, 696*
Muscle
calf, Ga-67 citrate uptake, Duchenne muscular dystrophy, in children, 698*
Fe-59 pyridinecarboxaldehyde thiosemicarbazones, distribution, in rats, 731*
leg, Tl-201 imaging, 709*
necrosis, Tc-99m pyrophosphate imaging, 706*
Tc-99m pyrophosphate uptake after exercise, 223
Tc-99m pyrophosphate uptake in McArdle syndrome, 295
Tl-201 imaging, 708*
Tl-201 uptake post stress, in rats, 172
Neoplasm *see specific organ; Tumor*
Neutron activation analysis
Cd in kidney and liver, 573*
in vivo Ca measurement, Ar-37 method, effects of physiology, 54
total body, Ca, P, Na, Cl, N, 1096*
Neutrophils
see also Indium-111, leukocytes; Leukocytes
function, effect of In-111 oxine labeling, 1238
Ga-67 binding component, lactoferrin, 732*
In-111 oxine labeled, in vitro evaluation, 672*
Nitrogen
total body, neutron activation analysis, 1096*
Nitrogen-13
-ammonia, computerized positron tomography, brain, 635
-ammonia, regional myocardial perfusion tomography, in dogs, 743*
-asparagine, myocardial uptake, species differences, 701*
gas, in saline, pulmonary vascular disease detection, in children, 1098*
gas, -nitrous oxide, cerebral blood flow studies, 700*
-nitrous oxide, preparation, brain tomography, 700*
quantitative organ uptake, positron camera, 683*
Nuclear magnetic resonance
medical imaging, in rat tissue, 338*
Nuclear medicine
history, 581, 606, 1359
Pioneer citation, Benedict Cassen, Ph.D., 662
Pioneer Lecturer—1978, Joseph Foster Ross, M.D., 664
state of the art, 579, 581, 599
Nuclear parameters
book review, 570, 655
history, 581
International Committee for Radionuclide Metrology, 1264
Observer performance
generating and storing images, 746*
left ventricular cardiac function studies, Tc-99m HSA, 135
left ventricular ejection fraction, gated images, 880
liver images, electronic motion correction, 73*
lung ventilation, perfusion, effect of order, Xe-133, Tc-99m microspheres, 723*
minimum detectable gray-scale differences, 87
receiver operating characteristic curve analysis, 213
Tl-201 myocardial imaging, 359
Tl-201 myocardial perfusion defects, phantom, 679*
tumor size effects, Tc-99m, Ga-67, scintillation camera, phantom, 692*
variability, 435, 870
Oncology *see specific organ; Tumor*
Ovaries
F-18-dihydrotestosterone analog, preparation, distribution, in rats, 702*
mass, ultrasound, 231*
neoplasm, computerized axial tomography, ultrasound, 981*
oviduct patency, Xe-133, 659*
Oxygen-14
-H_2O, cerebral blood flow, 700*
Oxygen-15
$C^{15}O_2$, $C^{15}O$, $^{15}O_2$, regional cerebral distribution, continuous inhalation, model, 48
$C^{15}O_2$ inhalation lung imaging, pulmonary embolism, 674*, 1372*
$C^{15}O_2$, $^{15}O_2$ inhalation, brain studies, 700*
$C^{15}O_2$, $^{15}O_2$ inhalation, transverse section brain imaging, 700*
-H_2O, cerebral blood flow, 700*
quantitative organ uptake, positron camera, 683*
Paget's disease
E.H.D.P. and calcitronin therapy, bone imaging, 706*
skull, interference with Tc-99m DTPA brain perfusion study, 197
Palmitic acid
C-11, for heart, preparation, distribution, in animals, 299
Pancreas
C-11 valine, preparation, distribution, imaging, in animals, 77

C-14 tryptophan, L, D/L, distribution, in rats, 689*
cancer, computerized axial tomography, ultrasound and nuclear imaging, 869*
cyst diagnosis, ultrasound and endoscopic retrograde pancreatography, 447*
disease, peritoneal uptake of Ga-67 citrate, 1266
imaging, book review, 1189
imaging, compared to computerized axial tomography, 572*
imaging, [^{75}Se]-selenocysteine, -methyl selenocysteine, -selenomethionine, -seleno-propionic acid analog, 658*
imaging, state of the art, 579
iodo- and bromo-aliphatic amino acids, preparation, distribution, in rats, 393
pseudocyst, photon-deficient, Ga-67 citrate scan, 118
scanning, tomography, C-11 valine, C-11 tryptophan, 686*
Se-75 hypotaurine, preparation, distribution, in animals, 718*
[^{75}Se]-selenomethionine uptake, effect of growth hormone, 678*
ultrasound and computerized axial tomography, 981*
ultrasound guidance for pseudocyst drainage, 870*
Vitamin B_{12} absorption after pancreatectomy, in rats, 336*

Parathyroid
brown tumors on bone scans, renal osteodystrophy, 1146
hormone, calcitonin, 25-hydroxy-vitamin D levels in hypercalcemia, 1225, 1261
hyper-, hormone radioimmunoassay, 1190*
hyper-, Tc-99m diphosphonate bone imaging, renal osteodystrophy, 1289
hyper-, whole body retention of Tc-99m diphosphonate, 270, 1273

Patient position
liver imaging, upright view, 563, 564
renogram, orthostatic hypertension, 343

Pediatrics
abdominal imaging, ectopic gastric mucosa, $^{99m}TcO_4^-$, 691*
abdominal scanning, duplication cyst, $^{99m}TcO_4^-$, 659*
bone imaging, osteomyelitis, Tc-99m diphosphonate, 706*
bone imaging, review, 324
bone imaging, scurvy, Tc-99m diphosphonate, 916
bone imaging, sickle cell disease, 698*
bone marrow imaging in oncology, Tc-99m S colloid, 692*
bone scanning, pyogenic sacroiliitis, Tc-99m polyphosphate, -pyrophosphate, 980*
clinical nuclear medicine, book review, 655
congenital heart disease, ventricular pressure estimation, Tl-201 uptake, 725*
congenital intracranial vascular malformation detection, Tc-99m DTPA, 235
femoral head, quantitative uptake of Tc-99m phosphates in Perthes' disease, 229*, 884
Ga-67 citrate uptake by calf muscles, Duchenne muscular dystrophy, 698*
GFR, intrarenal transit times, Tc-99m DTPA, 699*
GI imaging, Meckel's diverticulum, ulcers, $^{99m}TcO_4^-$, 691*
GI imaging, Meckel's diverticulum, motion artifact, $^{99m}TcO_4^-$, 1087
head, neck irradiation, thyroid abnormalities in adulthood, 741*
hydronephrosis, ultrasound, 1374*
hyperthyroid, early I-123 uptake, 985
hyperthyroid, I-131 therapy, 714*
kidney imaging, Tc-99m glucoheptonate, 699*
kidney studies, computer assisted, 698*
kidney studies, Tc-99m-ascorbate-DTPA, 698*
kidney studies, Tc-99m DTPA, I-131 Hippuran, 698*
kidney ultrasonography, compared to urography, 574*
left-to-right cardiac shunt quantitation, 697*
liver and spleen imaging in glycogen storage disease, 354
necrotizing enterocolitis, Tc-99m diphosphonate imaging, 691*
neonatal subcutaneous fat necrosis, Tc-99m pyrophosphate scan, 861
neoplastic disease, Ga-67 citrate studies, 691*
neuroblastoma, Ga-67 citrate imaging, 692*
pulmonary vascular disease, $^{13}N_2$ imaging, 1098*
radiation dose to nursing infant, Tc-99m, 913
sepsis following splenectomy, 113
spleen trauma, imaging in non-surgical treatment, 3, 734*
testicular torsion, appendage differentiation, imaging, 719*
thyroid studies, task force report, 107
ventriculitis, Tc-99m DTPA brain scan, 1233

Perturbed angular correlation
In^{+3}-8-hydroxyquinoline interaction with membrane bilayer, 1162
In-111 transferrin labeling, 1171

Phantom
attenuation correction, emission tomography, 745*
heart, LVEF, wall motion, self absorption effects, 726*
myocardial perfusion defects, 679*
object size effect, positron computed tomography, 683*

Pharmacologic effects *see Chemotherapy; Drug effects*

Phosphorous
total body, neutron activation analysis, 1096*

Phosphorous-32
assay, 1365
-chromic phosphate, drug defects reported, 116
-chromic phosphate, intracavitary therapy, 693*
-diphosphonate therapy, bone metastases, 98
ocular melanoma uptake, in hamsters, 446*
-pyrophosphate, myocardial uptake mechanism, in dogs, 123*

Pituitary
human growth hormone radioassay and radioimmunoassay, 747*

Placenta
Ga-67 citrate localization, 504
volume, ultrasound, 231*

Plasma *see Blood*

Platelets
see also Indium-111, platelets
Cr-51, survival, cigarette smokers, 671*
Tc-99m oxine-, preparation, distribution, in rabbits, 483
Tc-99m oxine-, vascular lesion imaging, in rabbits, 488
Tc-99m, preparation, distribution, hematological disease, 672*

Positron
emitter *see Carbon-11; Gallium-68; Manganese-52m; Nitrogen-13; Oxygen-15*
emitters in the future of nuclear medicine, 599
tomography *see Tomography, radionuclide*

Potassium-40
whole-body K, diuretic effects, 721*

Pregnancy
ectopic, ultrasound, 231*, 339*
Ga-67 citrate uptake by placenta, 504
placental growth, ultrasound, 231*
T_2 in serum and amniotic fluid, 124*, 336*
ultrasonography of uterus, time-lapse, 1282*
ultrasound, book review, 1369

Probe
cardiac, dual first-pass LVEF, 731*
dual, multiplane tomographic scanner, 708*
focused collimator, 659*
kidney studies, 221
LVEF, Tc-99m S colloid, 703*
LVEF, validity, 704*
organ depth estimation, 230*

Prostate
cancer, serum prostatic acid phosphatase radioimmunoassay, 336*
F-18 dihydrotestosterone analog, preparation, distribution, in rats, 702*
tumor, Ga-67 citrate scanning, 470
Proteins
Br-77, enzymatic labeling, 702*
plasma, I-125 labeled, preparation, damaged tissue uptake, in rats, 732*
Quality control
see also Chromatography
defective drugs reported to SNM Drug Problem Reporting System, 116
guidelines for clinical evaluation of radiopharmaceuticals, 1359
I-124 contamination of I-123, 659*
In-111-labeled leukocytes, 672*, 673*
procedural, I-125 fibrinogen studies, 563
scintillation camera function *see Camera, scintillation*
Sn in bone kits, 565
Tc oxidation states, 694*
Tc-99m glucoheptonate, electrolytic complexing, 1272
Tc-99m MAA, unbound ^{99m}Tc assay, 1045
$^{99m}TcO_4^-$, Al in generator eluate, 573*
Tc-99m radiopharmaceuticals, 979*
Tc-99m Sn colloids in Tc-99m HSA preparations, 387
Radiation damage
Clinical Radiobiology, book review, 335
Fe-55 to bone marrow, in animals, 496
hypothyroidism after I-131 thyroid therapy, 337*
Ichiban, book review, 865
incorporated radionuclides, book review, 865
thyroid abnormalities, childhood irradiation, 741*
thyroid, post neck irradiation, 714*
to lymphocytes, Tc-99m labeling, 223
vocal cord paralysis, I-131 thyroid therapy, 975
Radiation dosimetry
bone marrow, absorbed dose, I-131 therapy, 337*
Dy-165 ferric hydroxide macroaggregates for synovectomy, 303
guidelines for clinical evaluation of radiopharmaceuticals, 1357
[^{131}I]-iodomethylnorcholesterol, 682*
lungs, Xe-133 ventilation, 574*
oviduct patency test, x-ray vs Xe-133, 659*
[^{32}P]-diphosphonate therapy for bone metastases, 98
placenta uptake of Ga-67 citrate, 504
radiosensitizers, radioprotecters, book review, 121
Tc-99m, nursing infant, 913
Tc-99m glucoheptonate, 682*
Tc-99m phytate for lymph node imaging, 422
thyroid studies, 107, 332, 1268
total-body scanning, 682*
transmission tomography, Hg-203 source, 727*
Xe-127 gas handling, 414
Radiation safety
airborne I-131, 1078
analysis of personnel doses, 1353
book review, 227, 571
I-125 contamination monitor, portable scintillation camera, 431
permissible concentration of Xe-127 in ambient air, 105
physics, book review, 570
shielding, book review, 228
Radiation theory
abdominal, ultrasound aid, 125*
childhood, adult thyroid abnormalities, 741*
effect on heart imaging, Tc-99m pyrophosphate, 564
effect on radiopharmaceutical studies, 743*
neck, effect on thyroid, 714*
oncology, book review, 978
post-, soft tissue uptake of Tc-99m pyrophosphate, 225
ultrasound aid, 447*
whole-body, effect on tumor uptake of Ga-67 citrate, in animals, 204
Radioassay
anti-hepatitis A antigen, 747*
C-14 ornithine metabolism by tumor, in rats, 731*
curve fitting program, 748*
delayed type hypersensitivity, I-125 deoxyuridine, in mice, 722*
double antibody, terminal labeling technique, 748*
granulocyte chemotaxis, In-111 oxine leukocytes, 722*
human growth hormone, 747*
25-hydroxy-vitamin D, in hypercalcemia, 1225, 1261
radioreceptor, serum luteinizing hormone, 1373*
scintillation proximity, antibody-antigen binding kinetics, 681*
sperm viability, C-14 glucose metabolism, 722*
Radioimmunoassay
angiotensin I, 747*
antibody to M antigen of histoplasmin E, 1373*
anti-DNA, Ga-67 scan interference, 229*
bile acids, 573*
Bleomycin, serum pharmacokinetics in renal disease, 337*
book review, 227
CEA, GI cancer, 718*
CEA in pancreatic juice, in disease, 124*
compared to enzyme immunoassay, 229*
continuous flow system, 979*
creatinine kinase BB isoenzyme, 1280*
creatinine kinase MB myocardial infarct detection, 658*
curve fitting program, 748*
cyclic AMP, cell culture response to prostaglandin E, 1, 719*
digoxin, stat procedure, 747*
3, 3'-L-diiodothyronine (T_2), in serum and amniotic fluid, 124*, 336*
dopamine, enzymatic, 1217
fibrinopeptide, in cancer, 695*
free thyroid hormone, in thyroid disease, 336*
free thyroxine, 703*
GI hormones, review, 1280*
human growth hormone, 747*
I-125 insulin, preparation methods, 900
in clinical diagnosis, book review, 335
kit defects reported, 116
methotrexate, citrovorum factor, neocarcinostatin, actinomycin-D, in serum, 1096*
morphine in hair, 696*
myoglobin, coronary heart disease, 1279*
oncology, book review, 978
parathyroid hormone, 1190*
parathyroid hormone, calcitonin, in hypercalcemia, 1225
parathyroid hormone, carboxyl-terminal fragment source, 1190*
ragweed antigen E, 446*
secretin in plasma, 1096*
serum ferritin, in neoplastic disease, 718*
serum folate, comparison of techniques, 746*
serum luteinizing hormone, 1373*
serum myoglobin, 696*
serum prostatic acid phosphatase in prostatic cancer, 336*
state of the art, 579
Tc-99m-anti-CEA immunoglobulin preparation, 694*
thyroglobulin, in thyroid cancer, 678*
T_3, plasma content effects, 703*
T_3 suppression test, 3 day, 741*
T_3, T_4, effect of circulating thyroid hormone antibodies, 1373*
T_3, T_4, TSH, I-131 thyroid therapy follow-up, 742*
Radiometric assay
bacterial replication time, C-14-D-glucose metabolism, 619
bile acid breath test, C-14 cholylglycine, 1096*

herpes simplex virus, H-3 thymidine, [^{125}I]-iododeoxyuridine, 185
H-3-thymidine metabolism by WI-38 cell culture, effect of cytomegalovirus infection, 191
lymphocyte carbohydrate metabolism, liquid scintillation vial, 61
microbiologic, folates in human plasma and erythrocytes, 906
mycobacterial fatty acid metabolism, 696*
Radiopharmacy
basics, book review, 1277
Record keeping
cassette videotape recording of computer images, 852
computerized system, 749*
Red blood cells
see also Chromium-51 Technetium-99m, red blood cells
Ga-67 uptake, 36
in vitro tagged, left ventricular function studies, 735*
Pt-195m-Cis-platin binding, 732*
Resolution
see specific instrument
RNA
synthesis rate, [^{18}F]-fluorouridylate, in mice, 702*
Rubidium-81
Kr-81m generator, 702*
myocardial perfusion, stress, mitral valve prolapse, 1097*
Rubidium-82
generator, effects of carrier strontium, 1250
Rubidium-84
myocardial blood flow, compared to microspheres, in dogs, 1020
Salivary glands
imaging, xerostomia, $^{99m}TcO_4^-$, 446*
Scanner, rectilinear
dual head, gastric emptying, Tc-99m colloid, In-113m DTPA, 256
dual window, I-123 thyroid scanning, 713*
simultaneous fluorescent and $^{99m}TcO_4^-$ thyroid scanning, 464
Scanner, whole body
millicurie amount system, 682*
Scatter
Compton, bone density measurement, 573*
Compton, transmission lung imaging, 94, 727*
scintillation camera deadtime, Tc-99m, 538
Schilling test
modified, serum folate effect on B_{12} excretion, 1281*
Scintillation proximity assay
antigen-antibody binding, 681*
Screening
family, chemodectoma, Tc-99m diphosphonate perfusion and bone imaging, 659*
liver tumor, alpha-1-fetoprotein, 1096*
myocardial perfusion imaging, in stress, Tl-201, 249
Secretin
plasma, radioimmunoassay, 1096*
Selenium-75
fat absorption, with I-131 triolein, in rats, 446*
-hypotaurine for heart and pancreas, preparation, distribution, in animals, 718*
-selenocysteine, -methyl selenocysteine, -selenoethionine, -seleno-propionic acid analog for pancreas scanning, 658*
-selenofolate, serum folate radioimmunoassay, 746*
-selenomethionine, growth hormone effect on pancreas uptake, 678*
-selenomethionine, imaging in mediasteinal disease, 1190*
-selenomethionine, radiotracer classification, 1179
Sinus
maxillary, radiopaque material identification, fluorescence scanning, 1337
Skin
perfusion measurement, Xe-133, 709*
SNM Drug Problem Reporting System 1976 Reports, 116
Sodium
total body, neutron activation analysis, 1096*
Species
differences, N-13 asparagine heart localization, 701*
Spleen
blood flow, transverse section imaging, ^{11}CO inhalation, 709*
Cr-51 RBC uptake, autoimmune haemolytic anemia, 124*
emission computed tomography, quantitative, 682*
phantom kidney, Tc-99m DTPA kidney blood flow, 972
sepsis following splenectomy, in children, 113
Tc-99m diphosphonate uptake, thalassemia major, 976
Tc-99m leukocyte, -platelet uptake in splenomegaly, 672*
Tc-99m S colloid uptake, in alcoholism, 154
Tc-99m S colloid uptake in malignant melanoma, 693*, 1093
Spleen imaging
accessory liver lobe definition, Tc-99m RBC, -DHTA, 1235
focal disease, double tracer subtraction, Ga-67, Tc-99m, 1297
Gaucher's disease, 1333
glycogen storage disease, 354
lung cancer staging, Tc-99m S colloid, 980*
state of the art, 579
subcapsular hematoma, Tc-99m S colloid, in dogs, 1281*
Tc-99m S colloid, lung uptake, 31
trauma, non-surgical treatment, in children, 3, 734*
trauma, Tc-99m S colloid, in animals, 686*
Standards
International Committee for Radionuclide Metrology, 1264
Statistics
correlation coefficient, 973
Stearic acid
Cl-34m, Br-77, I-123, for heart, preparation, distribution, in animals, 299
Steroids *see Drug effects; Fluorine-18; Technetium-99m*
Strontium-82
Rb-82 generator, effects of carrier strontium levels, 1250
Strontium-85
bone scanning, osteonecrosis of the knee, 445*
-microspheres, regional myocardial blood flow, in dogs, 679*
Strontium-87m
-alginic acid, gastroesophageal reflux therapy evaluation, 686*
Surgery
amputation level determination, 706*, 709*
aortic implant of anomalous left coronary artery, 1032
aorto-coronary saphenous bypass, Tl-201 evaluation, 765
atrial septal defect, serial gated cardiac imaging, 750*
Billroth II anastomosis, enterogastric reflux quantitation, 739*
blood loss monitor, In-113m, 438
breast cancer, candidate choice, Tc-99m phosphate bone scanning, 1098*
coronary arteriography, candidate selection, 725*
coronary artery bypass, In-111 platelet uptake, in dogs, 1097*
coronary artery bypass, left ventricular function, stress Tc-99m HSA, 1191*
coronary artery bypass, post-op transient left ventricular dysfunction, 735*
coronary artery bypass, Tc-99m pyrophosphate imaging, 724*, 735*, 1116
coronary bypass, Tl-201 imaging, 725*, 735*
effect on radiopharmaceutical studies, 743*
leg by-pass graft, Tl-201 imaging, 709*
lung tumor, candidate choice, Xe-133 imaging, 1098*
myocardial revascularization, candidate choice, 705*

peripheral, candidate choice ulcer perfusion study, 750*
post-, pulmonary embolism diagnosis, 723*
prosthetic implants, Tc-99m pyrophosphate scanning, 697*
pulmonary hypertension, post-op right ventricular performance, 736*
testicular torsion determination, 719*
thyroidectomy, postoperative I-131 therapy, 714*
Tantalum-178
W-178 generator system, distribution, in rats, 514
W-178 parent production, nuclear parameters, 510
Target
selection, design, LAMPF, 687*
Technetium
oxidation states in complexing media, 694*
Technetium-95m
-pyrophosphate, bone autoradiography, in rabbits, 895
Technetium-96
-pyrophosphate, bone autoradiography, in rabbits, 895
Technetium-99
-dithiolates, preparation, distribution, in animals, 695*
Technetium-99m
aerosol, inhalation lung studies, compared to Kr-81m, Xe-133, 676*
-agents, chromatography, 1086
-agents, distribution, multiwire proportional camera, 981*
-agents, drug interactions, 743*
-agents, radiochemical quality control, 979*
-albumin, *see Technetium-99m, albumin*
-antimony sulfide colloid, lymph node imaging, 1362, 1363
brain agent, ideal, 1182
breast milk, radiation dose to infant, 913
-carbamyl phosphate analogs, for bone, preparation, distribution, 530
-chelates, Sn uptake by myocardial infarct, in rabbits, 717*
-citrate, brain imaging, compared to $^{99m}TcO_4^-$, 572*
-citrate, radiochemical quality control, 979*
-colloid, gastric emptying, with In-113m DTPA, 256
-cysteine and analogs, preparation, biokinetics, in rats, 816
-diethyl-IDA hepatobiliary studies, 737*, 783
-diethyl-IDA hepatobiliary studies in obstructive jaundice, 452
-dihydrothioctic acid, hepatobiliary imaging, accessory liver lobes, 1235
-diphosphonate, *see Technetium-99, diphosphonate; Technetium-99m, methylene diphosphonate*
-diphosphonic acid analogs, preparation, distribution, in animals, 695*
-dithiolates, preparation, distribution, in animals, 695*
-DTPA *see Technetium-m99, DTPA*
-DMSA, adverse reactions reported, 116
-DMSA, kidney function, differential, 721*
-DMSA, kidney uptake in tubular necrosis, in rabbits, 720*
-DMSA, renal emphysema, dual imaging with Ga-67 citrate, 67
-EDTA analogs for kidney, preparation, distribution, in animals, 690*
-fatty acid analogs, preparation, 717*
-fatty acids for heart imaging, 969
-gelatin sponge, therapeutic emboli, 1279*
-glucoheptonate *see Technetium-99m, glucoheptonate*
-gluconate, myocardial infarct uptake, in dogs, 1371*
-heparin, damaged artery and myocardium uptake, in dogs, 718*
-heparin, preparation, myocardial ischemia imaging, in dogs, 810
-hepatic binding protein ligands, distribution, in rabbits, 685*
-hepatobiliary agents, preparation, distribution, in animals, 694*
-HIDA, dual gallbladder and gastric emptying, with In-111 DTPA, 738*, 739*
-HIDA, gallbladder imaging compared to ultrasound and computerized tomography, 738*
-HIDA, imaging for evaluation of biliodigestive anastomoses, 572*
-IDA analogs, steroidal, for hepatobiliary, preparation, distribution, in animals, 687*
-IDA ligands, preparation, distribution, structure effects, 694*
-immunoglobulin, -anti CEA immunoglobulin, preparation, 694*
-iron ascorbate-DTPA, adverse reactions, drug defects reported, 116
-iron ascorbate, radiochemical quality control, 979*
-leukocytes, -platelets, preparation, distribution, 672*
-liposomes, preparation, distribution, tumor uptake, in rats, 1049
-liver agents, book review, 978
-microcolloids, lymph node imaging, 445*
-microspheres, *see Technetium-99m, microspheres*
-monophosphate for bone and heart, preparation, distribution, in animals, 1027
-oxine, cell labeling, 557
-oxine-platelets, preparation, distribution, in rabbits, 483
-oxine-platelets, vascular lesion imaging, in rabbits, 488
-penicillamine, differential renal function, 178
-penicillamine, renal cortex imaging, 123*
-pertechnetate *see Technetium-99m, pertechnetate*
-phosphate bone agents, structural requirements, 695*
-phosphates, bone imaging, in children, 324
-phytate, ascitic fluid volume, in mice, 1138
-phytate, drug defects reported, 116
-phytate, liver imaging, 868*
-phytate, lymph node imaging, in animals, 422, 1362, 1363
-polyphosphate *see Technetium-99m, polyphosphate*
-pyridoxylideneaminate, kit preparation, hepatobiliary imaging, 687*
-pyridoxyideneaminates for gallbladder, preparation, distribution, 397
-pyridoxyidene glutamate for hepatobiliary, preparation, distribution, protein binding, in animals, 1036
-pyridoxylidene glutamate, hepatobiliary studies, 24, 737*
-pyridoxylidenevaline, -pyridoxylideneisoleucine, for hepatobiliary, preparation, distribution, 660*
-pyrophosphate *see Technetium-99m, pyrophosphate*
radiation dose to lymphocytes during labeling, 223
-RBC *see Technetium-99m, red blood cells*
-Schiff's base for hepatobiliary, preparation, distribution, protein binding, in animals, 1036
scintillation camera crystal choice, 712*
scintillation camera field uniformity, 712*
-sebacate aerosol, preparation, lung imaging, in dogs, 675*
single photon emission computed tomography, 683*
-Sn colloid in Tc-99m HSA preparations, 387
-sulfur colloid *see Technetium-99m, sulfur colloid*
tumor size effects, compared to Ga-67, scintillation camera, phantom, 692*
wide field scintillation camera performance, 942
Technetium-99m, albumin
ascitic fluid volume, in mice, 1138
adverse reactions reported, 116
aerosol, deposition, carrier gas effects, 676*
blood clearance rate, electrolytic and Sn reduced preparations, in dogs, 1142
heart studies *see Heart*
-HSA, -MAA, quality control, 979*
lung imaging, pulmonary sequestration, 287
lung perfusion, bronchiectasis, 722*

MAA, adverse reactions reported, drug defects, 116
MAA, dynamic phlebography, 1279*
MAA, heart rest imaging compared to Tl-201 stress, 751*
MAA, lung studies *see Lung*
MAA, thin layer chromatography, 742*
MAA, unbound Tc-99m assay, 1045
plasma volume, 804, 858
preparation, stannous tartrate, 694*
Sn-Tc colloid content, 387
Technetium-99m, diphosphonate
abdomen imaging, necrotizing enterocolitis, in neonates, 691*
adverse reactions, drug defects reported, 116
analogs, preparation, distribution, in animals, 695*
bone binding, compared to -methylene diphosphonates, 740*
bone imaging *see Bone imaging*
bone scanning *see Bone scanning*
brain imaging, focal uptake by meningioma, 290
chromatography, paper, 534
femoral head quantitative uptake, Perthes' disease, in children, 884
-imido-, myocardial infarct imaging, 1190*
infection, total hip replacement scanning, 572*
kidney uptake in tubular necrosis, in rabbits, 720*
lung imaging, uremic calcification, 723*
-methylene, *see Technetium-99m, methylene diphosphonate*
quality control, radiochemical, 979*
stomach uptake on bone scans, 974
thyroid imaging, nodule differentiation, 741*
whole body retention, metabolic bone disease, 270, 1273
Technetium-99m, DTPA
adverse reactions, drug defects reported, 116
aerosol, pulmonary ischemic lesion imaging, 567
aerosol, ventilation-perfusion in pulmonary embolism, 676*
-ascorbate, kidney studies, in infants, 698*
brain imaging compared to Tc-99m glucoheptonate, 673*
brain imaging, compared to $^{99m}TcO_4^-$, 561, 673*, 1269
brain perfusion study, Paget's disease interference, 197
brain scan in ventriculitis, in infants, 1233
chromatography, thin layer, 742*
GI tract emptying, in diabetes, 686*
heart, first pass left ventricular ejection fraction, wall motion, 17
intracranial vascular malformation detection, 235
kidney studies *see Kidney*
Technetium-99m, glucoheptonate
adverse reactions, drug defects reported, 116
brain imaging, compared to $^{99m}TcO_4^-$, Tc-99m DTPA, 673*
brain imaging, early, 673*
electrolytic production, 520, 1271
kidney imaging, pediatrics, 699*
kidney studies in trauma, 721*
myocardial infarct growth measurement, in dogs, 748*
myocardial lesion uptake, early, in rats, 717*
total body scanning, 682*
Technetium-99m, methylene diphosphonate
bone blood flow effect on uptake, 705*
bone imaging, fracture healing, in animals, 1320, 1356
bone imaging, Gaucher's disease, 1333
bone imaging, scurvy, in children, 916
chromatography, paper, 534
jaw imaging, dental diagnosis, 845
myocardial imaging, adriamycin therapy, 704*
myocardial lesion uptake, early, in rats, 717*
poly-, preparation, distribution, in animals, 1151
spleen uptake, thalassemia major, 976
stomach uptake on bone scans, 974
Technetium-99m, microspheres
-HSA-, adverse reactions reported, 116
liver angiography, 433
lung perfusion *see Lung*
myocardial perfusion, compared to Tl-201, 724*
peripheral ulcer perfusion, 750*
quality control, 979*
Technetium-99m, pertechnetate
abdominal imaging, ectopic gastric mucosa, in children, 691*
abdominal imaging, Meckel's diverticulum, ulcers, in children, 691*
abdominal scanning, duplication cyst, in child, 659*
adverse reactions, drug defects reported, 116
aerosol, pulmonary ischemic lesion imaging, 567
bowel location for Ga-67 citrate studies, 69
brain imaging *see Brain, blood flow; Brain imaging*
chromatography, 534, 742*
distribution in hyperaluminemia, 381
dry aerosol system compared to nebulizer, 1088
generator eluate Al, effect on thyroid scanning, 573*
GI imaging, Barrett's esophagus, 1366
GI imaging, retained gastric antrum, 377
GI imaging, Meckel's diverticulum, motion artifact, in child, 1087
GI transport, in mice, 736*
heart angiography, congenital dilatation of left auricle, 507
heart, end diastolic volume determination, 726*
heart, quantitative angiographly, atrial-septal defects, in dogs, 364
intracranial neoplasms, differential diagnosis, 673*
left-to-right shunt quantitation, 745*
pericardial effusion differentiation, 744*
quantitative cardiac angiography, 1191*
salivary gland imaging, xerostomia, 446*
testes imaging, 720*
testes, perfusion, correlated with ultrasound, 615
thyroid imaging *see Thyroid*
thyroid trap, compartmental model, 789
thyroid uptake, imaging, post T_3 suppression test, 741*
time-coded aperture imaging, thyroid, 741*
venography, 1001, 1007
Zenker's diverticulum retention, 1231
Technetium-99m, polyphosphate
bone scanning, breast cancer, 1098*
bone scanning, lung cancer staging, 980*
bone scanning, pyogenic sacroiliitis, in children, 980*
bone studies in metabolic disease, 330
drug defects reported, 116
femoral head, quantitative uptake, Perthes' disease, in children, 229*, 884
myocardial infarct imaging, 123*
myocardial lesion uptake, early, in rats, 717*
Technetium-99m, pyrophosphate
adverse reactions, drug defects reported, 116
bone imaging *see Bone imaging; Bone scanning*
chromatography, 534, 742*, 1086, 1270
effect of Sn on bone scanning, 565
heart, right ventricular ejection fraction, in infarct, 1371*
joint scanning, prosthetic implant, 697*
joint uptake, quantitative, arthritis, 705*
leg imaging, amputation level evaluation, 706*
muscle labeling in McArdle syndrome, 295
muscle uptake after exercise, 223
myocardial imaging *see Heart imaging*
myocardial infarct tomography, germanium camera, 730*
myocardial infarct tomography, in dogs, 684*
myocardial necrosis uptake, rat model, 948
myocardial uptake mechanism, post-coronary artery occlusion, in dogs, 123*
neonatal subcutaneous fat necrosis scan, 861
sacroiliac uptake, in disease, 119, 120, 1280*
sacroiliitis, quantitative imaging, 1373*
soft tissue uptake, post-radiation therapy, 225

Technetium-99m, red blood cells
autologous, automated preparation, 689*
brain blood volume, in trauma, emission computed tomography, 699*
brain studies, tumor, 980*
heart imaging, 711*, 750*
heart, LVEF, 669*
heart, regional wall motion, 669*
heart studies, compared to Tc-99m HSA, 796
heart studies, myocardial infarct, 680*
in vivo and in vitro labeled, comparison, 129
in vivo labeling, 332, 333, 796, 972
spleen imaging, accessory liver lobe, 1235
varicosity imaging, saphenous vein, 1090
Technetium-99m, sulfur colloid
abdominal trauma imaging, 686*
adverse reactions, drug defects reported, 116
aerosol, evaluation of bronchial mucolytic agents, 445*
ascitic fluid volume, in mice, 1138
bone marrow imaging, pediatric oncology, 692*
chromatography, thin layer, 742*
distribution patterns in alcoholism, 154
gastroesophageal reflux quantitation, 1280*
gastroesophageal reflux therapy evaluation, 686*
heart, LVEF, probe, 703*, 731*
leukocyte labeling, platelet contamination, 1274, 1275
liver extraction mechanism, in rats, 680*
liver imaging *see Liver imaging*
lung uptake, 31, 685*
oral, gastric distention simulating subphrenic abscess, 438
oral, gastric emptying, solid meal, 734*
oral, -marshmallow, esophageal motility imaging, 738*
radiochemical quality control, 979*
reticuloendothelial imaging, Gaucher's disease, 1333
spleen imaging *see Spleen imaging*
spleen uptake in malignant melanoma, 1093
Tellurium-123m
-methylcholesterol, preparation, 689*
-methylhexadecanoic acid for heart, preparation, 718*
Terminology
history, 581
radiotracer classification, 1179
Testes
imaging, Tl-201, $^{99m}TcO_4^-$, Ga-67 citrate, 720*
sperm viability radioassay, C-14 glucose, 722*
torsion, appendage differentiation, imaging, in children, 719*
tumor, Ga-67 citrate scanning, 470
ultrasound, correlated with $^{99m}TcO_4^-$ perfusion, 615
Thallium-201
blood flow to legs, 708*
bone marrow uptake, sickle cell anemia, 708*
cardiac output distribution, pharmacologic effects, 973
-chloride, tumor affinity, in rabbits, 868*
collimator, heart imaging, 1067
crystal choice, scintillation camera, 712*
distribution, effect of ionophores, in rats, 687*
distribution following stress, in rats, 172
distribution, heart imaging, effect of cardiac drugs, in dogs, 10
heart studies *see Heart*
leg imaging, vascular disease, 709*
testes imaging, 720*
thyroid carcinoma imaging, lymph node metastases, 195
tumor uptake, 708*
whole body perfusion imaging, 708*
Therapy
see also Chemotherapy; Drug effects
alginic acid, gastroesophageal reflux, evaluation, 686*
Clinical Radiobiology, book review, 335
E.H.D.P. and calcitonin, Paget's disease, bone imaging, 706*
I-131 thyroid *see Thyroid therapy*
immuno-, effect on radiopharmaceutical studies, 743*
P-32 assay, 1365
P-32 chromic phosphate, intracavitory, 693*
P-32 diphosphonate for bone metastases, 98
radiosensitizers, radioprotecters, book review, 121
Thermodilution
cardiac output, 1371*
Thermography
book review, 122
Thorax
mesothelioma, Ga-67 citrate scan, 808
Thorium
history of nuclear medicine, 581
Thrombus
dynamic Tc-99m MAA phlebography, 1279*
I-125 fibrinogen imaging, scintillation camera, 1259
I-125 fibrinogen injection, procedural quality control, 563
I-131 autologous fibrinogen, preparation, clot uptake, in dogs, 370
In-111-oxine-labeled autologous platelets, location studies, 626
In-111 platelets, I-125 fibrinogen uptake, in dogs, 891
peripheral aneurysms, ultrasound, 124*
pulmonary microemboli after radionuclide venography, 1183
$^{99m}TcO_4^-$ venography, 1001, 1007
Tc-99m platelets, localization, 557
Tc-99m-S-leukocyte uptake, 1274, 1275
Tl-201 imaging, 708*, 709*
uptake of circulating radiolabeled fibrinogen, in dogs, 573*
Thyroid
ablated, human reaction to bovine TSH, 284, 1183
cancer, I-131 scanning, 678*
cancer, thyroglobulin radioimmunoassay, 678*
carcinoma, hyperfunctioning nodule, I-125, I-131 scanning, TSH stimulation, 441
fluorescence scanners, 707*
fluorescence scanning, 464, 742*
hormones, free radioimmunoassay, in disease states, 336*
hormone values, effect of age, 703*
hyper-, in vivo labeling of red blood cells with Tc-99m, 332, 333
hypo-, M-B isoenzyme activity, 678*
hypo-, post I-131 therapy, 337*
I content, absorption-edge transmission imaging, Ce-139, 707*
imaging *see Thyroid imaging*
irradiation effects, from childhood, 741*
irradiation induced disease, 714*
nodule, hyperfunctioning, disappearance post-TSH stimulation, 1149
nuclear medicine, book review, 1189
scanning, I-123, dual window, 713*
scanning, I-131, $^{99m}TcO_4^-$, malignancy prediction, 868*
scanning, $^{99m}TcO_4^-$, 464, 573*
studies, state of the art, 579
therapy *see Thyroid therapy*
trap, compartmental model, 789
T_3 radioimmunoassay, 124*, 336
T_3 see T_3
T_4 *see Thyroxine*
ultrasound, nodule differentiation, 741*
uptake *see Thyroid uptake*
Thyroid imaging
carcinoma, Tl-201, 195
hyperfunctioning nodule, disappearance post TSH stimulation, 1149
I-123, $^{99m}TcO_4^-$, nodular disorders, 659*
I-123, I-131, $^{99m}TcO_4^-$, task force report, 107
magnification techniques, 684*
oblique view evaluation, $^{99m}TcO_4^-$, 742*
symmetrical nonfunctioning nodules, $^{99m}TcO_4^-$, 560

Tc-99m diphosphonate, I-123, nodule differentiation, 741*
time-coded aperture, $^{99m}TcO_4^-$, 741*
Zenker's diverticulum interference, $^{99m}TcO_4^-$, 1231
Thyroid Stimulating Hormone
bovine, human allergic reaction, 284, 1183
radioimmunoassay, I-131 thyroid therapy follow-up, 742*
stimulation, hyperfunctioning thyroid nodule disappearance, 1149
stimulation, thyroid carcinoma scanning, hyperfunctioning nodule, 441
test values, effect of age, 703*
Thyroid therapy, Iodine-131
absorbed dose in marrow, 337*
carcinoma, 714*
dose, 332, 1268
hyperthyroidism, in children, 714*
hyperthyroidism within one year, 180, 1272, 1273
serial iodide content follow-up, 742*
thyrotoxicosis, 713*
vocal cord paralysis, 975
Thyroid uptake
airborne I-131, 1078
early, I-123, in hyperthyroid children, 985
I-123, I-131, task force report, 107
I-123, I-131, changing values, 867*
I-123, scintillation camera, 684*
Thyroxine
enzyme immunoassay and radioimmunoassay, 229*
free, radioimmunoassay, 703*
levels, effect of circulating thyroid hormone autoantibodies, 1373*
serum, effect of age on values, 703*
serum, I-131 thyroid therapy follow-up, 742*
serum radioimmunoassay, continuous flow system, 979*
Tin-113
-pyrophosphate, -glucoheptonate, -HSA, -RMSA, myocardial infarct uptake, in rabbits, 717*
abdominal disease diagnosis, with ultrasound, 338*
abdominal infection, with Ga-67 citrate scanning, 262
adrenal glands, myelolipoma, 981*
bilateral convexity block communicating hydrocephalus, 1268
cerebral blood volume, regional, computer subtraction technique, 337*
dementia, correlated with radio-cisternography, 230*
gallbladder, compared to ultrasound, Tc-99m iminodiacetic acid imaging, 738*
isodense mass differentiation, with ultrasound, 981*
liver, compared to nuclear imaging, 572*, 868*
liver, metastatic disease, compared to radionuclide imaging, 1281*
normal, book review, 866
normal pressure hydrocephalus, 230*
pancreas, cancer, 869*
pancreas, compared to nuclear imaging, 572*
skull, fibrous dysplasia, 979*
Tomography, radionuclide
axial, half back-projection, 660*
brain, Kr-77, in stroke, 701*
brain, [^{13}N]-nitrous oxide, 700*
brain, state of the art, 579
coded aperture, myocardial infarct, in dogs, 730*
collimator, single-photon, 322
computed, attenuation correction, 745*
computed, brain blood volume, Tc-99m RBC, 699*
computed, brain, clinical value, 684*
computed, brain perfusion, [^{18}F]-fluorodeoxyglucose metabolism, 682*, 699*
computed, single photon, Tc-99m, 683*
computerized axial, ^{13}N-NH_3, regional myocardial perfusion, in dogs, 743*
digitizing images, 746*
dual probe multiplane scanner, 708*
dynamic, resolution, 309
Ga-67 citrate scanning, 1074
heart infarct, Tc-99m pyrophosphate, in dogs, 684*
intracranial tumors, with serial $^{99m}TcO_4^-$ imaging, 476, 1269
longitudinal, germanium array, myocardial infarct sizing, 730*
myocardial metabolism rate of C-11 palmitic acid, 677*
myocardial metabolism of [^{18}F]-fluorodeoxyglucose, 677*, 1311
positron computed, object size effect, 683*
positron, computerized system, 635
positron longitudinal, multi-wire proportional chamber camera, 707*
positron, pancreas, C-11 valine, -trytophan, 686*
quantitative potentials, 309
scintillation camera, seven pinhole collimator, 648
simultaneous multiple angle reconstruction technique, 745*
single photon, quantitative organ visualization, 682*
skull, F-18, in dog, 707*
stereoscopic imaging, 708*
transmission and emission liver hematoma, in dogs, 737*
transmission, 203-Hg, large-field scintillation camera, 94
transmission compared to emission computed, brain, 700*
transmission, lung density, 727*
Tomography, x-ray
sinograms, 660*
Toxicity
adriamycin, cardiac ejection fraction, 671*
adriamycin therapy, heart imaging, 564, 704*, 716*
alcoholism, effect of ethanol on liver oxidation of 13-C galactose, 679*
asbestos, Ga-67 citrate staging of pleural mesothelioma, 692*
guidelines for clinical evaluation of radiopharmaceuticals, 1359
8-hydroxyquinoline, effect on lymphocytes, 1238
incorporated radionuclides, book review, 865
microspheres, cardiopulmonary, in dogs, 1204
radiation *see Radiation damage*
Tc-99m pyridoxylideneaminates, 397, 687*
Training *see Book reviews*
Transferrin *see Indium-111*
Transplant
see also Kidney; Liver
bone graft, Tc-99m diphosphonate imaging, in dogs, 706*
Trauma
abdomen, Tc-99m S colloid imaging, 686*
acute inhalation injury, goat model, 727*
bone fracture healing, bone imaging, in animals, 1320, 1356
bone imaging, in children, 324
head, cerebral blood volume, Tc-99m RBC tomography, 699*
kidney, Tc-99m glucoheptonate flow studies, imaging, 721*
liver-spleen, imaging in non-surgical treatment, 734*
spleen, subcapsular hematoma, Tc-99m S colloid imaging, in dogs, 1281*
splenectomy, sepsis, in children, 113
splenic, non-surgical treatment, imaging, in children, 3
tissue, I-125 cold insoluble globulin uptake, in rats, 732*
TSH *see Thyroid Stimulating Hormone*
Tumor
abdominal, Ga-67 citrate imaging, $^{99m}TcO_4^-$ bowel location, 69
abdominal, ultrasonography as radiation therapy aid, 125*
adrenal adenoma, nonfunctioning, distribution of [^{131}I]-iodocholesterol, 458
adrenal, ultrasound, 1192*

aldosteronoma, adrenal imaging, [^{131}I]-iodocholesterol, -iodomethylnorcholesterol, 677*
biopsy, liver image guidance, 737*
bone, calcium regulating hormone levels in hypercalcemia, 1225
bone imaging in children, 324
bone marrow, Tc-99m S colloid imaging in children, 692*
bone, metastatic, [^{32}P]-diphosphonate therapy, 98
bone, spine and pelvis, ultrasound, 1282*
book review, 978
brain, comparison of $^{99m}TcO_4^-$, -DTPA imaging, 561, 1269
brain, differential diagnosis, $^{99m}TcO_4^-$ perfusion study, 673*
brain, [^{18}F]-fluorouridylate uptake, in mice, 702*
brain, imaging, emission and transmission tomography, 700*
brain, radiopharmaceutical choice, in animals, 1087, 1088
brain, vascularity, $^{99m}TcO_4^-$, ^{99m}Tc-RBC studies, 980*
breast, book review, 570
breast cancer, bone scanning, 1098*
bronchial cancer, Ga-67 citrate uptake, scanning, 1191*
cancer, book review, 1278
cancer staging, bone scanning, 161
carcinoma, C-14 ornithine metabolism, in rats, 731*
carcinoma, H-3 adriamycin uptake, in rats, 716*
cell culture, Ga-67 citrate uptake, 681*
chemodectoma, family screening, Tc-99m diphosphonate imaging, 659*
clinical nuclear medicine, book review, 655
extremities, bone and Ga-67 citrate scanning, 697*
fibrinopeptide radioimmunoassay, 695*
Ga-67, transferrin binding kinetics, 1245
Ga-67 citrate, I-Bleomycin, I-fibrinogen distribution normality, in mice, 688*
Ga-67 citrate studies, in children, 691*
Ga-67 citrate uptake, effect of anemia, in rats, 715*
Ga-67 citrate uptake post-irradiation, in animals, 204
Ga-67 citrate tomography, 1074
gallbladder, ultrasound, 661*
genito-urinary tract, Ga-67 citrate scanning, 470
hepatic-cell, in glycogen storage disease, 354
hepatoma detection in cirrhosis, Ga-67 citrate, Tc-99m S colloid, 658*
human, Co-55 and Co-57 Bleomycin, Ga-67 citrate, Co-57 chloride and I-131 norcholesterol uptake, in mice, 716*
I-123 Bleomycin imaging, 693*
I-131 CEA antibody imaging, 693*
imaging, I-131 anticarbinoembryonic antigen, 1279*
In-111 Bleomycin scanning, 124*
intracellular radionuclide dynamics, 660*
intracranial, computerized transaxial tomography, $^{99m}TcO_4^-$ imaging, 476, 1269
kidney, angiomyolipoma, ultrasound, 1374*
kidney, extended into inferior vena cava, ultrasound, 1373*
lipoid, Xe-133 imaging, 64
liver, Ga-67 citrate scanning, 693*
liver metastases, ultrasound, 981*
liver, screening, alpha-1-fetoprotein, Ga-67 citrate imaging, 1096*
liver, small, imaging guidance of ultrasound, 690*
lung cancer, Ga-67 citrate uptake, 28, 1188
lung cancer staging, multiorgan imaging, 980*
lung, Kr-81m ventilation, 728*
lung, resection choice, Xe-133 imaging, 1098*
lung, ventilation-perfusion studies, review, 961
lymphoid, Ga-67, Fe-59 citrate uptake, transferrin effect, in mice, 930
lymphoma, Ga-67 citrate scanning, 875, 1013, 1082
lymphoma, Ga-67 citrate scanning, lymphangiography, 573*
magnification imaging technique, 684*
mediasteinum, [^{75}Se]-selenomethionine imaging, 1190*
melanoma, I-123 dimethylaminopropylaminoiodoquinoline preparation, 979*
melanoma, spleen uptake of Tc-99m S colloid, 693*, 1093
meningioma, focal uptake of Tc-99m diphosphonate, 290
mesothelioma staging, Ga-67 citrate, 692*, 808
metastatic breast cancer, Tc-99m diphosphonate bone scanning, 979*
metastatic breast cancer, Tc-99m S colloid liver imaging, 980*
metastatic, liver, computed axial tomography and radionuclide imaging, 1281*
metastatic, liver scanning, ultrasound, 1192*
metastatic lung cancer, Ga-67 citrate scanning, mediasteinoscopy, 1190*
metastatic thyroid carcinoma, lymph node, Tl-201 image, 195
metastatic, Tl-201 uptake, 708*
model, canine TVT, Ga-67 citrate uptake, 715*
myelolipoma of the adrenal, ultrasound, CAT, 981*
neuroblastoma, Ga-67 citrate staging, in children, 692*
ocular melanoma, metal isotopes uptake, in hamsters, 446*
ovarian, computerized axial tomography, ultrasound, 981*
ovary, ascitic fluid model, in mice, 1138
P-32 chromic phosphate intracavitary therapy, 693*
pancreas cancer, computerized axial tomography, ultrasound, nuclear imaging, 869*
parathyroid, carboxyl-terminal hormone source, 1190*
pelvic, ultrasound, 1192*
prostate cancer, detection by radioimmunoassay, 336*
Pt-195m-Cis-platin, blood component binding, 732*
renal cell carcinoma, I-131 antitumor antibody, preparation and scanning, 427
reticular cell sarcoma, delayed type hypersensitivity radioassay, in mice, 722*
sarcoma, Ga-67, I-125 transferrin uptake, in culture and mice, 715*
sarcoma, In-111, Ga-67 oxine complex uptake, in mice, 716*
serum ferritin radioimmunoassay, 718*
size effects, Ga-67, Tc-99m images, phantom, 692*
thyroid cancer, I-131 scanning, thyroglobulin radioimmunoassay, 678*
thyroid carcinoma, hyperfunctioning nodule, I-125, I-131 scanning, 441
thyroid carcinoma, I-131 therapy, 714*
thyroid, I-131, $^{99m}TcO_4^-$ scans, 868*
thyroid, symmetrical nonfunctioning nodules, $^{99m}TcO_4^-$ image, 560
Tl-201 chloride uptake, in rabbits, 868*
ultrasound evaluation, 447*
uptake of radiopharmaceuticals, drug effects, 743*
Walker 256 carcinoma, Tc-99m liposomes, preparation, uptake, in rats, 1049

Tungsten-178
cyclotron production, nuclear parameters, 510
Ta-178 generator, distribution, in rats, 514

T_2 (Diiodothyronine)
serum and amniotic fluid, radioimmunoassay, 124*, 336*

T_3
effect on T_3 levels, 124*
I-131 therapy follow-up, 742*
levels, effect of circulating thyroid hormone autoantibodies, 1373*
radioimmunoassay, plasma content effects, 703*
serum, resin uptake, reverse, effect of age on values, 703*
suppression test, "rebound" endogenous stimulation, 741*

suppression test, 3-day, 741*
uptake test, magnetic albumin microparticles, 854
Ultrasound
abdominal abscess, gas containing, 1099*
abdominal abscess, with Ga-67 citrate scanning, 861
abdominal disease diagnosis, with computed tomography, 338*
abdominal mass localization, radiation therapy aid, 125*
adrenal cyst, 1092
adrenal myelolipoma, 981*
adrenal neoplasms, 1192*
bile duct, 869*, 1099*
bladder as a symptomatic pelvic mass, 231*
bone tumor, spine and pelvis, 1282*
book review, 443
Bragg diffraction imaging, 869*
chest, radiographic opacities, 1374*
ectopic pregnancy, chronic, 339*
fetus, hydranencephaly, 661*
fetus, lower urinary tract obstruction, 574*
gallbladder, additional sign evaluation, 1098*
gallbladder, compared to cholecystography, 125*
gallbladder, compared to computerized tomography, Tc-99m iminodiacetic acid imaging, 738*
gallbladder, differential diagnosis of acute cholecystitis, 447*
gallbladder, gallstone interference, 660*
gallbladder, malignant disease, 661*
gallbladder, positioning, 338*
gallbladder, radiographically nonvisualized, 660*
gastric lesions, 1282*
guidance, fluid-containing mass drainage, 870*
gynecologic pelvic mass, 231*
heart, great vessel imaging, 1279*
inferior vena cava mass effects, 1192*
intrarenal anatomy, 870*
isodense mass on CT, differentiation, 981*
IUCD placement, 1098*
kidney, angiomyolipoma, 1374*
kidney, compared to urography, in pediatrics, 574*
kidney, diagnostic pitfalls, 447*
kidney, effect on cultured T-1 human cells, 681*
kidney, horseshoe, 574*
kidney, hydronephrosis, in children, 1374*
kidney, in unexplained failure, 1281*
kidney, obstructed duplex, 338*
kidney, pelvicalyceal echo complex, 981*
kidney tumor extension into inferior vena cava, 1373*
liver abscess, 125*
liver, accessory lobe, 1235
liver, compared to radionuclide scans, 564, 690*
liver, guided by scans, 690*
liver metastases, 981*, 1192*
neck masses, 231*
obstetrics and gynecology, book review, 1369
pancreas, cancer, 869*
pancreas, cyst, 447*
pancreas, pseudocyst, 118
pelvis, water enema, 1192*
peripheral aneurysms, 124*, 870*
placenta, 504
placental growth, 231*
radiation therapy aid, 447*
testis, correlated with $^{99m}TcO_4^-$ perfusion, 615
thyroid, 741*
tumor evaluation, 447*
urinary tract obstruction, 1192*
uterine myomas, 690*
uterus, atrophic post menopausal, 574*
uterus, time-lapse, 1282*
Urinary tract
see also Bladder
obstruction, in fetus, ultrasound, 574*
obstruction, ultrasound, 1192*
radiology, book review, 1095
ureter function, studies, I-131 hippurate, 720*
Uterus
atrophic menopausal, ultrasound, 574*
IUCD placement, ultrasound, 1098*
myoma, ultrasound, 690*
ultrasound, book review, 1369
ultrasound, time-lapse, 1282*
Vascular system
see also specific organ; Heart, blood flow; Thrombus
aortic implant of anomalous left coronary artery, stress Tl-201 heart studies, 1032
great vessels, ultrasound, 1279*
inferior vena cava, kidney tumor extension, ultrasound, 1373*
inferior vena cava, mass effects, ultrasound, 1192*
inferior vena cava occlusion, $^{99m}TcO_4^-$ venography, 1007
intrarenal arteriovenous fistula diagnosis, 440
lesion imaging, Tc-99m, In-111 oxine labeled platelets, in rabbits, 488
peri-aortic adenopathy, computerized axial tomography, ultrasound, 981*
peripheral disease, Tl-201 imaging, 708*, 709*
peripheral ulcer perfusion study, Tc-99m microspheres, 750*
saphenous vein varicosities, Tc-99m RBC imaging, 1091
Tc-99m gelatin, therapeutic emboli, 1279*
transverse section imaging, ^{11}CO inhalation, 709*
ultrasonography, peripheral aneurysms, 124*, 870*
venography, pulmonary radioactive microemboli, 1183
venography, $^{99m}TcO_4^-$ venography, 1001, 1007
Ventricle
see Cisternography; Heart
Vitamin B_{12}
absorption after pancreatectomy, in rats, 336*
Co-58, urinary excretion, serum folate effect, 1281*
Vitamin C
scurvy, bone imaging, Tc-99m diphosphonate, in children, 916
Vitamin D
25-hydroxy-, levels in hypercalcemia, 1225
Vocal cords
paralysis following I-131 thyroid therapy, 975
World Federation of Nuclear Medicine and Biology, 451
W-178 *see Tungsten-178*
Xenon-127
gas and saline, transfer, preparation, unit dose packaging, 414, 419
lung ventilation, compared to Xe-133, Kr-81m, 729*
lung ventilation in sarcoidosis, 729*
lung ventilation, post perfusion scan, 1085
lung ventilation, pulmonary fibrosis, 729*
permissible concentration in ambient air, 105
ventilation-perfusion in pulmonary embolus, compared to Xe-133, 675*
Xenon-133, gas
lipoid tumor imaging, 64
liver retention, biopsy correlation, 685*
lung, functional residual capacity, effect of patient position, 674*
lung ventilation, bronchiectasis, 722*
lung ventilation, chronic obstructive pulmonary disease, 674*
lung ventilation, closing phenomenon, 675*
lung ventilation, compared to aerosols, 676*
lung ventilation, compared to Kr-81m, 348, 676*, 729*
lung ventilation, compared to Xe-127, 675*, 729*
lung ventilation perfusion mismatch, quantitative assessment, 607
lung ventilation, perfusion, pulmonary embolism, 1331

lung ventilation, perfusion, tidal breathing vs breath-hold, 1187
lung ventilation, pulmonary embolism, 441, 675*, 723*
lung washout, small airway dysfunction, 675*
radiation dose to lungs, 574*
regional cerebral blood flow, background subtraction, spectrum technique, 338*
trap and re-use system, 659*
ventilation, experimental pulmonary embolism, in dogs, 164
Xenon-133, in saline
brain, regional blood flow, blood volume, with Tc-99m, 230*
inert gas elimination, physiologic effects, 54
lung imaging, pulmonary embolism, 723*
lung imaging, tumor, surgery candidate choice, 1098*
lung, ventilation, perfusion mismatch, quantitative assessment, 607
lung washout, acute inhalation injury, in goats, 727*
myocardial perfusion, regional, in angina pectoris, 337*
myocardial perfusion, regional, Renografin effect, 726*
oviduct patency, 659*
pulmonary artery pressure estimation, 727*
skin perfusion measurement, 709*
X-ray
digitizing images, 746*
fluorescence scanning *see Fluorescence scanning*
physics, book review, 570
Ytterbium-169
-DTPA, cisternography, normal pressure hydrocephalus, 1268

PACIFIC NORTHWEST CHAPTER
ANNUAL SPRING MEETING

April 27-28, 1979 **Salishan Lodge** **Glenedon, Oregon**

The Pacific Northwest Chapter of the Society of Nuclear Medicine will hold its Annual Spring Meeting on April 27-28, 1979, at Salishan Lodge, Glenedon, Oregon.

The program will consist of 1) a tutorial on approaches to nuclear cardiology: pathophysiology techniques, interpretation, and clinical utility of current procedures—Chairman: Dr. Glen Hamilton; 2) a panel discussion with representatives of the major nuclear medicine computer companies—Chairman: Dr. Hamilton; and 3) a clinical refresher course on pediatric nuclear medicine: handling of the pediatric patient, sedation, restraint, special problems and interesting cases, conducted by Drs. Gary Gates and Thomas Rudd.

For further information contact:

Justine Parker
P.O. Box 40279
San Francisco, Ca 94140
(415) 647-0722

4th ANNUAL WESTERN REGIONAL MEETING
THE SOCIETY OF NUCLEAR MEDICINE

October 18-21, 1979 **Monterey Conference Center and Doubletree Inn** **Monterey, California**

ANNOUNCEMENT AND CALL FOR ABSTRACTS FOR SCIENTIFIC PROGRAM

The Scientific Program Committee welcomes the submission of abstracts of original contributions in nuclear medicine from members and nonmembers of the Society of Nuclear Medicine for the 4th Annual Western Regional Meeting. Physicians, scientists, and technologists—members and nonmembers—are invited to participate. The program will be structured to permit the presentation of papers from all areas of interest in the specialty of nuclear medicine. Abstracts submitted by technologists are encouraged and will be presented at the scientific program. Abstracts for the scientific program will be printed in the program booklet and will be available to all registrants at the meeting.

GUIDELINES FOR SUBMITTING ABSTRACTS

The abstracts will be printed from camera-ready copy provided by the authors, therefore, only abstracts prepared on the offical abstract form will be considered. These abstract forms will be available from the Western Regional Chapter office (listed below) after March 1, 1978. Abstract forms will be sent to members of the Northern California, Pacific Northwest, Southern California and Hawaii Chapters in a regular mailing in early May, 1979. All other requests will be sent on an individual basis.

All participants will be required to register and pay the appropriate fee.

Please send the original abstract form, supporting data, and six copies to:

JUSTINE PARKER, ADMINISTRATIVE COORDINATOR
4th Western Regional Meeting
P.O. Box 40279
San Francisco, CA 94140

DEADLINE FOR ABSTRACT SUBMISSION: POSTMARK MIDNIGHT, JULY 6, 1979

THE 4th ANNUAL WESTERN REGIONAL MEETING WILL HAVE COMMERCIAL EXHIBITS AND ALL INTERESTED COMPANIES ARE INVITED. Please contact the Western Regional SNM office (address above). Phone: (415) 647-1668 or 647-0722.

1979 Abstract Form

Society of Nuclear Medicine 26th Annual Meeting

Do Not Fold or Bend This Form

ABSTRACTS WILL BE PUBLISHED AS TYPED

TYPE ABSTRACT HERE:
(BE SURE TO STAY *WITHIN BORDER)*

CHECK *only* **ONE** *of the following categories.*

- ☐ INSTRUMENTATION, COMPUTERS, and DATA ANALYSIS
- ☐ IN-VITRO RADIOASSAY (circle one)
  - Development
  - Clinical Use
- ☐ RADIOPHARMACEUTICAL CHEMISTRY (circle one)
  - Development
  - Evaluation
  - Symposium
- ☐ CLINICAL APPLICATIONS
- ☐ CLINICAL SCIENCE

If you select either the clinical practice or clinical science categories, **CIRCLE ONE** of the subject classifications.

Bone/Joint
Cardiovascular-Basic
Cardiovascular-Clinical
Dosimetry/Radiobiology
Endocrine
Gastroenterology
Hematology
Image Correlation: Nuclear Medicine, Computed Tomography, and Ultrasound
Infectious Disease + Immunology
Neurology
Oncology
Pediatrics
Pulmonary
Renal/Electrolyte/Hypertension

PRESENTATION PREFERENCE
(Preferred Choice, CHOOSE ONLY ONE)
Preference will not be binding on Program Committee.

☐ Poster Presentation ☐ Slide Presentation
☐ Either

DEADLINE

Abstracts must be received (not postmarked) by February 16, 1979.

IMPORTANT

All abstracts, **except case reports,** accepted for the program of the Society of Nuclear Medicine Annual Meeting will be printed directly from the typed copy of this sheet. To insure printing quality, the instructions inside must be followed completely for all abstracts. Abstracts that do not conform will be retyped by the publisher at a cost of $25.00 to the author or will not be printed.

TYPE FULL NAME OF AUTHOR PRESENTING PAPER

EXAMPLE:

TECHNETIUM-99m POLYPHOSPHATE BONE IMAGING IN LEGG-PERTHES DISEASE. J.A. Danigelis, R.L. Fisher, and M.B. Ozonoff. Newington Children's Hospital, Newington, CT.

This investigation was undertaken to compare the diagnostic usefulness of radionuclide bone imaging techniques to standard radiographic...

Important Please cite grant support for this work (Check)
NCI ☐, NHLBI ☐, NIGMS ☐, NINBS ☐, DOE ☐, VA ☐, DOD ☐, Industry ☐, Private ☐, Departmental ☐, other:_____

Mail the items listed below to:

Ms. Diane Shepherd
Society of Nuclear Medicine
475 Park Avenue South
New York, New York 10016

- Abstract Reproduction Form with supporting data stapled behind in upper left-hand corner.
- Twelve copies of Abstract Reproduction Form (page 1 only) with supporting data stapled behind in upper left-hand corner of each copy.
- One 4 × 6-inch file card containing title, authors, and telephone number of principal author (provided with abstract form).
- One self-addressed, stamped postcard with title and authors should be enclosed with abstract if receipt is to be acknowledged.
- Two pressure-sensitive labels with principal author's name and address for future mailings.

DO NOT FOLD abstract form. It must be mailed in a manila envelope using a cardboard backing. Abstracts are not acceptable if received after the deadline date.

List the name, address, and telephone number of the principal author who should receive all correspondence.

Name _____

Institution _____

Division or Dept. _____

Street _____

City _____ State _____ Zip _____

Phone Number ( ) _____
AREA CODE

Rules Applying to Abstract

Please read this and reverse page thoroughly before preparing your abstract. Because of stringent time limitations, abstracts that do not comply with these instructions must be rejected.

GENERAL GUIDELINES

The Scientific Program Committee welcomes the submission of abstracts of original contributions in nuclear medicine from members and nonmembers of the Society of Nuclear Medicine for the 26th Annual Meeting of the Society of Nuclear Medicine. All abstracts accepted for the program, other than case reports, will be published in the June 1979 issue of the *Journal of Nuclear Medicine.*

To help you prepare your abstract, several guidelines have been formulated to assist you.

1. Previously published or presented material (with the exception of that presented at local scientific meetings) should not be submitted.

2. Whenever possible, multiple contribtutions on the same or a similar subject from the same institution should be merged into a single abstract.

3. Supporting data are mandatory; may consist of tables, graphs, photos, or similar items; must be typed or mounted on 8½ × 11-inch sheets only and must not exceed three pages. Supporting data should not be a continuation of the abstract text or a reprint of a related publication or lecture. One set of supporting data must be stapled to the original abstract and one set stapled to each of the twelve *copies* of the abstract to assure that each reviewer has all of the information available. Wording such as "supporting data will be shown" should not be used, since it is assumed that the supporting data submitted with the abstract will accomplish this purpose. *Note:* Supporting materials cannot be returned.

Supporting data for case reports should consist of histologic or irrefutable clinical confirmation of the diagnosis.

4. Abstracts of completed and ongoing ("works-in-progress") projects will be judged indiscriminately and accepted or rejected on their scientific merit.

5. Abstracts are to be submitted in final format. No changes will be made on the form any time after receipt at the National Office.

6. On all accepted abstracts, the Scientific Program Committee reserves the right to recompose those of unacceptable composition for publication in the *Journal.*

SPECIFIC RULES

1. Abstracts must be typed on the Abstract Reproduction Form on page 1 of this booklet. These forms are available from the Society of Nuclear Medicine, 475 Park Avenue South, New York, NY 10016. Xerox copies of the abstract form cannot be accepted as originals.

2. The *Journal of Nuclear Medicine* reserves the privilege of first review of all contributed papers presented at the Annual Meeting of the Society. *Release from the privilege of first review is possible, but must be negotiated first with the Editor of the Journal.*

3. Use a 12-pitch typewriter with elite type (or one with similar type). Do not use type that simulates script. Use carbon ribbon or slightly used black silk ribbon (brand-new ribbons smudge; old ones print too faintly). PRACTICE typing the abstract in a rectangle 5 × 5⅞ inches before using this form.

4. DO NOT ERASE. Abstract will be reduced photographically and will appear in the *Journal of Nuclear Medicine* exactly as submitted. Abstracts with smudges, errors, misspellings, poor hyphenations, skipped lines, typed-in margins, incorrect abbreviations, too faint typing, etc. (or not conforming to prescribed rules) require retyping by the publisher at the author's expense.

5. CAPITALIZE entire TITLE. Use initials rather than full spelling for author's first and middle names. Single space all typing (but leave a space between title block and body of text). Indent each paragraph three spaces. Do not indent title. Draw special symbols in black ink.

6. Make title brief, clearly indicating the nature of the investigation. Then state authors' names and institutional affiliation. Omit degrees, titles, institutional appointments, street address, and zip code.

7. Organize the body of the abstract as follows:

   A statement of the purpose of the study (preferably one sentence).

   A statement of the methods used.

   A summary of the results presented in sufficient detail to support the conclusions.

   A statement of the conclusions reached. (It is not satisfactory to state, "The results will be discussed" or "other data will be presented.")

   Do not use subtitles, e.g., methods, results.

8. Use of standard abbreviations is required. Abbreviations accepted in the *Journal of Nuclear Medicine* are listed in the *Style Manual for Authors,* available from the Society of Nuclear Medicine. This publication should be used as a general guide for style used in the *Journal of Nuclear Medicine.*

9. The mass number of an element should follow the elemental abbreviation on the same list and be separated by a hyphen (Tc-99m). DO NOT USE SUPERSCRIPT OR SUBSCRIPTS for any reason.

CHECK LIST

Before mailing, please check your abstracts for the following common errors:

_____Be sure to use a 12-pitch elite typewriter or equivalent with a black ribbon.
_____Type title in capitals followed by period.
_____Initials must PRECEDE last name. Do NOT include degrees.
_____Institutional affiliation, city, and abbreviated state are required. Use U.S. Post Office two-letter zip state abbreviations
_____Be sure that street address, zip code, degrees, and grant support are NOT listed in abstract.
_____Do not begin author's name or address on a new line. Title, author's name, institution, city, and abbreviated state should run consecutively.
_____Do not indent title.
_____Leave one space between title block and text of abstract.
_____Begin body of abstract on a new line which is indented three spaces.
_____Do NOT blacken borders of abstract rectangle.
_____Abstract must stay within rectangular borders.
_____Left-hand border must be perfectly straight.
_____Do NOT squeeze letters of lines.
_____Smudges or faint typing may require retyping of the abstract.
_____There must be no unacceptable abbreviations (see Rule #8).
_____Do NOT use CAPITALS or UNDERLINE for emphasis in text of abstract.
_____Check accuracy of SPELLING and HYPHENATION.
_____Single space. There should be no space between lines or paragraphs in text of abstract.
_____A conclusion should be stated. A hopeful promise of additional data or discussion is not satisfactory.
_____Be certain to designate the category and subject classification for program.
_____Be sure to fill in name and address of principal author.
_____Be sure to fill out two pressue-sensitive labels with principal author's name and address for future mailings.

ENCLOSURES

_____Original abstract form with supporting data stapled (8½ × 11-inch sheets only, maximum three pages.)
_____Twelve copies with supporting data stapled to each.
_____Two pressure-sensitive labels with principal author's name and address.
_____One 4 × 6-inch card containing title, authors, and telephone number of principal author.
_____One self-addressed, stamped postcard with title and authors.

STATE ABBREVIATIONS

The Scientific Program Committee recommends the use of the U.S. Postal Service ZIP abbreviations for states. Authors are encouraged to adopt the convenient two-letter ZIP state abbreviations listed below (without periods) to spell out addresses in abstracts. Number ZIP codes, should not appear in abstracts, but should be listed in author's return address for correspondence.
EXAMPLE:

Alaska-AK
Connecticut-CT
Missouri-MO
Nevada-NV
Virgin Islands-VI
Wyoming-WY

Canadian provinces are abbreviated as follows (with periods):

Alberta	Alta.	Northwest Territories	N.W.T.
British Columbia	B.C.	Ontario	Ont.
Manitoba	Man.	Prince Edward Island	P.E.I.
New Brunswick	N.B.	Quebec	Que.
Nova Scotia	N.S.	Saskatchewan	Sask.

Names of countries should be spelled out with the following exceptions:

Soviet Union	USSR
United Arab Republic	UAR
United Kingdom	UK

ATTENTION AUTHORS: PRECEDING ABSTRACT FORM CAN BE SUBMITTED AS ORIGINAL

THE SOCIETY OF NUCLEAR MEDICINE
26th ANNUAL MEETING

June 26-29, 1979 **Georgia World Congress** **Atlanta, Georgia**

CALL FOR ABSTRACTS FOR SCIENTIFIC PROGRAM

The Scientific Program Committee solicits the submission of abstracts from members and nonmembers of the Society of Nuclear Medicine for the 26th Annual Meeting of the Society of Nuclear Medicine. Original contributions in three specified categories (Clinical Science, Clinical Practice, and Basic Science) on a variety of topics related to nuclear medicine will be considered, including:

BASIC SCIENCE

Instrumentation, Computers, and Data Analysis

In Vitro Radioassay:

- Development
- Clinical Use

Radiopharmaceutical Chemistry:

- Development
- Evaluation
- Symposium

CLINICAL SCIENCE/CLINICAL PRACTICE

Bone/Joint
Cardiovascular—Basic Science
Cardiovascular—Clinical
Dosimetry/Radiobiology
Endocrine
Gastroenterology
Hematology
Image Correlation: Ultrasound and/or Computed Tomography and Nuclear Medicine
Infectious Disease and Immunology
Neurology
Oncology
Pediatrics
Pulmonary
Renal/Electrolyte/Hypertension

Abstracts accepted for the program will be published in the June issue of *The Journal of Nuclear Medicine*. Camera-ready copy must be provided by the authors. Therefore, only abstracts prepared on the official abstract form will be considered with original forms required for each abstract submitted. To ensure that all those interested in submitting abstracts receive the form, a copy of the abstract form will be placed in the DECEMBER and JANUARY issues of the *Journal*. However, if you require additional forms, they may be obtained from the Society at the address below. The original abstract and twelve copies with supporting data (three pages maximum) attached to each are required.

Abstracts of completed and on-going ("works in progress") projects will be judged together based on scientific merit. The deadline for submitting all abstracts for the scientific program is **February 16, 1979.**

The Journal of Nuclear Medicine reserves the privilege of first review of all contributed papers presented at the Annual Meeting of the Society.

The original abstract and twelve copies with supporting data attached to each should be sent to:

Ms. Diane Shepherd
The Society of Nuclear Medicine
475 Park Avenue South
New York, NY 10016