

**SIERRA VALLEY NUCLEAR MEDICINE ASSOCIATION  
NORTHERN CALIFORNIA CHAPTER  
SOCIETY OF NUCLEAR MEDICINE**

**May 2-3, 1980**

**Sahara Tahoe Hotel**

**South Lake Tahoe, Nevada**

The Sierra Valley Nuclear Medicine Association of the Northern California Chapter of the Society of Nuclear Medicine will hold its meeting May 2-3, 1980 at the Sahara Tahoe Hotel in South Lake Tahoe, Nevada. The theme of the meeting is "Imaging in the 80's."

Featured speakers are Drs. Henry N. Wagner, Jr., Thomas P. Haynie, Richard A. Holmes, and David L. Gilday. Mr. Allard from Kodac will also discuss "Quality Control of Medical Images."

Physicians attending this program are awarded nine hours of formal (Category 1) credit toward the California Medical Association Certificate in Continuing Medical Education and the American Medical Association Physician Recognition Award. VOICE CEU credits are being reviewed.

For further information contact:

Sierra Valley Nuclear Medicine Association  
Jan Cronin  
P.O. Box 15413  
Sacramento, CA 95813

**27th ANNUAL MEETING**

**SOCIETY OF NUCLEAR MEDICINE**

**June 24-27, 1980**

**Cobo Hall**

**Detroit, Michigan**

The 27th Annual Meeting of the Society of Nuclear Medicine will be held June 24-27, 1980 at Cobo Hall, Detroit, Michigan.

The highlights of the program include five major educational tracks for proffered papers and invited speakers. They are:

- **Clinical Science/Applications**
- **Radio pharmaceutical Chemistry**, including two special symposia on "Bio-Inorganic Chemistry" and "Therapeutic Applications"
- **In Vitro Radioassay**
- **Instrumentation, Computers, and Data Analysis**, including "New areas in instrumentation, including the Pho/Con tomographic scanner"
- **RIA Workshops**, including Basic Radioassay, New and Controversial RIAs, Advanced Troubleshooting, Data Handling and Reduction, and Interpretation of Thyroid Function

**The Continuing Medical Education Program** will include "The Nuclear Physicians Role in Helping the Community Understand Nuclear Power," the "Real Role of Nuclear Medicine in the Health Care Setting," and Nuclear Medicine for the Referring Physician."

Two seminars on Gastrointestinal and Cardiovascular Nuclear Medicine are also being offered.

The Technologist Program and Scientific and Commercial exhibits round out the program for a full and complete meeting.

Special attractions that promise to provide excitement and amusement for attendees and their families are an Icebreaker Cocktail Party, the Technologist party, picnics, evenings of baseball and racing, visits to the Henry Ford Museum and Ford Motor Co., and a boating excursion.

# The Journal of Nuclear Medicine

## INFORMATION FOR AUTHORS

**Editorial Policy.** *The Journal of Nuclear Medicine* publishes several types of original articles: full length articles, concise communications, preliminary notes, case reports, technical notes, letters to the editor, editorials, and solicited articles of general medical interest. It is understood that manuscripts submitted for consideration are original, including illustrations and tables, and that the material submitted is not under consideration by another publication.

**Copyright.** In compliance with the copyright Act of 1976, effective January 1, 1978, the following written statement must accompany all submissions to be considered for publication. "Upon acceptance by the *Journal of Nuclear Medicine* all copyright ownership of the article (complete title of the article in this space), is transferred to the Society of Nuclear Medicine. On behalf of any and all coauthors I accept the responsibility for release of any part or all of the material contained within the article noted above. The undersigned stipulates that the material submitted to *The Journal of Nuclear Medicine* is original and has not been submitted to another publication for concurrent consideration."

**Review Procedure.** Submitted manuscripts are reviewed for content on the basis of originality, significance, adequacy of documentation, reader interest, and composition. All manuscripts are reviewed by two referees and the editorial staff. All accepted manuscripts are subject to editorial revisions for scientific accuracy and for clarity in the office of the editor. Before processing for publication, edited manuscripts are returned to the author(s) for approval. This procedure obviates the need for galley changes other than typographical errors.

**Manuscript Format—General Information—**An original and two copies of the manuscript with two sets of *unmounted* illustrations (glossies, preferably 5" × 7") should be sent with a transmittal letter to the Editor.

1. Every typewritten page must be double-spaced, including title page, abstract, text, references, legends, acknowledgments, and footnotes.
2. There should be a 2-in. margin on all sides of typewritten pages.
3. Reference numbers should be underlined and in parentheses in the text.
4. Paragraphs should begin with an indentation of at least five spaces.
5. All pages should be numbered at the top right-hand side *without* names of the author(s) or title of the article.
6. Handwritten changes are not acceptable.
7. Papers must be written in English.
8. References in the text should not be made to institutions or locales except when mention of the institution, locale, or facility is germane to that particular article.
9. Generic names should be used. Manufacturers of instruments or radiopharmaceuticals should not be named in the manuscript unless their inclusion is absolutely essential to the content. When necessary, however, manufacturers should be identified by footnotes. Consecutive order of footnote symbols is: \*, †, ‡.

**Title Page.** The title should be as short as possible, with a maximum of 72 characters, including spaces. The first names and degrees of all authors, the name and address of the department and institution where the work was done, sources of support (if applicable), and name and address of author responsible for correspondence and reprints should be included on the title page.

**Abstract.** Abstracts must be limited to 150 words or less, typed on a separate page. Three to seven key words should be included for indexing.

**References.** References must be typed double space on a separate sheet and numbered consecutively as they appear in the text. References included in a table or illustration are also numbered sequentially with those in the text. The Journal uses the *Index Medicus* style for references. When more than three authors are listed, the additional authors are listed as "et al." Journal names are abbreviated according to the *List of Journals Indexed in Index Medicus*.

Sample references are:

1. Bardy A, Fouye H, Gobin R, et al: Technetium-99m labeling by means of stannous pyrophosphate: Application to bleomycin and red blood cells. *J Nucl Med* 16: 435-437, 1975
2. Berne E: *Principles of Group Treatment*, New York, Oxford University Press, 1966, pp 26-28
3. Brownell GL: Theory of radioisotope scanning. In *Medical Radioisotope Scanning*, vol 1. Vienna, IAEA, 1964, pp 1-10
4. Cloutier RJ, Edwards CL, Snyder WS, eds: *Medical Radionuclides: Radiation Dose and Effects*, AEC Symposium Series 20, CONF-601212, Oak Ridge, TN, 1970
5. Pollock, BE: Effect of carbon arc radiation on cardiac output in dogs, PhD Thesis, Tulane University Medical School, New Orleans, 1953
6. Snyder WS, Ford MR: A dosimetric study for the administration of Neohydrin labeled with <sup>203</sup>Hg and <sup>197</sup>Hg. In *Health Physics Division Annual Progress Report*, Oak Ridge, TN, ORNL 4168, July 31, 1967, pp 267-273
7. Brown HS, Gray CT: New traces in old spaces. *J Nucl Med*: in press

Numbered references to personal communications, unpublished data, manuscripts in preparation, or manuscripts submitted for publication are not acceptable.

**Tables.** A table is a condensation of related data or facts arranged in columns. Tables should be self-explanatory and should supplement, not duplicate, the text. Each table must be referred to in numerical order in the text. Each table must be typed on a separate sheet of paper; tables should be numbered consecutively with arabic numerals and have titles centered in capital letters. They are placed after the references in the manuscripts. The titles should be descriptive and as brief as possible. (Explanatory material should be included in footnotes or the text.) Place horizontal lines above the title, under the title, under column headings, and at the end of the table. Omit all vertical rules.

**Illustrations.** Since imaging is one of the major aspects of nuclear medicine, the selection of high-quality illustrations is of paramount importance. Arrows, lettering, and numbers added to figures must be of professional quality. Original line graphs are preferred for optimal reproduction. Figures of inferior quality or damaged figures as well as those poorly designed or badly lettered will be returned to the author for correction, replacement, or deletion, if indicated. A legend page with descriptive paragraphs for each figure, typed in numerical order with the abbreviation "FIG." preceding each arabic number must be included. Every figure should be identified clearly in the text in numerical order. If the manuscript includes illustrations that have been published previously, permission to reproduce them must be obtained by the author from both the original author and from the original publisher and sent to *The Journal of Nuclear Medicine*. In the submitted manuscript the original publication must be cited in the references, and the following must appear in the figure legend: (reprinted by permission of Ref. X).

**Units and Abbreviations.** Nomenclature, units, and abbreviations should conform to IUPAC recommendations and Systems Internationale (SI). Chemical formulae follow the recommendations of the American Chemical Society.

Manuscripts should be submitted to: Frank H. DeLand, M.D., Editor, *The Journal of Nuclear Medicine*, University of Kentucky Medical Center, Medical Annex #5, Lexington, KY 40506.

## INDEX TO ADVERTISERS

ACKERMAN NUCLEAR, INC. Glendale, CA . . . . .	12A, 13A, 65A, 85A	MEDICAL DATA SYSTEMS Ann Arbor, MI . . . . .	51A
ADAC LABORATORIES Sunnyvale, CA . . . . .	20A	MEDI—PHYSICS, INC. Arlington Heights, IL . . . . .	IFC, 1A
AGFA-GEVAERT REX, INC. White Plains, NY . . . . .	48A, 49A	MEDI—RAY, INC. Tuckahoe, NY . . . . .	81A
AMR CORPORATION Milford, CT . . . . .	50A	NEW ENGLAND APPLIED RESEARCH Natick, MA . . . . .	43A
ATOMIC PRODUCTS Center Moriches, NY . . . . .	16A	NEW ENGLAND NUCLEAR Boston, MA . . . . .	4A, 23A, 24A, 25A, 27A, 28A, 29A, 30A, 31A, 33A, 34A, 35A, 37A, 39A, 76, 77, 78A
BRATTLE INSTRUMENT Cambridge, MA . . . . .	IBC	NUCLEAR ASSOCIATES Carle Place, NY . . . . .	32A
CAPINTEC, INC. Montvale, NJ . . . . .	57A	NUCLEAR PACIFIC Seattle, WA . . . . .	59A
CARDIAC MEDICAL SYSTEMS Northbrook, IL . . . . .	67A	O'NEILL ENTERPRISES Ann Arbor, MI . . . . .	50A, 82A
CLINICAL ASSAYS Cambridge, MA . . . . .	86A	PICKER CORPORATION Highlands, OH . . . . .	44A, 45A
DIAGNOSTIC BIOCHEMISTRY San Diego, CA . . . . .	63A	RADIOCHEMICAL CENTRE Amersham, England . . . . .	17A, 18A, 19A, 66A
DIAGNOSTIC ISOTOPES Bloomfield, NJ . . . . .	42A	RADX CORPORATION Houston, TX . . . . .	3A, 46A, 71A
DUNN INSTRUMENTS San Francisco, CA . . . . .	26A	SEARLE HEALTH PHYSICS Des Plaines, IL . . . . .	38A
EASTMAN KODAK COMPANY Rochester, NY . . . . .	8A, 9A	SNM PLACEMENT New York, NY . . . . .	72A, 73A, 74A, 78A, 79A, 80A
EDC/MEDICAL IMAGING Lowell, MA . . . . .	62A	SPECTRA MED INC. Albuquerque, NM . . . . .	54A
ELSCINT LTD. Haifa, Israel . . . . .	10A	E.R. SQUIBB & SONS, INC. Princeton, NJ . . . . .	15A, 83A
G.E. MEDICAL SYSTEMS Milwaukee, WI . . . . .	53A	TAC INC. Lisle, IL . . . . .	47A
INFORMATEK STATES, INC. Atlanta, GA . . . . .	52A	TECHNICAL ASSOCIATES Canoga Park, CA . . . . .	36A
JOHNSTON LABORATORIES Cockeysville, MD . . . . .	11A	TECHNICARE Solon, OH . . . . .	40A, 41A
R.S. LANDAUER, JR. & CO. Glenwood, IL . . . . .	14A	UNION CARBIDE CORP. Rye, NY . . . . .	55A, 56A, BC
MALLINCKRODT, INC. St. Louis, MO . . . . .	21A, 22A, 69A, 70A	UNION CARBIDE CORPORATION Tuxedo, NY . . . . .	6A, 60A, 61A
MATRIX, INC. Norwood, NJ . . . . .	75A		