

Volume 31, Number 4  
April 1990



## SNM NEWSLINE

### BEIR V Report: Experts Urge Cautious Interpretation of Higher Risk Estimates

*Sarah M. Tilyou* ..... 13A

### NRC Reissues QA Rule for Medical Licensees

*Sarah M. Tilyou* ..... 22A

### SNM Committee to Examine Relocation of National Office

..... 24A

### News Briefs:

#### Utah Applies to NRC for Additional Waste Disposal Authority

..... 26A

Nuclear Medicine Week Update ..... 26A

## HUMAN STUDIES

### Association Between Number and Sites of New Bone Scan Abnormalities and Presence of Skeletal Metastases in Patients with Breast Cancer

*Arnold F. Jacobson, Paul C. Stomper, Maxine S. Jochelson, Diane M. Ascoli, I. Craig Henderson, and William D. Kaplan* ..... 387

### Comparison of Technetium-99m and Iodine-123 Imaging of Thyroid Nodules: Correlation with Pathologic Findings

*Zvonko Kusić, David V. Becker, Eugene L. Saenger, Peter Paras, Peter Gartside, and Sime Spaventi* ..... 393

### Editorial:

#### Comparison of Technetium-99m and Iodine-123 Nodules: Correlation with Pathologic Findings

*William H. Beierwaltes* ..... 400

### Scintigraphic Detection of Bone and Joint Infections with Indium-111-Labeled Nonspecific Polyclonal Human Immunoglobulin

*Wim J.G. Oyen, Roland A.M.J. Claessens, Jim R. van Horn, Jos W.M. van der Meer, and Frans H.M. Corstens* ..... 403

### Editorial:

#### What is the Best Method for Imaging Focal Infections?

*John G. McAfee* ..... 413

### Immunoscintigraphy of Inflammatory Processes with a Technetium-99m-Labeled Monoclonal Antigranulocyte Antibody (MAb BW 250/183)

*Peter Lind, Werner Langsteger, Peter Költringer, Hans Peter Dimai, Rainer Passl, and Otto Eber* ..... 417

### Comparison of Methods for Calculating Glomerular Filtration Rate: Technetium-99m-DTPA Scintigraphic Analysis, Protein-Free and Whole-Plasma Clearance of Technetium-99m-DTPA and Iodine-125-Iothalamate Clearance

*Jeffrey J. Goates, Kathryn A. Morton, Wesley W. Whooten, Harry E. Greenberg, Frederick L. Datz, Jerry E. Handy, Anthony J. Scuderi, Alan O. Haakenstad, and Robert E. Lynch* ..... 424

### Effect of Background Correction on Separate Technetium-99m-DTPA Renal Clearance

*Amnon Piepsz, André Dobbeleir, and Humphrey R. Ham* ..... 430

### Extrahepatic Uptake of Technetium-99m-Phytate: A Prognostic Index in Patients with Cirrhosis

*Daniel Picard, Claire Infante-Rivard, Jean-Pierre Villeneuve, Raymonde Chartrand, Michel Picard, and Lucie Carrier* ..... 436

### Urine Excretion of Inhaled Technetium-99m-DTPA: An Alternative Method to Assess Lung Epithelial Transport

*Horst Köhn, Beatrix König, Heinrich Klech, Wolfgang Pohl, and Adolf Mostbeck* ..... 441

### Left Ventricular Volume Calculation Using a Count-Based Ratio Method Applied to Multigated Radionuclide Angiography

*Teresa Massardo, Rami A. Gal, Raymond P. Grenier, Donald H. Schmidt, and Steven C. Port* ..... 450

### Simultaneous Assessment of Left Ventricular Wall Motion and Myocardial Perfusion with Technetium-99m Methoxy Isobutyl Isonitrile at Stress and Rest in Patients with Angina: comparison with Thallium-201 SPECT

*Javier Villanueva-Meyer, Ismael Mena, and Kenneth A. Narahara* ..... 457

## LABORATORY STUDIES

### Effect of Metabolic Inhibition on Technetium-99m-MIBI Kinetics in Cultured Chick Myocardial Cells

*David Pivnicka-Worms, James F. Kronauge, Laurence Delmon, B. Leonard Holman, James D. Marsh, and Alun G. Jones* ..... 464

### Yttrium-90-Labeled Monoclonal Antibody for Therapy: Labeling by a New Macrocyclic Bifunctional Chelating Agent


*Shrikant V. Deshpande, Sally J. DeNardo, David L. Kukis, Min K. Moi, Michael J. McCall, Gerald L. DeNardo, and Claude F. Meares* ..... 473

### A New Radiochemical Method to Determine the Stability Constants of Metal Chelates Attached to a Protein

*Kalyani M. Subramanian and Walter Wolf* ..... 480

# FIRST IMPRESSIONS

A 29-year old male paraplegic studied for acute bleeding in the right thigh. For acquisition data and diagnosis, turn to page .....429



## Xenon-127m: A New Radionuclide for Applications in Nuclear Medicine

William G. Meyers, J. Robert Dahl, and Martin C. Graham ..... 489

## Attenuation Correction in SPECT Based on Transmission Studies and Monte Carlo Simulations of Build-Up Functions

Michael Ljungberg and Sven-Erik Strand ..... 493

## Enalaprilat-Enhanced Renography in a Rat Model of Renovascular Hypertension

Richard T. Kopecky, John G. McAfee, F. Deaver Thomas, Gunnar H. Anderson, Jr., Bradford Hellwig, Marsha Roskopf, and Debra Patchin ..... 501

## Evaluation of a Remote Radioiodination System for a Radioimmunotherapy

Kevin S. Weadock, Robert M. Sharkey, Donald C. Varga, and David M. Goldenberg ..... 508

## CLINICAL PATHOLOGIC CONFERENCE

### Gallium-67-Citrate Imaging in the Detection of Focal Lesions for Anemia, Proteinuria, and Prolonged Fever

Takashi Misaki, Shigeharu Dokoh, Kenji Yagi, Katsumi Hayakawa, Itsuo Yamamoto, and Shin'ichiro Shimbo ..... 512

## CASE REPORT

### Lymphoscintigraphy for Cystic Hygroma

Izzie Boxen, Zong-Mei Zhang, and Robert Martin Filler ..... 516

## TECHNICAL NOTES

### Iodine-131 Treatment of Graves' Disease Using Modified Early Iodine-131 Uptake Measurements in Therapy Dose Calculations

Anthony A. Hayes, Christine M. Akre, Colum A. Gorman ..... 519

### Influence of pH Adjustment Agents on the Biologic Behavior of Osmium-191 Impurity in Iridium-191m Generator Eluates

Jolie Weininger, David Issacher, Ernesto Lubin, Moshe Zabari, and Jacob Trumper ..... 523

## SPECIAL CONTRIBUTION

### Diagnostic Accuracy and Pitfalls of [Iodine-131]6-Beta-Iodomethyl-19-Norcholesterol (NP-59) Imaging

Ella A. Kazerooni, James C. Sisson, Brahm Shapiro, Milton D. Gross, Albert Driedger, Gilbert A. Hurwitz, Adel G. Mattar, and Neil A. Petry ..... 526

## DEPARTMENTS

### Letters to the Editor

#### Immunoscintigraphy of Colorectal Carcinomas and Recurrences with a Technetium-99m-Labeled Monoclonal Anti-CEA-Antibody (MAB BW 431/26)

Peter Lind ..... 535

#### Reply

A. Bischof-Delaloye ..... 535

#### Support Digital Gamma Camera

Tsur Bernstein ..... 536

#### Reply

John E. Freitas ..... 536

#### Statistical Artifact in DPA Measurements at Low Count Rates

James A. Sorenson ..... 537

#### Dual-Photon Absorptiometry: Depleted Sources Inappropriate in Obese Patients with Narrow Collimation

Richard B. Mazess ..... 538

#### Reply to Dr. Sorenson

Maria DaCosta, Stanley J. Goldsmith, Diane Meier, and Marjorie Luckey ..... 539

#### Reply to Dr. Mazess

Maria DaCosta, Stanley J. Goldsmith, Diane Meier, and Marjorie Luckey ..... 539

## Book Reviews

### Scintigraphy of Inflammation with Nanometer-sized Colloidal Tracers

Ronald Weiner ..... 541

### Positron Emission Tomography in Clinical Research and Clinical Diagnosis: Tracer Modelling and Radioreceptors

Carroll D. Arnett ..... 541

Information for Authors ..... 29A

Calendar ..... 31A

Index to Advertisers ..... 37A

Classified Advertising ..... 38A

New Products ..... 43A