

15. Carrasquillo AC, Bunn PA, Keenan AM, et al. Radioimmunodetection of cutaneous T-cell lymphoma with In-111-labeled T101 monoclonal antibody. *N Engl J Med* 1986;315:673-680.
16. Colcher D, Esteban JM, Carrasquillo JA, et al. Quantitative analyses of selective radiolabeled monoclonal antibody localization in metastatic lesions of colorectal cancer patients. *Cancer Res* 1987;47:1185-1189.
17. Eary JF, Press OW, Badger CC, et al. Imaging and treatment of B-cell lymphoma. *J Nucl Med* 1990;31:1257-1268.
18. Granowska M, Mather SJ, Britton KE. Diagnostic evaluation of In-111 and Tc-99m radiolabelled monoclonal antibodies in ovarian and colorectal cancer: correlations with surgery. *Nucl Med Biol* 1991;18:413-424.
19. Halpern SE. The advantages and limits of indium-111 labeling of antibodies; experimental studies and clinical applications. *Nucl Med Biol* 1986;13:195-201.
20. Khaw BA, Cooney J, Edgington T, Strauss W. Differences in experimental tumor localization of dual-labeled monoclonal antibody. *J Nucl Med* 1986;27:1293-1299.
21. Perkins AC, Pimm MV. Difference in tumour and normal tissue concentrations of iodine- and indium-labelled monoclonal antibody. *Eur J Nucl Med* 1985;11:295-304.
22. Halpern SE, Dillman RO, Witzum KF, et al. Radioimmunodetection of melanoma utilizing In-111 96.5 monoclonal antibody: a preliminary report. *Radiology* 1985;155:493-499.
23. Taylor A, Milton W, Eyre H, et al. Radioimmunodetection of human melanoma with indium-111-labeled monoclonal antibody. *J Nucl Med* 1988;29:329-337.
24. Carrasquillo JA, Abrams PG, Schroff RW, et al. Effect of antibody dose on the imaging and biodistribution of Indium-111 9.2.27 anti-melanoma monoclonal antibody. *J Nucl Med* 1988;29:39-47.
25. Halpern SE, Hagan PL, Chen A, et al. Distribution of radiolabeled human and mouse monoclonal IgM antibodies in murine models. *J Nucl Med* 1988;29:1688-1696.
26. Ryser JE, Carrel S, Buchegger F, Donath A. Immunoscintigraphy with biosynthetically-labeled ⁷⁵Se-antibodies. I: biodistribution of the ⁷⁵Se-MABs and of the free radionuclide. *Nucl Med Biol* 1990;17:487-494.
27. Ryser JE, Carrel S, Buchegger F, Donath A. Immunoscintigraphy with biosynthetically-labeled ⁷⁵Se-antibodies. 2: comparison with antibodies labeled by radioiodination. *Nucl Med Biol* 1990;17:495-497.

CORRECTION

Due to a production error, in the August 1992 issue of the *Journal*, Figures 1 and 2 in the article "Reversible Thallium-201 Perfusion Defects of the Septal and Inferoapical Segments in a Patient with Incomplete Right-to-Left Bundle Branch Block and Normal Coronary Angiogram" by Shih et al. were labeled incorrectly. The corrected figures are shown below.




FIGURE 1. Left anterior oblique projection of coronary angiogram shows normal appearance of septal, left anterior descending, diagonal and circumflex arteries.



FIGURE 2. Thallium-201-chloride myocardial images on left anterior oblique views show decrease perfusion in the septal and inferoapical walls during stress (S) and redistribution of these areas at rest (R) consistent with an ischemic pattern.