

- fragment D-dimer. *J Biol Chem* 1991;266:16343-16349.
36. Knight LC, Radcliffe R, Maurer AH, Rodwell JD, Alvarez VL. Thrombus imaging with technetium-99m synthetic peptides based upon the binding domain of a monoclonal antibody to activated platelets. *J Nucl Med* 1994;35:282-288.
37. Rosebrough SF. Pharmacokinetics and biodistribution of radiolabeled avidin, streptavidin, and biotin. *Nucl Med Biol* 1993;20:663-668.
38. Rosebrough SF. Plasma stability and pharmacokinetic of radiolabeled deferoxamine-biotin derivatives. *J Pharmacol Exp Ther* 1993;265:408-415.
39. Lister-James J, Moyer BR, Buttram S, Knight LC, Vallabhajosula S, Dean RT. A structure-activity-relationship (SAR) study of GPIIb/IIIa receptor-binding peptides radiolabeled with ^{99m}Tc for imaging thromboembolism. *J Nucl Med* 1994;35:257P.
40. Knight LC, Maurer AH, Romano J, Buczala S. Preliminary evaluation of labeled disintegrins (snake venom peptides) for thrombus imaging [Abstract]. *J Nucl Med* 1993;34:66P.
41. Muto P, Lastoria S, Varella P, et al. Detection of deep venous thrombosis by Tc-99m-labelled synthetic peptides P-280: preliminary results [Abstract]. *J Nucl Med* 1994;35:80P.
42. Knight LC, Abrams MJ, Schwartz DA, et al. Preparation and preliminary evaluation of technetium-99m-labeled fragment E1 for thrombus imaging. *J Nucl Med* 1992;33:710-715.
43. Knight LC, Lister-James J, Dean RT, Maurer AH. Evaluation of ^{99m}Tc-labeled cyclic peptides for thrombus imaging [Abstract]. *J Nucl Med* 1993;34:17P.

ERRATUM

Due to a production error, a formula in the article "Evaluation of Thrombocytopenia in Patients Treated with Rhenium-186-HEDP: Guidelines for Individual Dosage Recommendations" by J.M.H. de Klerk et al. (*J Nucl Med* 1994;35:1426-1428) was printed incorrectly. The formula should be:

Dosage (MBq) =

$$\frac{BSA * [(1 - 75/\text{baseline count}) * 100 - 0.714 * BSI + 0.008 * BSI^2 - 2.994]}{0.018 * 1.73}$$