



By eliminating the disadvantages of earlier methods, the Triosorb Sponge has achieved a real breakthrough in thyroid testing. It is an in vitro test unmatched in accuracy, speed and convenience.

**Accuracy:** Because factors such as red blood cells and exogenous iodine have been eliminated from consideration in the Triosorb Test, it is unmatched in accuracy.

**Speed:** With only 3 washes and no need for double pipettings, shakers, or incubators, the Triosorb Test can be

# revolutionized thyroid testing!

more rapidly performed than any other T-3 test.

**Convenience:** Triosorb is in a disposable kit ready for immediate use at room temperature, making it the simplest and most convenient thyroid function test to perform.

McAdams\* reported that "The resin sponge (Triosorb) technique is superior to the erythrocyte method for performing the  $I^{131}$  T3 test in terms of simplicity, convenience and elimination of errors characteristic of the erythrocyte procedure."

**Triosorb is available to all doctors, hospitals and clinical laboratories—AEC licensing is not required. Because Triosorb will enable far more screenings to be performed, this procedure may soon become as standard as today's blood counts and urinalyses.**



\*McAdams, G. B. and Reinfrank, R. F., *Jnl. Nuclear Med.*, 5:112, Feb., 1964.

**TRIOSORB®**  
**T-3 DIAGNOSTIC KIT**  
**ABBOTT LABORATORIES NORTH CHICAGO, ILL.**



MODEL 12T-015

**TRANSISTORIZED  
POWER SUPPLY**


Continuously adjustable 400-3000 volts  
Low voltage: Line regulation better than  $\pm 0.05\%$   
High voltage: Line regulation  $\pm 0.003\%$



MODEL 01T-002

**TRANSISTORIZED  
LINEAR AMPLIFIER**

Input sensitivity:  $0.05 \mu\text{A}$   
Clipping: Double DL or RC  
Current pulse can be integrated to provide voltage pulse output  
Rise time better than 50 nano sec.



MODEL 03T-002

**TRANSISTORIZED  
PULSE HEIGHT ANALYZERS**


Three models available:  
Integral Discriminator  
Manual  
Automatic Scan



MODEL 11T-001

**TRANSISTORIZED  
LINEAR RATEMETER**

6 ranges—4 time constants  
Alarm circuit  
10mv recorder output  
Range suppress  
Input impedance: 50 ohms  
Input sensitivity:  $10\text{-}500 \mu\text{A}$



MODEL PA-20

**TRANSISTORIZED  
PREAMPLIFIER**

Gain: Adjustable, 70 to 400  
Rise time: 200 nano seconds  
Noise: Less than  $0.05 \mu\text{a}$   
Power requirement:  $-9\text{V}$ , 3 mA

KOBE KOGYO  
  
CORPORATION

Manufactured exclusively for  
NUCLEAR SUPPLIES by the world's  
first company to successfully build  
transistorized nuclear equipment,  
Kobe Kogyo Corporation of Japan.

Complete line of instruments,  
modules, automatic systems and  
accessories listed in new catalog.  
Write to P.O. Box 312, Encino,  
California, or Telephone,  
Area Code 213, 787-1722.





The Volk Radiochemical Company has been producing radiopharmaceuticals and radiochemicals for human and research use for the past ten years. This is our only business. Continued technological improvements and innovations have been constant goals as exemplified by our pioneering production of Iodine-125 as a useful medical isotope and our introduction of the "Silver Saddle" which removes free iodide from iodinated organic compounds such as Hippuran.

*Twenty separate individual isotopic dose products are available in standard and special potencies.*

**CONVENIENT**—to the world's busiest airport (Chicago's O'Hare) insures delivery tomorrow via Air Express to any one of 21,000 U. S. cities.

Collect call ordering  
to our  
Skokie, Illinois laboratory  
(area code 312 673-3760)





or Burbank, California  
laboratory  
(area code 213 849-6023)  
assures you that your orders  
are handled as specified.

*Write for the 1965 Volk Radiomedicines catalog.*



**RADIOCHEMICAL COMPANY**

**CHICAGO**—8260 Elmwood Ave., Skokie, Ill.  
**LOS ANGELES**—803 N. Lake St., Burbank, Calif.  
**WASHINGTON**—P.O. Box 335, Silver Spring, Md.  
**NEW YORK**—P.O. Box 345, New York, N. Y.



NUC-D-5-224

## ON TAP: ADVANCED SCANNING

**OUTPUT.** Dot scans with a truly digital presentation of isotope distribution. Produced by the Rapi/Dot™ high-speed tapper in Nuclear-Chicago's Pho/Dot® scanner. Sharp, one-dot per one-count readout explains growing reliance on Pho/Dot's high-fidelity scans for easy interpretation.

**ADVANTAGES:** New line spacing control to overlap rows of dots and minimize line structure of scan. Clean, clear records on paper—no odor or blooming. Rapi/Dot tapper follows extremely high count rates without jamming. Produces dot scans approaching gray scale of photo scans.

**COORDINATION.** Simultaneous production of Rapi/Dot scan on paper and photo record on X-ray film. Background suppression on either or both systems for greater definition. Result: dot and photo records unmatched for readability and resolution.

**ON TAP: MORE FACTS.** Full information on Pho/Dot's human-engineered design, foolproof operation, and functional convenience from three sources. Your colleagues. Your Nuclear-Chicago sales engineer. Or write us.




**NUCLEAR-CHICAGO**

A DIVISION OF NUCLEAR CHICAGO CORPORATION

313 Howard, Des Plaines, Ill. 60018 U.S.A.

In Europe: Donker Curtiusstraat 7  
Amsterdam W, The Netherlands

*Scientists and engineers interested in challenging career opportunities are invited to contact our personnel director.*



wishing well?

get your wish  
for a **WELL**  
counting system  
at much less cost

Feature by feature, the Tracerlab well counting system matches or exceeds the specifications of other systems costing up to twice as much. See for yourself: 525 lbs. of lead shielding • modular construction for mobility • a full 3" of lead shielding at the side • 5" of top shielding • hinged-lid top accommodates 5 and 15 cc test tube with lid closed — even 4 1/2" diameter beaker • well shield complete as described: \$1295 — the only one at this price. Extra heavy duty units...\$2,400.

Choose from three different scalars, each one the top-performing unit in its class. Select from two scintillation probes with a full two or three inch diameter crystal, each one with a choice of two different diameter wells.


Well counting systems are becoming indispensable in the modern medical diagnostic lab. It makes sense to settle for the highest performance at the lowest price, from the first name in nuclear counting:



## TRACERLAB

A DIVISION OF LABORATORY FOR ELECTRONICS, INC.  
WALTHAM, MASSACHUSETTS 02154

• Film Badge Service • Health Physics • Bioassays • Sources •  
Nuclear Instrumentation • Radiochemicals • Radioactive Waste Disposal •  
Radiation Monitoring Instrumentation • Isotope Applications




— Curve of same event made by ratemeter with ratemeter time constant equal to integration time of computer.

## record dynamic function *without equilibrium lag*

The Picker DUAL RATE COMPUTER gives you histogram curves without ratemeter distortion and lag. It can also print digital data at rates up to ten times per second.

30	00185	04855
29	00122	04670
28	00104	04548
27	00069	04444
26	00083	04375
25	00070	04292
24	00068	04222
23	00054	04154
22	00060	04100
21	00093	04040
20	00083	03947
19	00141	03864
18	00172	03723
17	00313	03551
	0018	03238
		020




Each channel can serve one detector, or one channel can record the integral of data displayed by the other.

PICKER-NUCLEAR

Division/PICKER X-RAY CORPORATION

White Plains, New York

**PICKER**  
nuclear



 **MEDOTOPES®**  
**SQUIBB RADIOPHARMACEUTICALS**

Medotopes reflect the latest developments in nuclear medicine. All provide the utmost in safety and convenience. All have unique packaging safeguards so that direct contact is never required. Exclusive lead shield enclosures are fitted with bottle caps that unscrew automatically. Saf-Tag® vials and bottles are carefully encased and double protected by transparent, shatterproof plastic coatings, and shipping cartons have convenient "pull-tab" openers. And, each preparation is custom-handled, each delivery custom-routed by Squibb Traffic Service. Access to three major airports expedites shipment.

Squibb Radiopharmaceuticals are available to the AEC-licensed physician. For full information, write to Professional Service Dept., Squibb, 745 Fifth Avenue, New York 22, N. Y.

**SQUIBB**  
Squibb Quality—the Priceless Ingredient




# A Valuable Addition To Your Professional Library

*Journal of*

**NUCLEAR**



*Official Publication  
Society of Nuclear Medicine*



## **AN IMPORTANT NEW JOURNAL**

*featuring*

Original articles in clinical medicine, basic and clinical medical research, physics and chemistry dealing with the use of isotopes in humans, and articles on related subjects. The latter includes dosimetry, instrumentation, protection, techniques, biologic effects contributing to the use or effects of isotopes in clinical medicine or the clinical effects of ionizing radiation.

George E. Thoma, M.D., St. Louis—*Editor*

G. O. Broun, Jr., M.D., St. Louis, Titus C. Evans, Ph.D., Iowa City,

Neil Wald, M.D., Pittsburgh, Eugene L. Saenger, M.D., Cincinnati—*Associate Editors*

-----

**The Journal of NUCLEAR MEDICINE**

333 North Michigan Avenue, Chicago, Illinois 60601

\$20.00 per year, U.S.    \$21.00 Foreign

Name.....

Address.....


City..... State..... Zip Code.....

*Please remit by check or money order.*

-----

**Published  
Monthly**





**the Tracerlab watchdog  
stands guard over  
more film badges than  
any other monitoring service**

Every day of the week, every week of the year, the Tracerlab film badge service handles more dosimetry badges than any other service. Two reasons: complete customer confidence, computer-processing for sure-fire, super-fast returns. Turn to Tracerlab Twin-film badge service for exposure measurement of beta, gamma, neutron, x-ray or mixed radiation. They wrote the book.

And the Tracerlab watchdog sniffs out the data you may need in health physics: bioassay • environmental analysis • fission and corrosion products analysis • activation analysis • neutron absorption measurement • radioisotope applications • radiation warning labels, tapes and signs.

The Tracerlab watchdog stands for security. Count on him.

**LFE** | **T R A C E R L A B**  
A Division of Laboratory For Electronics, Inc.  
WALTHAM, MASSACHUSETTS 02154

• Film Badge Service • Health Physics • Bioassays • Sources  
• Nuclear Instrumentation • Radiochemicals • Radioactive Waste Disposal  
• Radiation Monitoring Instrumentation • Isotope Applications

---

## Advertising Index

Journal of Nuclear Medicine

August, 1965

<b>Abbott Laboratories</b>	
North Chicago, Illinois	IFC, i
<b>Nuclear-Chicago</b>	
Des Plaines, Illinois	BC, vii
<b>Nuclear Supplies</b>	
Encino, California	iii
<b>Ohio-Nuclear</b>	
Cleveland, Ohio	IBC
<b>Picker-X-Ray Corporation</b>	
White Plains, New York	x
<b>Squibb, E. R. &amp; Sons</b>	
New York, New York	xi
<b>Tracerlab</b>	
Waltham, Massachusetts	viii, xxiv
<b>Volk Radiochemical Company</b>	
Chicago, Illinois	v

---

# Large Crystal Radioisotope Scanners


OHIO-NUCLEAR  
Model 54



## FEATURES:

- Soundly engineered—research proven in use.
- 200 inches (500 cm) per minute scanning speeds.
- Choice of above or beneath table scanning.
- Dual Scanner capability—now or later.
- Gammagraphic Photoscan & Dot-tapper.
- Prompt service by capable factory engineers.
- 5-inch crystal scanner price—\$16,750.
- 8-inch crystal scanner price—\$20,700.

*For Full Information* WRITE OR CALL US • WE BELIEVE YOU WILL BE GLAD YOU DID.




**OHIO-NUCLEAR, INC.**

1725 FALL AVENUE

CLEVELAND, OHIO

216 - 621-8477

*Pho/Gamma Camera derives from the work of H. O. Anger.*



NUC-D-5-225

## EXCELLENCE TIMES TWO

**CLINICAL WORKHORSE.** One side of Pho/Gamma™, the sensitive, high-speed scintillation camera from Nuclear-Chicago. Proved clinical usefulness for large patient loads. Three to ten times faster than our own Pho/Dot® isotope scanner. Result: economy for hospitals with heavy scanning schedules.

**RESEARCH SOPHISTICATE.** A second side of Pho/Gamma. Research capability using rapid-sequence, stop-motion pictures—"isotope movies." Never-before-possible dynamic studies of body processes. Totally new areas of investigation.

**THE BEST OF BOTH.** For clinical diagnosis. For research. A single, field-tested, performance-proved instrument. One way to get both isotope-distribution pictures and stop-motion images of dynamic processes with unprecedented speed and sensitivity.

**JUST FOR THE ASKING.** Detailed accounts of Pho/Gamma's successes. From those clinicians and researchers already using it. From your Nuclear-Chicago sales engineer. And from us—please write.



**NUCLEAR-CHICAGO**

A DIVISION OF NUCLEAR-CHICAGO CORPORATION

**313 Howard, Des Plaines, Ill. 60018 U.S.A.**

In Europe: Donker Curtiusstraat 7  
Amsterdam W, The Netherlands

*Scientists and engineers interested in challenging career opportunities are invited to contact our personnel director.*