

3. Osman MM, Muzaffar R, Altinyay ME, Teymouri C. FDG dose extravasations in PET/CT: frequency and impact on SUV measurements. *Front Oncol.* 2011;1:41.
4. Sonoda LI, Ghosh-Ray S, Sanghera B, Dickson J, Wong WL. FDG injection site extravasation. *Clin Nucl Med.* 2012;37:1115–1116.
5. Stone HB, Coleman CN, Anscher MS, McBride WH. Effects of radiation on normal tissue: consequences and mechanisms. *Lancet Oncol.* 2003;4:529–536.
6. Wang CL, Cohan RH, Ellis JH, Adusumilli S, Dunnick NR. Frequency, management, and outcome of extravasation of nonionic iodinated contrast medium in 69,657 intravenous injections. *Radiology.* 2007;243:80–87.
7. Bellin M-F, Jakobsen JÅ, Tomassin I, Thomsen HS, Morcos SK; Contrast Media Safety Committee of the European Society of Urogenital Radiology. Contrast medium extravasation injury: guidelines for prevention and management. *Eur Radiol.* 2002;12:2807–2812.
8. Hung JC, Ponto JA, Hammes RJ. Radiopharmaceutical-related pitfalls and artifacts. *Semin Nucl Med.* 1996;26:208–255.
9. Shih WJ, Collins J, Kiefer V. Visualization in the ipsilateral lymph nodes secondary to extravasation of a bone-imaging agent in the left hand: a case report. *J Nucl Med Technol.* 2001;29:154–155.
10. Giammarile F, Mognetti T, Paycha F. Injection artefact displaying “sock” pattern on bone scan: “glove” sign equivalent resulting from bisphosphonate-(^{99m}Tc) injection in foot venous system. *Eur J Nucl Med Mol Imaging.* 2014;41:1644–1645.
11. Chatterton BE, Vannitambay M, Cook DJ. Lymph node visualisation: an unusual artefact in the ^{99m}Tc-pyrophosphate bone scan. *Eur J Nucl Med.* 1980;5:187–188.
12. Ongseng F, Goldfarb CR, Finestone H. Axillary lymph node uptake of technetium-99m-MDP. *J Nucl Med.* 1995;36:1797–1799.
13. Nguyen BD. Technetium-99m MDP extravasation with cutaneous pattern of ulnar innervation. *Clin Nucl Med.* 2004;29:640–641.
14. Chammas M, Boretto J, Burmann LM, Ramos RM, dos Santos Neto FC, Silva JB. Carpal tunnel syndrome—part I (anatomy, physiology, etiology and diagnosis). *Revista Brasileira de Ortopedia (English ed.).* 2014;49:429–436.
15. Atroshi I. Prevalence of carpal tunnel syndrome in a general population. *JAMA.* 1999;282:153–158.
16. Jackson R, Beckman J, Frederick M, Musolin K, Harrison R. Rates of carpal tunnel syndrome in a state workers’ compensation information system, by industry and occupation—California, 2007–2014. *MMWR Morb Mortal Wkly Rep.* 2018;67:1094–1097.
17. Wong TZ, Benefield T, Masters S, et al. Quality improvement initiatives to assess and improve PET/CT injection infiltration rates at multiple centers. *J Nucl Med Technol.* 2019;47:326–331.
18. McIntosh CJ, Jonathan A. Frequency of interstitial radiotracer injection for patients undergoing bone scan [abstract]. In: *Canadian Association of Radiologists 79th Annual Scientific Meeting Program Book.* Canadian Association of Radiologists; 2016:78.
19. Davenport MS, Wang CL, Bashir MR, Neville AM, Paulson EK. Rate of contrast material extravasations and allergic-like reactions: effect of extrinsic warming of low-osmolality iodinated CT contrast material to 37°C. *Radiology.* 2012;262:475–484.
20. Hannon MG, Lee SK. Extravasation injuries. *J Hand Surg [Am].* 2011;36:2060–2065.
21. Shapiro B, Pillay M, Cox PH. Dosimetric consequences of interstitial extravasation following IV administration of a radiopharmaceutical. *Eur J Nucl Med.* 1987;12:522–523.

Erratum

In the article “Precision Surgery Guided by Intraoperative Molecular Imaging,” by Azari et al. (*J Nucl Med.* 2022;63:1620–1627), Figure 3 contains an error: images in the “In situ visualization” column are switched. The corrected figure appears below. The authors regret the error.

