

ARTICLES

OPTIMIZATION OF TIMING AND POSITIONING OF THE
TECHNETIUM BRAIN SCAN
Marshall S. Miller and Guy H. Simmons..... 429

BONE SCINTIGRAPHY WITH ⁴⁷Sc AND THE SCINTILLATION
CAMERA
B. Basse-Cathalinat, P. Blanquet, G. Collignon and J. Mirande-Iriberry 436

CLINICAL MEASUREMENT OF PLASMA-PROTEIN SYNTHESIS
Hassan K. Awwad and E. James Potchen 439

DOT SCANNING USING LOGARITHMIC TAPPER AND
ADJACENT AREA AVERAGING
Robert O. Smith 447

VENTILATION-PERFUSION RELATIONSHIP IN HUMANS
MEASURED BY SCINTILLATION SCANNING
Asher Marks, Isaac Chervony, Robert Lankford, Edward M. Smith,
Albert J. Gilson and William Smoak 450

DIAGNOSIS OF NORMAL-PRESSURE HYDROCEPHALUS BY
RISA CISTERNOGRAPHY
David H. Patten and D. Frank Benson 457

ASSAYS OF RADIOACTIVE MATERIALS FOR USE IN PATIENTS
—A FIVE-YEAR STUDY
Patricia A. Cliggett and Joseph M. Brown, Jr. 236
(Omitted from Table of Contents of Vol. 9, No. 6)

PRELIMINARY NOTE

^{113m}In FOR SCANNING BONE AND KIDNEY
Fred S. Mishkin and Isaac C. Reese..... 462

LETTER TO THE EDITOR

DOSIMETRY OF ¹⁹⁷Hg- AND ²⁰⁸Hg-CHLORMERODRIN
Gerald M. Timpe 464

¹⁹⁷Hg-CHLORMERODRIN DOSIMETRY
Bryant L. Jones..... 464

DEFINITION OF NUCLEAR MEDICINE
Howard J. Cohn..... 465

CALENDAR 466

