

SUPPLEMENTAL TABLE 1. Changes in treatment for 23 patients with nasal type NK/T-cell lymphoma based on an ¹⁸F-FDG PET/CT scan

No.	Sex/Age	CSMs stage	PET stage	Final stage	Note
1	F/66	IIEA	IVA	IVA	Treatment plan changed from CCRT to CTx
2	M/60	IIEB	IVB	IVB	Treatment plan changed from CCRT to CTx
3	M/26	IEA	IEA	IEA	RT field extended to retropharyngeal space
4	F/43	IIEA	IIEA	IIEA	RT field extended to cover more regions in unilateral cervical lymphatic chain
5	M/54	IEB	IIEB	IIEB	RT field changed to cover both cervical lymphatic chains
6	M/27	IEB	IEB	IEB	RT field changed to cover both cervical lymphatic chains
7	M/46	IEB	IIEB	IIEB	RT field changed to cover both cervical lymphatic chains
8	M/45	IEB	IIEB	IIEB	RT field changed to cover both cervical lymphatic chains
9	M/47	IEA	IEA	IIEA	RT field changed to cover both cervical lymphatic chains
10	M/51	IIEA	IIEA	IIEA	RT field changed to cover both cervical lymphatic chains
11	M/65	IEB	IIEB	IIEB	RT field changed to cover both cervical lymphatic chains
12	F/55	IEA	IIEA	IIEB	RT field changed to cover both cervical lymphatic chains
13	M/73	IEA	IIEA	IIEA	RT field changed to cover both cervical lymphatic chains
14	M/50	IEA	IEA	IEA	RT field changed to cover both cervical lymphatic chains
15	F/40	IEA	IIEA	IIEA	RT field changed to cover both cervical lymphatic chains
16	F/50	IEA	IIEA	IIEA	RT field changed to cover both cervical lymphatic chains
17	M/51	IEA	IEA	IEA	RT field changed to cover both cervical lymphatic chains
18	F/42	IEB	IEB	IEB	RT field changed to cover both cervical lymphatic chains
19	M/24	IEB	IEB	IEB	RT field changed to cover both cervical lymphatic chains
20	M/44	IEB	IEB	IEB	RT field changed to cover both cervical lymphatic chains
21	M/50	IEA	IEA	IEA	RT field changed to cover both cervical lymphatic chains
22	M/44	IEB	IEB	IEB	RT field changed to cover both cervical lymphatic chains
23	M/57	IEB	IIEB	IIEB	RT field changed to cover both cervical lymphatic chains

CTx, chemotherapy; CCRT, concurrent chemoradiation therapy; RT, radiation therapy.