

Scan #1	Lesions	SUVmax	Size	Scan #2	Lesions	SUVmax	Size	DeltaSUVAbsolute	DeltaSUV%
Patient #1	Left para-aortic LN	3.9	0.4	Left para-aortic LN	N/A	0.4		-3.9	-100
	Left para-aortic LN	11.4	0.3	Left para-aortic LN	N/A	0.3		-11.4	-100
	Left prostate	20.2	N/A	Left prostate	N/A	N/A		-20.2	-100
	Right prostate	9.9	N/A	Right prostate	N/A	N/A		-9.9	-100
Patient #2	Left common iliac LN	16.0	1.9	Left common iliac LN	3.1	0.8		-12.9	-80.625
Patient #3	Paraesophageal LN	11.8	0.3	Paraesophageal LN	N/A	N/A		-11.8	-100
	Left para-aortic LN	42.8	0.6	Left para-aortic LN	N/A	0.2		-42.8	-100
	Left para-aortic LN	50.9	0.5	Left para-aortic LN	5.7	0.3		-45.2	-88.80157171
	Left para-aortic LN	46.3	0.3	Left para-aortic LN	N/A	0.3		-46.3	-100
	Left para-aortic LN	65.2	0.6	Left para-aortic LN	9.2	0.4		-56	-85.88957055
	Aortocaval LN	61.5	0.5	Aortocaval LN	N/A	0.2		-61.5	-100
	Left para-aortic LN	35.0	0.4	Left para-aortic LN	N/A	0.2		-35.0	-100
	Left para-aortic LN	40.8	0.3	Left para-aortic LN	9.9	0.3		-30.9	-75.73529412
	Aortocaval LN	37.6	0.3	Aortocaval LN	3.9	0.2		-33.7	-89.62765957
	Retrocaval LN	36.9	0.6	Retrocaval LN	11.8	0.4		-25.1	-68.02168022
	L3	46.5	N/A	L3	N/A	N/A		-46.5	-100
	Right common iliac LN	53.9	0.5	Right common iliac LN	N/A	N/A		-53.9	-100
	Left common iliac LN	52.3	0.5	Left common iliac LN	N/A	0.2		-52.3	-100
	Right common iliac LN	57.2	0.5	Right common iliac LN	N/A	0.2		-57.2	-100
	Aortic bifurcation LN	25.9	0.3	Aortic bifurcation LN	N/A	N/A		-25.9	-100
	Left common iliac LN	57.4	0.9	Left common iliac LN	16.2	0.6		-41.2	-71.77700348
	Left internal iliac LN	21.7	0.3	Left internal iliac LN	N/A	N/A		-21.7	-100
	Right external iliac LN	5.4	0.3	Right external iliac LN	5.5	0.3		0.1	1.851851852
	Left external iliac LN	8.0	0.5	Left external iliac LN	6.2	0.5		-1.8	-22.5
	Left external iliac LN	49.8	0.6	Left external iliac LN	8.1	0.4		-41.7	-83.73493976
	Left external iliac LN	30.4	0.3	Left external iliac LN	N/A	N/A		-30.4	-100
	Left internal iliac LN	16.3	0.3	Left internal iliac LN	N/A	N/A		-16.3	-100
Right seminal vesicle	18.1	N/A	Right seminal vesicle	N/A	N/A		-18.1	-100	
Left sciatic nerve implant	13.1	N/A	Left sciatic nerve implant	N/A	N/A		-13.1	-100	
Patient #4	C4	2.1	N/A	C4	N/A	N/A		-3.9	-100
	C4	2.4	N/A	C4	N/A	N/A		-3.9	-100
	C5	1.3	N/A	C5	1.8	N/A		0.5	38.46153846
	C6	1.6	N/A	C6	N/A	N/A		-3.0	-100
	C6	1.3	N/A	C6	N/A	N/A		-2.4	-100
	T2 transverse process	3.6	N/A	T2 transverse process	2.2	N/A		-1.4	-38.88888889
	T3	6.0	N/A	T3	2.0	N/A		-4.0	-66.66666667
	T3	3.2	N/A	T3	2.1	N/A		-1.1	-34.375
	Manubrium	5.3	N/A	Manubrium	7.4	N/A		2.1	39.62264151
	Left rib #2	2.4	N/A	Left rib #2	1.4	N/A		-1	-41.66666667
	Left rib #2	5.2	N/A	Left rib #2	3.9	N/A		-1.3	-25
	Left scapula	0.8	N/A	Left scapula	N/A	N/A		0.8	-100

	T4	18.3	N/A	T4	12.4	N/A	-5.9	-32.24043716
	T5	4.8	N/A	T5	3.0	N/A	-1.8	-37.5
	T5	3.2	N/A	T5	2.2	N/A	-1	-31.25
	Left rib #5	2.3	N/A	Left rib #5	3.3	N/A	1	43.47826087
	Left hilum LN	4.0	0.5	Left hilum LN	4.0	0.5	0	0
	Right hilum LN	9.3	0.5	Right hilum LN	5.5	0.5	-3.8	-40.86021505
	Right rib #5	N/A	N/A	Right rib #5	2.9	N/A	2.9	100
	T5	N/A	N/A	T5	3.7	N/A	3.7	100
	Right hilum LN	9.3	0.5	Right hilum LN	8.9	0.8	-0.4	-4.301075269
	Left hilum LN	5.3	0.6	Left hilum LN	5.2	0.6	-0.1	-1.886792453
	T7	27.5	N/A	T7	14.4	N/A	-13.1	-47.63636364
	T7	23.4	N/A	T7	10.4	N/A	-13	-55.55555556
	Left rib #7	10.9	N/A	Left rib #7	1.8	N/A	-9.1	-83.48623853
	Left rib #3	3.9	N/A	Left rib #3	2.4	N/A	-1.5	-38.46153846
	Sternum	5.9	N/A	Sternum	2.8	N/A	-3.1	-52.54237288
	T9	27	N/A	T9	10.9	N/A	-16.1	-59.62962963
	Left rib #9	14.8	N/A	Left rib #9	11.0	N/A	-3.8	-25.67567568
	T11	49.0	N/A	T11	24.6	N/A	-24.4	-49.79591837
	Aortocaval LN	24.2	0.8	Aortocaval LN	8.1	0.6	-16.1	-66.52892562
	Left para-aortic LN	84.2	1.7	Left para-aortic LN	43.7	1.7	-40.5	-48.09976247
	Aortocaval LN	21.4	0.6	Aortocaval LN	12.4	0.6	-9	-42.05607477
	Right common iliac LN	7.7	0.4	Right common iliac LN	5.9	0.4	-1.8	-23.37662338
	Right iliac	6.7	N/A	Right iliac	3.5	N/A	-3.2	-47.76119403
	Right iliac	2.8	N/A	Right iliac	4.0	N/A	1.2	42.85714286
	Sacrum	13.2	N/A	Sacrum	3.0	N/A	-10.2	-77.27272727
	Sacrum	5.1	N/A	Sacrum	5.4	N/A	0.3	5.882352941
Patient #5	Left supraclavicular LN	20.2	1.2	Left supraclavicular LN	11.2	1.1	-9	-44.55445545
	Left supraclavicular LN	15.8	0.8	Left supraclavicular LN	11.6	0.4	-4.2	-26.58227848
	Left supraclavicular LN	9.2	0.4	Left supraclavicular LN	N/A	N/A	-9.2	-100
	Left supraclavicular LN	13.6	1.0	Left supraclavicular LN	11.7	0.5	-1.9	-13.97058824
	Left supraclavicular LN	11.2	0.6	Left supraclavicular LN	N/A	N/A	-11.2	-100
	Left supraclavicular LN	N/A	N/A	Left supraclavicular LN	6.2	0.4	6.2	100
	Left axillary LN	13.9	0.6	Left axillary LN	N/A	N/A	-13.9	-100
	Left axillary LN	13.0	0.6	Left axillary LN	9.8	0.6	-3.2	-24.61538462
	Left scapula	8.2	N/A	Left scapula	17.8	N/A	9.6	117.0731707
	Left axillary LN	12.9	0.8	Left axillary LN	2.7	0.4	-10.2	-79.06976744
	Left axillary LN	11.6	1.2	Left axillary LN	4.9	0.5	-6.7	-57.75862069
	Left axillary LN	11.8	1.0	Left axillary LN	1.9	0.4	-9.9	-83.89830508
	Righth rib #4	20.9	N/A	Right rib #4	N/A	N/A	-20.9	-100
	Sternum	13.0	N/A	Sternum	22.5	N/A	9.5	73.07692308
	T5	6.2	N/A	T5	N/A	N/A	-6.2	-100
	Right rib #7	N/A	N/A	Right rib #7	10.3	N/A	10.3	100

	Right rib #9	18.3	N/A	Right rib #9	7.9	N/A	-10.4	-56.83060109
	Left rib #9	40.7	N/A	Left rib #9	18.5	N/A	-22.2	-54.54545455
	T11	N/A	N/A	T11	12.9	N/A	12.9	100
	Retrocruval LN	6.9	0.3	Retrocruval LN	3.4	0.2	-3.5	-50.72463768
	Retrocruval LN	6.6	0.2	Retrocruval LN	3.1	0.2	-3.5	-53.03030303
	Retrocruval LN	9.8	0.3	Retrocruval LN	6.0	0.3	-3.8	-38.7755102
	T12	20.2	N/A	T12	30.7	N/A	10.5	51.98019802
	Left peri-aortic LN	12.2	0.8	Left peri-aortic LN	8.8	0.4	-3.4	-27.86885246
	Left peri-aortic LN	12.5	0.6	Left peri-aortic LN	N/A	0.3	-12.5	-100
	Retrocaval LN	9.6	1.2	Retrocaval LN	11.4	0.8	1.8	18.75
	L1	N/A	N/A	L1	7.7	N/A	7.7	100
	Left peri-aortic LN	16.5	1.6	Left peri-aortic LN	13.4	0.6	-3.1	-18.78787879
	Left peri-aortic LN	16.5	1.2	Left peri-aortic LN	13.3	1.1	-3.2	-19.39393939
	L1	6.3	N/A	L2	30.5	N/A	24.2	384.1269841
	Precaval LN	8.4	0.7	Precaval LN	8.6	0.7	0.2	2.380952381
	Retrocaval LN	15.9	1.0	Retrocaval LN	2.9	0.4	-13	-81.76100629
	Left peri-aortic LN	18.8	1.2	Left peri-aortic LN	16.2	1.2	-2.6	-13.82978723
	Left iliac	73.7	N/A	Left iliac	32.9	N/A	-40.8	-55.35956581
	Right iliac	7.5	N/A	Right iliac	35.0	N/A	27.5	366.6666667
	Left common iliac LN	22.1	1.2	Left common iliac LN	14.2	1.2	-7.9	-35.74660633
	Sacrum	55.9	N/A	Sacrum	28.4	N/A	-27.5	-49.19499106
	Sacrum	17.2	N/A	Sacrum	28.2	N/A	11	63.95348837
	Left external iliac LN	20.1	1.8	Left external iliac LN	20.5	1.8	0.4	1.990049751
	Right external iliac LN	22.1	1.5	Right external iliac LN	13.8	0.6	-8.3	-37.55656109
	Right iliac	N/A	N/A	Right iliac	14.8	N/A	14.8	100
	Sacrum	85.7	N/A	Sacrum	27.3	N/A	-58.4	-68.14469078
	Right iliac	36.8	N/A	Right iliac	41.6	N/A	4.8	13.04347826
	Left sciatic nerve implant	29.9	N/A	Left sciatic nerve implant	16.3	N/A	-13.6	-45.48494983
	Left inguinal LN	7.9	0.3	Left inguinal LN	9.0	0.3	1.1	13.92405063
	Right femur	8.8	N/A	Right femur	1.3	N/A	-7.5	-85.22727273
	Left thigh	21.4	N/A	Left thigh	20.9	N/A	-0.5	-2.336448598
Patient #6	Left supraclavicular LN	N/A	N/A	Left supraclavicular LN	6.5	0.5	6.5	100
	Paraesophageal LN	7.3	0.4	Paraesophageal LN	3.0	0.4	-4.3	-58.90410959
	Left retrucruval LN	10.9	0.3	Left retrocruval LN	2.0	0.3	-8.9	-81.65137615
	Retrocaval LN	17.1	1.0	Retrocaval LN	11.9	1.2	-5.2	-30.40935673
	Precaval LN	N/A	N/A	Precaval LN	8.6	0.6	8.6	100
	Left peri-aortic LN	7.5	0.8	Left peri-aortic LN	4.4	1.2	-3.1	-41.33333333
	Left peri-aortic LN	N/A	N/A	Left peri-aortic LN	5.9	0.6	5.9	100
	Pre-aortic LN	8.3	1.2	Pre-aortic LN	12.6	1.6	4.3	51.80722892
	Left peri-aortic LN	23.8	1.6	Left peri-aortic LN	6.1	0.7	-17.7	-74.3697479
	Left peri-aortic LN	14.9	1.8	Left peri-aortic LN	6.3	0.6	-8.6	-57.71812081
	Precaval LN	12.9	0.6	Precaval LN	12.1	0.8	-0.8	-6.201550388

Left peri-aortic LN	14.8	1.5	Left peri-aortic LN	8.8	1.5	-6	-40.54054054
Right common iliac LN	13.9	1.2	Right common iliac LN	10.9	0.9	-3	-21.58273381
Right common iliac LN	10.8	1.0	Right common iliac LN	8.9	0.8	-1.9	-17.59259259
Aortic bifurcation LN	9.4	1.1	Aortic bifurcation LN	5.0	0.8	-4.4	-46.80851064
Aortic bifurcation LN	19.2	1.3	Aortic bifurcation LN	N/A	0.8	-19.2	-100
Left common iliac LN	9.6	1.1	Left common iliac LN	5.6	0.9	-4	-41.66666667
Left common iliac LN	27.9	1.4	Left common iliac LN	7.9	0.8	-20	-71.68458781
Right external iliac LN	25.9	1.0	Right external iliac LN	4.1	0.6	-21.8	-84.16988417
Presacral LN	18.4	1.2	Presacral LN	8.2	0.9	-10.2	-55.43478261
Presacral LN	7.6	0.8	Presacral LN	7.2	0.8	-0.4	-5.263157895
Right external iliac LN	55.3	2.5	Right external iliac LN	5.3	1.1	-50	-90.4159132
Right external iliac LN	21.4	1.1	Right external iliac LN	N/A	0.8	-21.4	-100
Left external iliac LN	13.1	3.1	Left external iliac LN	11.9	2.4	-1.2	-9.160305344
Left external iliac LN	17.4	2.7	Left external iliac LN	9.2	1.1	-8.2	-47.12643678
Left external iliac LN	25.2	2.9	Left external iliac LN	7.3	0.9	-17.9	-71.03174603
Right external iliac LN	50.8	2.7	Right external iliac LN	8.7	2.1	-42.1	-82.87401575
Left external iliac LN	13.4	3.1	Left external iliac LN	10.2	2.4	-3.2	-23.88059701
Prostate	22.5	N/A	Prostate	3.9	N/A	-18.6	-82.66666667