

Supplemental Table 1 data. Toxicity according to NCI-CTC

Patient No. (follow-up in months)	Activity ^a (treatment cycles)	^b Haematologic				Gastro- intestinal ^c	Renal ^d	Allergic	Neuro
		WBC	Hb	PLT	LC				
1 (2)	1'688 (2)	0	0	0	nd	0	0	0	0
2 (2)	4'500 (3)	0	0	0	0	0	0	0	0
3 (8)	8'438 (4)	II	0	0	III	0	0	0	0
4 (36)	13'500 (2)	0	0	I	0	0	0	0	0
5 (2)	14'800 (2)	0	0	0	0	0	0	0	0
6 (6)	12'580 (2)	0	0	I	II	0	0	0	0
7 (16)	12'950 (2)	II	0	I	III	0	0	0	0
8 (28)	13'320 (2)	II	0	0	III	0	0	0	0
9 (3)	11'840 (2)	0	0	0	II	0	0	0	0
10 (2)	13'320 (2)	0	0	0	0	0	0	0	0
11 (45)	14'800 (2)	0	0	0	III	0	0	0	0
12 (40)	13'690 (2)	I	0	0	II	0	0	0	0
13 (3)	11'250 (2)	0	0	0	0	0	0	0	III ^f
14 (14)	12'210 (2)	0	III	0	II	0	II	0	0
15 (3)	13'320 (2)	0	0	0	0	0	0	0	II ^e

^aActivity administered in MBq; number of treatment cycles

^bWBC: white blood cells; LC: lymphocytes; Hb: hemoglobin; PLT: platelets; nd: not definable, lymphocytes recorded as percentage

^cNV: Nausea/vomiting

^dCreatinine

^eEdema

^fTransient self-limiting seizure